

# **WORLD GENERA OF THE TACHINIDAE (DIPTERA) AND THEIR REGIONAL OCCURRENCE**

by

**James E. O'Hara<sup>1</sup>**

**23 December 2011**

**Version 6.0**



---

<sup>1</sup> Canadian National Collection of Insects, Agriculture and Agri-Food Canada, 960 Carling Avenue, Ottawa, Ontario, Canada, K1A 0C6. E-mail: james.ohara@agr.gc.ca.

# TABLE OF CONTENTS

**Click on a page number to go to the page indicated**

Foreword .....	2
Biogeographic summary .....	3
Acknowledgements .....	4
Table of genera and their regional occurrence .....	4
References .....	71

**Select a letter to go directly to the corresponding genus in the list of world genera**

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

## FOREWORD

The following table is a listing of the tachinid genera of the world with their regional occurrence. It was compiled from the generic names and distributions given in the most recent regional catalogues, as listed here, and brought up-to-date using information from subsequently published papers.

### Regional catalogues

Nearctic Region	O'Hara & Wood (2004)
Neotropical Region	Guimarães (1971)
Palaeartic Region	Herting & Dely-Draskovits (1993)
Afrotropical Region	Crosskey (1980a)
Oriental Region	Crosskey (1976, 1977)
Australasian Region	Cantrell & Crosskey (1989)

### Country catalogue

China	O'Hara, Shima & Zhang (2009)
-------	------------------------------

All names that appear as valid genera in the regional catalogues are included in the table below. A name that is now a synonym of another genus is shown in light brown and a reference to the synonymy (usually the original source of the synonymy but rarely a later listing) is given. Publications cited in this manner are listed after the table in the References section. Synonyms are denoted with an "x" in the table to indicate the catalogue in which the name occurred. New records for regional distributions are also referenced.

Currently recognized genera are coded with a "1" for regions in which they occur. The sum of each column is given in the summary table on the next page and at the end of the table of genera; these sums represent the number of valid genera recognized in each region. For the purposes of this document, the boundary between the Nearctic and Neotropical Regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O'Hara and Wood (2004). The true boundary between these regions is in southern Mexico (Griffiths 1980).

An asterisk (\*) preceding a generic name denotes a genus described after publication of the corresponding regional catalogue(s). Papers containing these generic names are cited in the References.

---

Title page image: Male of *Trixodes obesus* Coquillett, in characteristic pose facing downward on the trunk of a large sunlit tree at about head height. Picture by author, Cherry Creek campground, 22 kilometers north of Silver City, New Mexico, USA (32°54.8'N 108°13.6'W), 15 August 1999. Fly length = 19 mm.

This sixth version of *World Genera of the Tachinidae (Diptera) and their Regional Occurrence* replaces Version 1 that was dated (and published online) 23 February 2005, Version 2 dated (and published online) 20 July 2006, Version 3 dated (and published online) 22 November 2007, Version 4 dated (and published online) 31 December 2008, and Version 5 dated (and published online) 5 August 2010. Version 6 includes some corrections to the fifth version and new information published since that version.

## BIOGEOGRAPHIC SUMMARY

The following table provides a summary of the number of tachinid species and genera per biogeographic region along with the number and percent of genera endemic to each region.

Number	World	Neotropical <sup>1</sup>	Nearctic <sup>1</sup>	Palearctic	Afrotropical	Oriental	Australasian <sup>2</sup>
Species	9899 <sup>3</sup>	2864 <sup>4</sup>	1345 <sup>5</sup>	>1600 <sup>6</sup>	1006 <sup>7</sup>	725 <sup>8</sup>	808 <sup>9</sup>
Genera	1519	819	305	406	223	259	228
Endemic genera	1112 <sup>10</sup>	640	61	143	95	47	125
% Endemic genera	–	78%	20%	35%	43%	18%	55%

<sup>1</sup> The boundary between the Nearctic and Neotropical Regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O'Hara and Wood (2004).

<sup>2</sup> Australasian and Oceanian Regions.

<sup>3</sup> Irwin *et al.* (2003).

<sup>4</sup> Guimarães (1971).

<sup>5</sup> O'Hara & Wood (2004).

<sup>6</sup> Tschorsnig & Richter (1998).

<sup>7</sup> Irwin *et al.* (2003).

<sup>8</sup> Crosskey (1976).

<sup>9</sup> Cantrell & Crosskey (1989).

<sup>10</sup> Total number of genera found in only one region.

There are nearly 10,000 described species of Tachinidae in the world (Irwin *et al.* 2003), but the actual size of the family is much larger because the Neotropical, Afrotropical, Oriental and Australasian Regions contain large numbers of undescribed species. The number of tachinid genera recognized on a world basis is currently 1519, as enumerated here. This number may possibly fluctuate both up and down in the coming decades as over-split genera are combined into larger and more meaningful genera, and new genera are described to accommodate the many new species that await description.

Radiation of the Tachinidae is thought to have taken place during the Cenozoic Era after the breakup of Gondwanaland. Hence, there was not an opportunity for the dispersal of ancient tachinid lineages between the southern continents of South America, Africa and Australia. This is possibly reflected in the present-day pattern of generic endemism. The biogeographic regions with the lowest number of endemic genera are the Nearctic and Oriental Regions, which functioned in part as corridors for the movement of species between regions during the Tertiary and Quaternary periods. The Palearctic Region also served as a dispersal route between the Nearctic, Afrotropical and Oriental Regions, but its huge size and diverse physiography and climate permitted the development of a sizable endemic fauna at both the generic and species levels. The highest levels of generic endemism are found in the Neotropical, Afrotropical and Australasian Regions, which functioned as cul-de-sac's during the Cenozoic and were therefore ideally suited for the evolution of endemic faunas. However, the 78% generic endemism in the Neotropical Region is due in part to the over-split nature of the genera.

## ACKNOWLEDGEMENTS

I am grateful for the assistance of the following people during the preparation of the six versions of this document: D.M. Wood, S.J. Henderson and B.E. Cooper (Canadian National Collection of Insects, Agriculture and Agri-Food Canada, Ottawa, Canada), V.A. Richter (Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia), H-P. Tschorsnig (Staatliches Museum für Naturkunde, Stuttgart, Germany), P. Cerretti (Università degli Studi di Roma “La Sapienza”, Roma, Italy), H. Shima (Kyushu University Museum, Kyushu University, Fukuoka, Japan), C.-t. Zhang (Liaoning Key Laboratory of Evolution and Biodiversity, Shenyang Normal University, Shenyang, Liaoning, P.R. China), S. Ramani (Project Directorate of Biological Control, Bangalore, India), and F.C. Thompson (formerly Systematic Entomology Laboratory, United States Department of Agriculture, Washington, USA). My thanks also to my 2010 summer student, K. Fay, who calculated the number of endemic genera in each region for the biogeographic summary.

## TABLE OF GENERA AND THEIR REGIONAL OCCURRENCE

Abbreviations: Wor, World; Nea, Nearctic; Neo, Neotropical; Pal, Palearctic; Afr, Afrotropical; Ori, Oriental; Aus, Australasian.

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ABEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ABOLODORIA Townsend, 1934	1	1	-	-	-	-	-
ACANTHOLESPIESIA Wood, 1987	1	-	1	-	-	-	-
ACAULONA van der Wulp, 1884	1	1	-	-	-	-	-
ACEMEIGENIA Townsend, 1927 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)		x					
ACEMYA Robineau-Desvoidy, 1830 Also spelled ACEMYIA, unjustified emendation Recorded from Afrotropical Region by Zeegers (2007, Yemen; 2010, United Arab Emirates)	1	-	1	1	1	1	-
ACROCERONIA Cortés, 1951	1	1	-	-	-	-	-
ACROGLOSSA Williston, 1889 = SPALLANZANIA R.-D., 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 753)		x					
ACRONACANTHA van der Wulp, 1891	1	1	-	-	-	-	-
ACRONARISTA Townsend, 1908 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)		x					
ACRONARISTOPSIS Townsend, 1919 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)		x					
ACTIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
ACTINACTIA Townsend, 1927 = CEROMYA R.-D., 1830 (O'Hara 1989: 53)		x					
ACTINOCHAETA B. & B., 1889	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ACTINOAETOPERYX Townsend, 1927 Recorded from Australasian Region by Evenhuis (1996)	1	-	-	1	-	1	1
ACTINOCROCUTA Townsend, 1935 = SIPHONA (ACTINOCROCUTA Townsend, 1935) (O'Hara 1989: 87)		x					
ACTINODORIA Townsend, 1927	1	1	-	-	-	-	-
ACTINOMINHELLA Townsend, 1928	1	1	-	-	-	-	-
ACTINOPLAGIA Blanchard, 1940	1	1	-	-	-	-	-
ACTINOPROSOPA Townsend, 1927	1	1	-	-	-	-	-
ACTINOTACHINA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
ACUCERA Malloch, 1930 = GERALDIA Malloch, 1930 (Barracough 1992: 1229)							x
ACUPHOCEROPSIS Blanchard, 1943	1	1	-	-	-	-	-
ADEJEANIA Townsend, 1913	1	1	1	-	-	-	-
ADIDYMA Townsend, 1935	1	1	-	-	-	-	-
ADMONTIA B. & B., 1889	1	1	1	1	-	1	-
ADORYPHOROPHAGA Townsend, 1931 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
AFROLIXA Curran, 1939	1	-	-	-	1	-	-
AFROSTURMIA Curran, 1927	1	-	-	-	1	-	-
AGICUPHOCERA Townsend, 1915	1	1	-	-	-	-	-
AGLUMMYIA Townsend, 1912	1	1	-	-	-	-	-
AGRARIALIA Curran, 1934	1	1	-	-	-	-	-
ALASKOPHYTO Townsend, 1915 = MACQUARTIA R.-D., 1830 (Wood 1987: 1258, O'Hara & Wood 1998: 753)				x			
ALDRICHIOPA Guimarães, 1971	1	1	-	-	-	-	-
*ALDRICHOMYIA Özdikmen, 2006 Replacement name for MENETUS Aldrich, 1926, preoccupied by MENETUS Adams & Adams, 1855	1	-	1	-	-	-	-
ALEXOGLOBLINIA Cortés, 1945	1	1	-	-	-	-	-
*ALLELOMYIA González, 1992	1	1	-	-	-	-	-
ALLOPHOROCERA Hendel, 1901	1	-	1	1	-	-	-
ALLOPROSOPAEA Villeneuve, 1923	1	-	-	1	-	-	-
ALLOSTURMIA Blanchard, 1958	1	1	-	-	-	-	-
ALLOTHELAIIRA Villeneuve, 1915	1	-	-	-	1	1	1

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ALOPHORA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)					x	x	x
ALOPHORELLA Townsend, 1912 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)		x					
ALOPHOROPHASIA Townsend, 1927 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)				x		x	
ALPINOPLAGIA Townsend, 1931	1	1	-	-	-	-	-
ALSOMYIA B. & B., 1891 Recorded from Afrotropical Region (Madagascar) by Mesnil (1977)	1	-	-	1	1	-	-
ALSOPSYCHE B. & B., 1891	1	1	-	-	-	-	-
ALTAIA Malloch, 1938	1	-	-	-	-	-	1
AMAZOHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
AMBLYCHAETA Aldrich, 1934	1	1	-	-	-	-	-
AMELIBAEA Mesnil, 1955	1	-	-	1	-	-	-
AMESIOMIMA Mesnil, 1950	1	-	-	-	1	-	-
AMETADORIA Townsend, 1927	1	1	1	-	-	-	-
AMICROTRICHOMMA Townsend, 1927	1	1	-	-	-	-	-
AMNONIA Kugler, 1971 Recorded from Afrotropical Region by Zeegers (2010, United Arab Emirates)	1	-	-	1	1	-	-
AMPHIBOLIA Macquart, 1843	1	-	-	-	-	-	1
AMPHICESTONIA Villeneuve, 1939	1	-	-	1	-	-	-
AMPHITROPESA Townsend, 1933	1	-	-	-	-	-	1
ANACAMPTOMYIA Bischof, 1904	1	-	-	-	1	-	1
ANADISCALIA Curran, 1934	1	1	-	-	-	-	-
ANADISTICHONA Townsend, 1934	1	1	-	-	-	-	-
ANAEUDORA Townsend, 1933 Treated as a synonym of MIKIA Kowarz, 1885 by O'Hara, Shima & Zhang (2009: 168) following Crosskey (1976: 206); treated as valid by Herting & Dely-Draskovits (1993: 275), Richter (2004: 281) and others Recorded from Oriental Region by Sun <i>et al.</i> (1992)	1	-	-	1	-	1	-
ANAGONIA B. & B., 1891	1	-	-	-	-	-	1
ANAMASTAX B. & B., 1891	1	-	-	-	-	-	1
ANAMERIANIA Zimin, 1960 = BOTRIA Rondani, 1856 (Ziegler & Shima 1996: 407, as "BOTHRIA")				x			
ANAMETOPOCHAETA Townsend, 1919	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ANAPHORINIA Townsend, 1927 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
ANATROPOMYIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)							x
ANCISTROPHORA Schiner, 1865	1	-	-	1	-	-	-
ANDESIMYIA Brèthes, 1909	1	1	-	-	-	-	-
*ANDICESA Koçak & Kemal, 2010 Replacement name for TRICHOPHOROPSIS Townsend, 1914, preoccupied by TRICHOPHOROPSIS Bonaparte, 1854	1	1					
ANDINOMYIA Townsend, 1912	1	1	-	-	-	-	-
ANDROEURYOPS Beneway, 1961 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
*ANDROSOMA Cortés & Campos, 1971	1	1	-	-	-	-	-
ANECUROMYIA Mesnil & Shima, 1979	1	-	-	1	-	-	-
ANEMORILLA Townsend, 1915	1	1	-	-	-	-	-
ANEOGMENA B. & B., 1891	1	-	-	1	-	1	1
ANEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ANGIORHINA B. & B., 1889 = GNADOCHAETA Macquart, 1851 (Wood <i>in</i> O'Hara & Wood 1998: 770)		x		x			
ANGUSTIA Sellers, 1943	1	1	1	-	-	-	-
ANHANGABAHUIA Townsend, 1931	1	1	-	-	-	-	-
ANISIA van der Wulp, 1890	1	1	1	-	-	-	-
*ANOMALOSTOMYIA Cerretti & Barraclough, 2007	1	-	-	-	1	-	-
ANOXYNOPS Townsend, 1927	1	1	1	-	-	-	-
ANOXYNOPSELLA Townsend, 1935 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
ANOXYNOPSOIDEA Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
ANTHOMYIOPSIS Townsend, 1916	1	-	1	1	-	1	-
ANTISTASEA Bischof, 1904	1	-	-	-	1	-	-
ANTISTASEOPSIS Townsend, 1934	1	1	-	-	-	-	-
ANUROPHYLLA Villeneuve, 1938	1	-	-	1	-	-	-
APALPOSTOMA Malloch, 1930	1	-	-	-	-	-	1
APATEMYIA Macquart, 1846	1	-	-	-	-	-	1
APHRIA Robineau-Desvoidy, 1830	1	-	1	1	-	1	-
APLOMYA Robineau-Desvoidy, 1830 Also spelled APLOMYIA, unjustified emendation	1	1	1	1	1	1	1

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
APLOMYIOPSIS Villeneuve, 1933 = EUTHELYCONYCHIA Townsend, 1927 (Wood <i>in</i> O'Hara & Wood 1998: 771) Recorded from Australasian Region by Evenhuis (1996), as an introduction		x					x
APLOMYODORIA Townsend, 1928	1	1	-	-	-	-	-
APLOMYOPSIS Townsend, 1927	1	1	1	-	-	-	-
*APOMORPHOMYIA Crosskey, 1984	1	-	-	-	1	-	-
*APOREOMYIA Pape & Shima, 1993	1	-	-	-	-	1	-
APPENDICIA Stein, 1924 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754)				x			
APROTHECA Macquart, 1851	1	-	-	-	-	-	1
ARAMA Richter, 1972	1	-	-	1	-	-	-
*ARAUCOGONIA Cortés, 1976	1	1	-	-	-	-	-
ARAUCOSIMUS Aldrich, 1934	1	1	-	-	-	-	-
ARCHIPHANIA van Emden, 1945 = CATHAROSIA Rondani, 1868 (Crosskey 1984: 200); treated as a valid genus by Zeegers (2007: 401)					x		
ARCHYTAS Jaenicke, 1867	1	1	1	1	-	-	1
ARCHYTOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
*ARCONA Richter, 1988	1	-	-	1	-	-	-
ARCTOSOMA Aldrich, 1934	1	1	-	-	-	-	-
ARGYROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
ARGYRODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
ARGYROMIMA B. & B., 1889	1	1	-	-	-	-	-
ARGYROPHYLAX B. & B., 1889 Recorded from Palaearctic Region by Shima (1999)	1	1	1	1	-	1	1
ARGYROTHELAIIRA Townsend, 1916	1	-	-	-	-	1	1
ARIDALIA Curran, 1934	1	1	-	-	-	-	-
ARRHENOMYZA Malloch, 1929	1	-	-	-	-	-	1
ARRHINACTIA Townsend, 1927	1	1	1	-	-	-	-
ASETULIA Malloch, 1938	1	-	-	-	-	-	1
ASILIDOTACHINA Townsend, 1931	1	1	-	-	-	-	-
ASIPHONA Mesnil, 1954 = SIPHONA (APHANTORHAPHOPSIS Townsend, 1926) (O'Hara 1989: 92)					x		
ASSECLAMYIA Reinhard, 1956	1	-	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ATACTA Schiner, 1868	1	1	1	-	-	-	-
ATACTOPSIS Townsend, 1917	1	1	1	-	-	-	-
ATACTOSTURMIA Townsend, 1915	1	1	-	-	-	-	-
ATELOGLOSSA Coquillett, 1899	1	-	1	-	-	-	-
ATELOGLUTUS Aldrich, 1934	1	1	-	-	-	-	-
ATHRYCIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	1	1	1	-	1	-
ATLANTOMYIA Crosskey, 1977	1	-	-	-	1	-	-
ATRACROCEROPS Townsend, 1916	1	-	-	-	-	1	-
ATRICHIOPODA Townsend, 1931	1	1	-	-	-	-	-
ATROPHOPALPUS Townsend, 1892 = PARADIDYMA B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)		x					
ATYLOMYIA Brauer, 1898	1	-	-	1	-	-	-
ATYLOSTOMA B. & B., 1889	1	-	-	1	-	1	-
AULACEPHALA Macquart, 1851	1	-	-	1	1	1	-
AUSTENIOPS Townsend, 1915	1	1	-	-	-	-	-
AUSTRALOTACHINA Curran, 1938	1	-	-	-	-	-	1
AUSTROMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
AUSTRONILEA Crosskey, 1967	1	-	-	-	-	-	1
AUSTROPHASIOPSIS Townsend, 1933	1	-	-	-	-	1	-
AUSTROPHOROCERA Townsend, 1916	1	1	1	1	-	1	1
AUSTROPHRYNO Townsend, 1916	1	-	-	-	-	-	1
AUSTROPHYTOMYPTERA Blanchard, 1962	1	1	-	-	-	-	-
AUSTROSTAUROCHAETA Townsend, 1931 = ADMONTIA B. & B., 1889 (Wood 1985: 17)		x					
AVIBRISSIA Malloch, 1932	1	-	-	-	-	-	1
AVIBRISSINA Malloch, 1932	1	-	-	-	-	-	1
AVIBRISSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
AZYGOBOTHRIA Townsend, 1911	1	1	-	-	-	-	-
BACTROMYIA B. & B., 1891	1	-	-	1	-	1	-
BACTROMYIELLA Mesnil, 1952	1	-	-	-	-	1	1
BACULOCAPTUS Cortés, 1968 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)		x					
*BAHRETTINIA Özdkimen, 2007 Replacement name for PSILOPLEURA Reinhard, 1943, preoccupied by PSILOPLEURA Druce, 1898	1	-	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
*BALDE Rice, 2005	1	-	-	-	-	-	1
BAMPURA Tschorsnig, 1983	1	-	-	1	-	-	-
BARYCHAETA Bezzi, 1906 Unnecessary <i>nomen novum</i> for PACHYCHETA Portschinsky, 1881 (O'Hara 2009: 66)				x			
BATHYDEXIA van der Wulp, 1891	1	1	-	-	-	-	-
BAUMHAUERIA Meigen, 1838	1	-	-	1	-	-	-
BELIDA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
BELLINA Robineau-Desvoidy, 1863	1	-	-	-	-	1	-
BELVOSIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
BELVOSIELLA Curran, 1934	1	1	-	-	-	-	-
BELVOSIOMIMOPS Townsend, 1935	1	1	-	-	-	-	-
BESKIA B. & B., 1889	1	1	1	-	-	-	-
BESKIOCEPHALA Townsend, 1916	1	1	-	-	-	-	-
BESKIOLESKIA Townsend, 1919	1	1	-	-	-	-	-
BESSA Robineau-Desvoidy, 1863	1	-	1	1	1	1	1
BESSERIA Robineau-Desvoidy, 1830	1	-	1	1	1	-	-
BESSERIOIDES Curran, 1938 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)						x	x
BEZZIMYIA Townsend, 1919 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)		x					
BEZZIOMYIOBIA Baranov, 1938	1	-	-	-	-	-	1
BIBIOMIMA B. & B., 1889	1	1	-	-	-	-	-
BICRUCIOSTURMIA Townsend, 1932 = WINTHEMIA R.-D., 1830 (Coelho 1989: 274)		x					
BILLAEA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
BINGHAMIMYIA Townsend, 1919	1	1	-	-	-	-	-
BIOMEIGENIA Mesnil, 1961	1	-	-	1	-	1	-
BISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
BITHIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
BLEPHARELLA Macquart, 1851	1	-	-	1	1	1	1
BLEPHARELLINA Mesnil, 1952 See Evenhuis & O'Hara (2008: 65) for details about dating	1	-	-	-	1	-	-
BLEPHARIATACTA Townsend, 1931	1	1	-	-	-	-	-
BLEPHARIPA Rondani, 1856	1	1	1	1	-	1	1
BLEPHAROMYIA B. & B., 1889	1	-	1	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
BLEPHAROPODA Rondani, 1850	1	1	-	-	-	-	-
BLONDELIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun <i>et al.</i> (1992) and Shima (1997)	1	1	1	1	1	1	-
BOGOSIA Rondani, 1873	1	-	-	-	1	-	-
BOGOSIELLA Villeneuve, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)					x		
BOLBOCHAETA Bigot, 1885	1	1	-	-	-	-	-
BOLODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
BOLOHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
BOLOMYIA B. & B., 1891 = MYSTACELLA van der Wulp, 1890 (Wood 1987: 1210, O'Hara & Wood 1998: 754)		x					
BOMBYLIOMYIA B. & B., 1889	1	1	1	-	-	-	-
BOMBYLIOPSIS Townsend, 1915 = HYSTRICIA Macquart, 1844 (Wood 1987: 1202, O'Hara & Wood 1998: 754, O'Hara 2002: 97)		x					
BONNANIOPS Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
BONNETIA Robineau-Desvoidy, 1830 = LINNAEMYA Robineau-Desvoidy, 1830 (Mesnil 1971: 1006)		x					
BORGMEIERMYIA Townsend, 1935	1	1	-	-	-	-	-
BOTHROPHORA Schiner, 1868	1	-	-	-	-	-	1
BOTRIA Rondani, 1856 The spelling BOTHRIA is an incorrect original spelling (O'Hara <i>et al.</i> 2011: 40)	1	-	-	1	-	-	-
BOTRIOPSIS Townsend, 1928	1	-	-	-	-	1	-
BOURQUINIA Blanchard, 1935	1	1	-	-	-	-	-
BRACHELIA Robineau-Desvoidy, 1830	1	-	-	-	1	-	-
BRACHELIOPSIS van Emden, 1960	1	-	-	-	1	-	-
BRACHICHETA Rondani, 1861 BRACHYCHAETA Brauer & Bergenstamm, 1889 is an unjustified emendation of BRACHICHETA (O'Hara <i>et al.</i> 2011: 40–41, 258)	1	-	-	1	-	-	-
BRACHYBELVOSIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYCHAETOIDES Mesnil, 1970 Recognized as valid by Crosskey (1984: 201)	1	-	-	-	1	-	-
BRACHYCNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYMASICERA Townsend, 1911	1	1	-	-	-	-	-
BRACHYMERA B. & B., 1889	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
BRACTEOLA Richter, 1972	1	-	-	1	-	-	-
*BRASILOMYIA Özdikmen, 2010 Replacement name for PLATYPHASIA Townsend, 1935, preoccupied by PLATYPHASIA Skuse, 1890	1	1					
BRAZILIOMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
BRULLAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
BUQUETIA Robineau-Desvoidy, 1847	1	-	1	1	-	1	-
CADURCIA Villeneuve, 1926	1	-	-	1	1	1	-
CADURCIELLA Villeneuve, 1927	1	-	-	1	1	-	-
CAENIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CAENISOMA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)		x					
CAENISOMOPSIS Townsend, 1934	1	1	-	-	-	-	-
CAHENIA Verbeke, 1960	1	-	-	-	1	-	-
CALCAGER Hutton, 1901	1	-	-	-	-	-	1
CALCAGERIA Curran, 1927	1	-	-	-	-	-	1
*CALLIETHILLA Shima, 1979	1	-	-	-	-	1	-
CALLOTROXIS Aldrich, 1929	1	1	-	-	-	-	-
CALOCARCELIA Townsend, 1927	1	1	-	-	-	-	-
CALODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
CALOHYSTRICIA Townsend, 1931	1	1	-	-	-	-	-
CALOLYDELLA Townsend, 1927	1	1	1	-	-	-	-
CALOSIA Malloch, 1938	1	-	-	-	-	-	1
CALOTACHINA Malloch, 1938	1	-	-	-	-	-	1
CALOTHELAIIRA Townsend, 1927 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
CALOZENILLIA Townsend, 1927	1	-	-	1	1	1	1
CALPODOMYIA Townsend, 1915 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)		x					
*CALTAGIRONEA Cortés & Campos, 1974	1	1	-	-	-	-	-
CALYPTROMYIA Villeneuve, 1915	1	-	-	1	-	1	-
CAMARONA van der Wulp, 1891	1	1	-	-	-	-	-
CAMPBELLIA Miller, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)							x
CAMPOSIANA Townsend, 1915	1	1	-	-	-	-	-
CAMPOSODES Cortés, 1967	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
CAMPTOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
CAMPYLIA Malloch, 1938	1	-	-	-	-	-	1
CAMPYLOCHETA Rondani, 1859 Also spelled CAMPYLOCHAETA, unjustified emendation	1	1	1	1	1	1	1
CANALIA Curran, 1934 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
*CANTRELLIUS Barraclough, 1992	1	-	-	-	-	-	1
CARBONILLA Mesnil, 1974	1	-	-	1	-	-	-
CARCELIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
*CARCELIELLA Baranov, 1934 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Crosskey (1976: 229), Cantrell & Crosskey (1989: 773) and others, but revived as a valid genus by Shima (2005: 390).	1	-	-	1	-	1	-
CARCELIMYIA Mesnil, 1944	1	-	-	-	-	-	1
CARCELINA Mesnil, 1944 = CARCELIA Robineau-Desvoidy, 1830 (Chao & Liang 2002: 808)				x			
CARCELIOCEPHALA Townsend, 1934	1	1	-	-	-	-	-
CARCELIODORIA Townsend, 1928	1	1	-	-	-	-	-
CARMODYMYIA Thompson, 1968	1	1	-	-	-	-	-
CASAHUIRIA Townsend, 1919	1	1	-	-	-	-	-
CATAGONIA B. & B., 1891	1	-	-	1	-	-	-
CATAJURINIA Townsend, 1927	1	1	-	-	-	-	-
CATALINOVORIA Townsend, 1926 = HYPOVORIA Villeneuve, 1912 (Mesnil 1974: 1278)		x					
CATAPARIPROSOPA Townsend, 1927	1	-	-	-	1	1	-
CATAPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
CATAPHORINIOPSIS Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
CATEMOPHRYS Townsend, 1908 = VANDERWULPIA Townsend, 1891 (Wood 1987: 1260, O'Hara & Wood 1998: 754)		x					
CATENA Richter, 1975	1	-	-	1	-	-	-
CATHAROSIA Rondani, 1868	1	-	1	1	1	-	-
CATOCYPTERA Townsend, 1927 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)		x					
CAVALIERIA Villeneuve, 1908	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
*CAVILLATRIX Richter, 1986 Recorded from the Oriental and Australasian regions by Shima (1996b)	1	-	-	1	-	1	1
CELATORIA Coquillett, 1890	1	1	1	-	-	-	-
CELATORIOPSIS Blanchard, 1963 = EUCELATORIA Townsend, 1909 (Sabrosky 1981: 4)		x					
CENOSOMA van der Wulp, 1890 = OESTROPHASIA (CENOSOMA van der Wulp, 1890) (Wood 1987: 1260, O'Hara & Wood 1998: 754)		x					
CERACIA Rondani, 1865	1	1	1	1	1	1	1
CERANTHIA Robineau-Desvoidy, 1830 = SIPHONA (CERANTHIA R.-D., 1830) (O'Hara 1989: 99, O'Hara & Wood 2004: 301)				x	x		
CERATOCHAETOPS Mesnil, 1970 Correctly dated 1970 in O'Hara (1996b: 123) but dated 1954 in Herting & Dely-Draskovits (1993: 232) and O'Hara & Wood (2004: 164), in error	1	-	1	1	-	-	-
CERATOMETOPA Townsend, 1931	1	1	-	-	-	-	-
CERATOMYIELLA Townsend, 1891 = PARADIDYMA B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)		x					
CEROMASIA Rondani, 1856	1	-	1	1	-	-	-
CEROMASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CEROMYA Robineau-Desvoidy, 1830 Also spelled CEROMYIA, unjustified emendation	1	1	1	1	1	1	1
CEROTACHINA Arnaud, 1963	1	1	-	-	-	-	-
*CESAMORELOSIA Koçak & Kemal, 2010 Replacement name for ERGOLABUS Reinhard, 1964, preoccupied by ERGOLABUS Gistel, 1848	1	1	-	-	-	-	-
*CESAPANAMA Koçak & Kemal, 2010 Replacement name for PARAZELIA Townsend, 1919, preoccupied by PARAZELIA Bigot, 1882	1	1	-	-	-	-	-
*CESAPERUA Koçak & Kemal, 2010 Replacement name for XENOPHASIA Townsend, 1934, preoccupied by XENOPHASIA Strickland, 1841	1	1	-	-	-	-	-
CESTONIA Rondani, 1861	1	-	-	1	1	1	-
CESTONIONERVA Villeneuve, 1929	1	-	-	1	1	-	-
CESTONIOPTERA Villeneuve, 1939	1	-	-	1	-	-	-
CHAETEXORISTA B. & B., 1895	1	-	1	1	1	1	1
CHAETOCALLIRRHOE Townsend, 1935	1	1	-	-	-	-	-
CHAETOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
CHAETOCRANIA Townsend, 1915	1	-	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
CHAETOCRANIQPSIS Townsend, 1915	1	1	-	-	-	-	-
CHAETODEMOTICUS B. & B., 1891	1	1	-	-	-	-	-
CHAETODEXIA Mesnil, 1976	1	-	-	-	1	-	-
CHAETODORIA Townsend, 1927	1	1	-	-	-	-	-
CHAETOEPALPUS Vimmer & Soukup, 1940	1	1	-	-	-	-	-
CHAETOGAEDIA B. & B., 1891	1	1	1	-	-	-	1
CHAETOGLOSSA Townsend, 1892	1	1	1	-	-	-	-
CHAETOGYNE B. & B., 1889	1	1	-	-	-	-	-
CHAETOLIXOPHAGA Blanchard, 1940	1	1	-	-	-	-	-
CHAETONA van der Wulp, 1891	1	1	-	-	-	-	-
CHAETONALIA Curran, 1934 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
CHAETONODEXODES Townsend, 1916	1	1	1	-	-	-	-
CHAETONOPSIS Townsend, 1915	1	-	1	-	-	-	-
CHAETOPHLEPSIS Townsend, 1915 = CAMPYLOCHETA Rondani, 1859 (Mesnil 1974: 1250)		x					
CHAETOPHOROCERA Townsend, 1912	1	1	-	-	-	-	-
CHAETOPHTHALMUS B. & B., 1891	1	-	-	-	-	-	1
CHAETOPLAGIA Coquillett, 1895	1	1	1	-	-	-	-
CHAETOPLETHA Malloch, 1938	1	-	-	-	-	-	1
CHAETORIA Becker, 1908	1	-	-	1	1	1	1
CHAETOSISYROPS Townsend, 1912	1	1	-	-	-	-	-
CHAETOSTIGMOPTERA Townsend, 1916	1	1	1	1	-	-	-
CHAETOSTURMIA Villeneuve, 1915	1	-	-	-	1	-	-
CHAETOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
CHAETOVORIA Villeneuve, 1920	1	-	1	1	-	-	-
CHAETOXYNOPS Townsend, 1928	1	1	-	-	-	-	-
CHAQUIMAYOIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
CHARAPOZELIA Townsend, 1927	1	1	-	-	-	-	-
CHARITELLA Mesnil, 1957	1	-	-	-	1	1	-
CHESIPPUS Reinhard, 1967	1	-	1	-	-	-	-
CHETINA Rondani, 1856	1	-	-	1	-	-	-
CHETOGASTER Macquart, 1851	1	-	-	-	-	-	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHETOGENA Rondani, 1856 Also spelled CHAETOGENA, unjustified emendation	1	1	1	1	1	1	1
CHETOPTILIA Rondani, 1862 Also spelled CHAETOPTILIA, unjustified emendation	1	-	-	1	1	1	-
CHILOCLISTA Townsend, 1931	1	1	-	-	-	-	-
CHILOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
CHIRICAHUIA Townsend, 1918	1	-	1	-	-	-	-
CHLOROGASTROPSIS Townsend, 1926	1	-	-	-	-	-	1
CHLOROHYSTRICIA Townsend, 1927	1	1	1	-	-	-	-
CHLOROLYDELLA Townsend, 1933	1	-	-	-	1	-	-
CHLOROPALES Mesnil, 1950	1	-	-	-	-	-	1
CHLOROTACHINA Townsend, 1915	1	-	-	-	-	-	1
CHOETEPROSOPA Macquart, 1851	1	1	-	-	-	-	-
CHOLOMYIA Bigot, 1884	1	1	1	-	-	-	-
CHROMATOCERA Townsend, 1915	1	-	1	-	-	-	-
CHROMATOPHANIA B. & B., 1889	1	-	-	-	1	-	-
CHROMOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
*CHRYSERYCIA Mesnil, 1977	1	-	-	-	1	-	-
CHRYSOCOSMIUS Bezzi, 1907 Synonym of GYMNOCHETA R.-D., 1830 (Crosskey 1976, Herting & Dely-Draskovits 1993); misused as valid genus in <i>Flies of China</i> (Chao <i>et al.</i> 1998) because of type species problem, but those species belong to CHRYSOSOMOPSIS Townsend, 1916				x			
CHRYSOEXORISTA Townsend, 1915	1	1	1	-	-	-	-
CHRYSOHOUGHIA Townsend, 1935	1	1	-	-	-	-	-
CHRYSOMETOPIOPS Townsend, 1916	1	1	-	-	-	-	-
CHRYSOMIKIA Mesnil, 1970	1	-	-	1	-	1	-
CHRYSOMOPSIS Townsend, 1916 Misspelled reference to CHRYSOSOMOPSIS Townsend, 1916, in Herting & Dely-Draskovits (1993: 290)				x			
CHRYSOPASTA B. & B., 1889	1	-	-	-	-	-	1
CHRYSOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
CHRYSOPHRYXE Sellers, 1943	1	1	-	-	-	-	-
CHRYSOPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
CHRYSOSOMOPSIS Townsend, 1916 Misspelled as CHRYSOMOPSIS in Herting & Dely-Draskovits (1993: 290); species of China (Chao <i>et al.</i> 1998) under CHRYSOCOSMIUS Bezzi, 1907 (with CHRYSOSOMOPSIS in synonymy) because of type species problem	1	-	-	1	-	1	-
CHRYSOSTURMIA Townsend, 1916	1	1	-	-	-	-	-
CHRYSOTACHINA B. & B., 1889	1	1	1	-	-	-	-
CHRYSOTRYPHERA Townsend, 1935	1	1	-	-	-	-	-
CHYULUELLA van Emden, 1960	1	-	-	-	1	-	-
CIALA Richter, 1976	1	-	-	1	-	-	-
CINOCHIRA Zetterstedt, 1844	1	-	1	1	-	-	-
CISTOGASTER Latreille, 1829	1	1	-	1	-	-	-
CLAIRVILLIA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
CLAIRVILLIOPS Mesnil, 1959 Treated as a synonym of CLAIRVILLIA Robineau-Desvoidy, 1830 by Crosskey (1984: 200) but recognized as valid by Herting & Dely-Draskovits (1993: 424) and Tschorsnig & Richter (1998: 781)	1	-	-	1	1	-	-
CLARA B. & B., 1889 Junior homonym of CLARA Gill, 1862 and replaced by junior synonym PARACLARA Bezzi, 1908 (Crosskey 1980a: 1230, 1984: 200)					x		
CLASTONEURA Aldrich, 1934	1	1	-	-	-	-	-
CLASTONEURIOPSIS Reinhard, 1939 Recorded from Neotropical Region by Cortés (1986)	1	1	1	-	-	-	-
CLAUSICELLA Rondani, 1856	1	1	1	1	1	1	-
CLAUSICELLANA Curran, 1927 = CHAETOSTIGMOPTERA Townsend, 1916 (Wood 1985: 31)		x					
CLELIMYIA Herting, 1981	1	-	-	1	-	-	-
CLEMELIS Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
CLEONICE Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
CLINOGASTER van der Wulp, 1892	1	1	-	-	-	-	-
CLYTHOXYNOPS Townsend, 1927 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)		x					
CLYTIOMYA Rondani, 1861 Also spelled CLYTIOMYIA, unjustified emendation	1	-	-	1	-	-	-
CNEPHALODES Townsend, 1911	1	1	-	-	-	-	-
CNEPHAOTACHINA B. & B., 1895 = TACHINA Robineau-Desvoidy, 1830 (Cerretti 2010: 306; CNEPHAOTACHINA treated as a synonym of NOWICKIA Wagl, 1894, a genus-group name treated here as a subgenus of TACHINA Robineau-Desvoidy, 1830)				x			

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
COCKERELLIANA Townsend, 1915	1	-	1	-	-	-	-
COLOLESKIA Villeneuve, 1939	1	-	-	-	1	-	-
COLORADOMYIA Arnaud, 1963	1	-	1	-	-	-	-
COLURUS Reinhard, 1953 = PROPARCHAETOPSIS Blanchard, 1942 (Toma & Guimarães 2000b: 16)		x					
COMATACTA Coquillett, 1902	1	1	-	-	-	-	-
COMOPS Aldrich, 1934	1	1	-	-	-	-	-
*COMOPSIS Cortés, 1986	1	1	-	-	-	-	-
COMP SILURA Bouché, 1834	1	-	1	1	1	1	1
COMP SILUROIDES Mesnil, 1953	1	-	-	1	-	1	-
COMP SOPTESIS Villeneuve, 1915	1	-	-	-	-	1	-
COMYOPS van der Wulp, 1891	1	1	-	-	-	-	-
COMYOPSIS Townsend, 1919	1	1	-	-	-	-	-
CONACTIA Townsend, 1927	1	1	-	-	-	-	-
CONACTIODORIA Townsend, 1934	1	1	-	-	-	-	-
CONOGASTER B. & B., 1891	1	-	-	1	-	-	-
*CONOPOMIMA Mesnil, 1978	1	-	-	-	1	-	-
COPECRYPTA Townsend, 1908	1	1	1	1	-	-	-
CORACOMYIA Aldrich, 1934	1	1	-	-	-	-	-
CORDILLERODEXIA Townsend, 1927	1	1	-	-	-	-	-
CORDYLIGASTER Macquart, 1844	1	1	1	-	-	-	-
COROZALIA Curran, 1934 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
CORPULENTOEALPUS Townsend, 1927	1	1	-	-	-	-	-
CORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
*CORYBANTIA Richter, 1986	1	-	-	1	-	-	-
*COSCARONIA Cortés, 1979	1	1	-	-	-	-	-
COSSIDOPHAGA Baranov, 1934	1	-	-	-	-	1	-
COWANIA Reinhard, 1952	1	1	-	-	-	-	-
*CRAPIVNICIA Richter, 1995	1	-	-	1	-	-	-
CRASSICORNIA Kugler, 1980	1	-	-	1	1	-	-
CROCINOSOMA Reinhard, 1947	1	1	1	-	-	-	-
CROESOACTIA Townsend, 1927	1	1	-	-	-	-	-
CROSSKEYA Shima & Chao, 1988	1	-	-	-	-	1	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CRYPISINA B. & B., 1889 Recorded from Palaearctic and Oriental regions by Shima (1996a)	1	-	-	1	-	1	1
CRYPTOCLADOCERA Bezzi, 1923	1	1	-	-	-	-	-
CRYPTOMEIGENIA B. & B., 1891	1	1	1	-	-	-	-
CRYPTOMEIGENIOIDEA Thompson, 1968 = CRYPTOMEIGENIA B. & B., 1891 (Wood 1985: 33)		x					
CRYPTOPALPUS Rondani, 1850	1	1	-	-	-	-	-
CTENOPHORINIA Mesnil, 1963	1	-	-	1	-	-	-
CUBAEMYIOPSIS Thompson, 1963	1	1	-	-	-	-	-
*CUCUBA Richter, 2008	1	-	-	1	-	-	-
CUPARYMYIA Townsend, 1934	1	1	-	-	-	-	-
*CURRANA Özdikmen, 2007 Replacement name for DODDIANA Curran, 1927, preoccupied by DODDIANA Turner, 1902	1	-	-	-	-	1	-
CYANOGYMNOMMA Townsend, 1927	1	1	-	-	-	-	-
CYANOLESKIA Mesnil, 1978	1	-	-	-	1	-	-
CYANOPSIS Townsend, 1917	1	1	-	-	-	-	-
CYLINDROMASICERA Townsend, 1915	1	1	-	-	-	-	-
CYLINDROMYIA Meigen, 1803	1	1	1	1	1	1	1
CYLINDROPHASIA Townsend, 1916	1	1	-	-	-	-	-
CYOSOPROCTA Reinhard, 1952	1	1	-	-	-	-	-
CYRTOCLADIA van Emden, 1947	1	-	-	-	1	-	-
CYRTOPHLOEBA Rondani, 1856 The spelling CYRTOPHLEBA is an incorrect original spelling (O'Hara <i>et al.</i> 2011: 69–70)	1	1	1	1	1	-	-
CYZENIS Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
DAETALEUS Aldrich, 1928	1	1	-	-	-	-	-
DALLASIMYIA Blanchard, 1944	1	1	-	-	-	-	-
DASYUROMYIA Bigot, 1885	1	1	-	-	-	-	-
DATVIA Richter, 1972	1	-	-	1	-	-	-
DEGEERIOPSIS Mesnil, 1953	1	-	-	-	-	1	-
DEJEANIA Robineau-Desvoidy, 1830	1	-	-	-	1	-	-
DEJEANIOPS Townsend, 1913	1	1	-	-	-	-	-
DEJENIOPALPUS Townsend, 1916	1	1	-	-	-	-	-
DELOBLEPHARIS Aldrich, 1934	1	1	-	-	-	-	-
DELTOCEROMYIA Townsend, 1931	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
DELTOMYZA Malloch, 1931	1	-	-	-	-	-	1
DEMOTICOIDES Mesnil, 1953	1	-	-	1	-	1	1
DEMOTICUS Macquart, 1854	1	-	1	1	-	-	-
DEOPALPUS Townsend, 1908	1	1	1	-	-	-	-
*DESANTISODES Cortés, 1973	1	1	-	-	-	-	-
DESCAMPSINA Mesnil, 1956	1	-	-	-	1	-	-
DEXIA Meigen, 1826	1	-	1	1	1	1	-
DEXIOMERA Curran, 1933	1	-	-	-	1	-	-
DEXIOMIMOPS Townsend, 1926	1	-	-	1	-	1	-
DEXIOSOMA Rondani, 1856	1	-	-	1	-	1	-
DEXIOTRIX Villeneuve, 1936 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58)				x	x	x	x
DEXODIMYIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
DEXODIOIDEA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
DEXODIOPSIS Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
DEXODOMINTHO Townsend, 1935	1	1	-	-	-	-	-
DIAPHANOMYIA Townsend, 1917	1	1	-	-	-	-	-
DIAPHOROPEZA Townsend, 1908	1	1	-	-	-	-	-
DIAPROCHAETA Mesnil, 1970	1	-	-	-	1	-	-
DIATRAEOPHAGA Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)						x	
DIAUGHIA Perty, 1833	1	1	-	-	-	-	-
*DICARCA Richter, 1993	1	-	-	1	-	-	-
DICHOCERA Williston, 1895	1	1	1	-	-	-	-
DIDYMA van der Wulp, 1890 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)		x					
DIDYMOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
DIGLOSSOCERA van der Wulp, 1895	1	-	-	-	-	1	-
DINERA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
DIONAEA Robineau-Desvoidy, 1830 Not present in Afrotropical Region (Crosskey 1984: 200)	1	-	-	1	-	-	-
DIONOMELIA Kugler, 1978 Recorded from Afrotropical Region by Zeegers (2010, United Arab Emirates)	1	-	-	1	1	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
DIOTREPES Reinhard, 1964	1	1	1	-	-	-	-
DIPLOPOTA Bezzi, 1918	1	-	-	1	-	-	-
DIPLOSTICHUS B. & B., 1889 = CHETOGENA (DIPLOSTICHUS B. & B., 1889) (Wood <i>in</i> O'Hara & Wood 1998: 771, O'Hara & Wood 2004: 148)				x			
DISCHOTRICHIA Cortés, 1944	1	1	-	-	-	-	-
DISTICHONA van der Wulp, 1890	1	1	1	-	-	-	-
DODDIANA Curran, 1927 Junior homonym of DODDIANA Turner, 1902 and replaced by CURRANA Özdikmen, 2007						x	
DOLESCHALLA Walker, 1861	1	-	-	-	-	1	1
DOLICHOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOCODIA Townsend, 1908	1	1	1	-	-	-	-
DOLICHOCOLON B. & B., 1889 Redefined by Cerretti (2009b: 55–56)	1	-	-	1	1	1	1
DOLICHOCOXYYS Townsend, 1927	1	-	-	1	-	1	-
DOLICHODEXIA B. & B., 1889 = ESTHERIA Robineau-Desvoidy, 1830 (Herting & Dely- Draskovits 1993: 363) Treated as valid genus by Crosskey (1976: 180, 1980b: 833)				x			
DOLICHODINERA Townsend, 1935	1	1	-	-	-	-	-
DOLICHOGONIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
DOLICHOPODOMINTHO Townsend, 1927	1	-	-	1	-	1	-
DOLICHOSTOMA Townsend, 1912	1	1	-	-	-	-	-
DOLICHOTARSINA Mesnil, 1977	1	-	-	-	1	-	-
DOLICHOTARSUS Brooks, 1945	1	-	1	-	-	-	-
*DOLIOLOMYIA Reinhard, 1974	1	1	-	-	-	-	-
DORIELLA Townsend, 1931	1	1	-	-	-	-	-
DORYPHOROPHAGA Townsend, 1912 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
DREPANOGLOSSA Townsend, 1891	1	1	1	-	-	-	-
DRINO Robineau-Desvoidy, 1863	1	1	1	1	1	1	1
DRINOMYIA Mesnil, 1962	1	-	-	1	-	-	-
DUFOURIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
DUMERILLIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
EBENIA Macquart, 1846	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ECHINEMORAEA Mesnil, 1971 = NEMORAEA Robineau-Desvoidy, 1830 (Crosskey 1976: 197) Treated as valid genus by Chao <i>et al.</i> (1998: 2028)						x	
ECHINODEXIA B. & B., 1893	1	1	-	-	-	-	-
ECHINOMASICERA Townsend, 1915 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)		x					
ECHINOPYRRHOSIA Townsend, 1914	1	1	-	-	-	-	-
ECHINOPYRRHOSIOPS Townsend, 1931	1	1	-	-	-	-	-
ECTOPHASIA Townsend, 1912	1	-	-	1	-	1	-
ECTOPHASIOPSIS Townsend, 1915	1	1	-	-	-	-	-
ECUADORANA Townsend, 1912	1	1	-	-	-	-	-
EDWYNIA Aldrich, 1930	1	1	-	-	-	-	-
EFFTAYLORIA Malloch, 1941 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)							x
*EFFUSIMENTUM Barraclough, 1992	1	-	-	-	-	-	1
EGAMEIGENIA Townsend, 1927	1	1	-	-	-	-	-
EGGONIA B. & B., 1893	1	1	-	-	-	-	-
ELEODIPHAGA Walton, 1918	1	-	1	-	-	-	-
ELEUTHROMYIA Reinhard, 1964	1	1	-	-	-	-	-
ELFIA Robineau-Desvoidy, 1850 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 754)		x		x	x		
ELFRIEDELLA Mesnil, 1957 Recorded from Oriental Region by Shima (1988)	1	-	-	1	-	1	-
ELIOZETA Rondani, 1856	1	-	-	1	-	-	-
ELOCERIA Robineau-Desvoidy, 1863	1	-	1	1	-	1	-
ELODIA Robineau-Desvoidy, 1863	1	-	-	1	-	1	-
ELODIMYIA Mesnil, 1952	1	-	-	-	-	1	-
ELOMYA Robineau-Desvoidy, 1830 Also spelled ELOMYIA, unjustified emendation	1	-	-	1	-	-	-
ELPE Robineau-Desvoidy, 1863 = CAMPYLOCHETA Rondani, 1859 (Herting 1974: 13)					x	x	
EMBIOMYIA Aldrich, 1934	1	1	-	-	-	-	-
EMPHEREMYIA Bischof, 1904	1	1	-	-	-	-	-
EMPHEREMYIOPS Townsend, 1927	1	1	-	-	-	-	-
EMPOROMYIA B. & B., 1891	1	-	-	1	-	-	-
ENCHOMYIA Aldrich, 1934	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ENGEDDIA Kugler, 1977	1	-	-	1	-	-	-
ENGELOMYIA Townsend, 1931 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)		x					
ENROGALIA Reinhard, 1964	1	-	1	-	-	-	-
ENTOMOPHAGA Lioy, 1864	1	-	-	1	-	-	-
EOACEMYIA Townsend, 1926	1	-	-	-	-	1	1
EOMEDINA Mesnil, 1960	1	-	-	-	1	-	-
*EOMEIGENIELLOIDES Reinhard, 1974	1	1	-	-	-	-	-
EOPHYLLOPHILA Townsend, 1926	1	-	-	-	1	1	1
EOZENILLIA Townsend, 1926	1	-	-	-	-	1	1
EPALPELLUS Townsend, 1914	1	1	-	-	-	-	-
EPALPODES Townsend, 1912	1	1	-	-	-	-	-
EPALPUS Rondani, 1850	1	1	1	-	-	-	-
EPAULOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
EPICAMPOCERA Macquart, 1849 Recorded from Oriental Region by Sun <i>et al.</i> (1992)	1	-	-	1	-	1	-
EPICORONIMYIA Blanchard, 1940	1	1	-	-	-	-	-
EPICUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
EPIDEXIA Townsend, 1912 = PROSPHERYSA van der Wulp, 1890 (Wood 1987: 1214, O'Hara & Wood 1998: 754)		x					
EPIGRIMYIA Townsend, 1891	1	-	1	-	-	-	-
EPIMEIGENIA Townsend, 1931 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
EPIPHANOCERA Townsend, 1915	1	1	-	-	-	-	-
EPIPLAGIOPS Blanchard, 1943	1	1	-	-	-	-	-
EPIPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
EREBIOMIMA Mesnil, 1953	1	-	-	1	-	-	-
ERGOLABUS Reinhard, 1964 Junior homonym of ERGOLABUS Gistel, 1848 and replaced by CESAMORELOSIA Koçak & Kemal, 2010		x					
ERIBELLA Mesnil, 1960	1	-	1	-	-	-	-
ERIOTHRIX Meigen, 1803 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
ERISTALIOMYIA Townsend, 1926	1	-	-	-	-	1	1

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ERNESTIA Robineau-Desvoidy, 1830 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754, 769)				x			
ERNESTIOPSIS Townsend, 1931	1	1	-	-	-	-	-
ERVIA Robineau-Desvoidy, 1830 = ICELIA Robineau-Desvoidy, 1830 (Guimarães 1976b: 177)		x					
ERVIOPSIS Townsend, 1934	1	1	-	-	-	-	-
ERYCESTA Herting, 1967	1	-	-	1	-	-	-
ERYCIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
ERYCILLA Mesnil, 1957 = ALLOPHOROCERA Hendel, 1901 (Mesnil & Pschorn-Walcher 1968: 155, Wood 1974: 667, Tschorsnig & Richter 1998: 820)				x			
ERYNNIA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
ERYNNIOLA Mesnil, 1977	1	-	-	-	1	-	-
ERYNNIOPSIS Townsend, 1926	1	-	1	1	-	-	-
ERYTHROARGYROPS Townsend, 1917	1	1	-	-	-	-	-
ERYTHROCERA Robineau-Desvoidy, 1849	1	-	-	1	1	1	1
ERYTHROEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ERYTHROMELANA Townsend, 1919	1	1	-	-	-	-	-
ERYTHRONYCHIA B. & B., 1891	1	-	-	-	-	-	1
ESTHERIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
ETHILLA Robineau-Desvoidy, 1863	1	-	-	1	1	-	1
ETHYLLOIDES Verbeke, 1970	1	-	-	-	1	-	-
*ETROGA Richter, 1995	1	-	-	1	-	-	-
EUACAULONA Townsend, 1908	1	1	-	-	-	-	-
EUANISIA Blanchard, 1947	1	1	-	-	-	-	-
EUANTHA van der Wulp, 1885	1	1	1	-	-	-	-
EUANTHOIDES Townsend, 1931	1	1	-	-	-	-	-
EUBISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
EUBRACHYMERA Townsend, 1919 = PSEUDOPACHYSTYLUM Mik, 1891 (Wood 1987: 1257, O'Hara & Wood 1998: 754)				x			
EUCALODEXIA Townsend, 1908 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
EUCELATORIA Townsend, 1909	1	1	1	-	-	-	1
EUCELATORIOIDEA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
<i>EUCELATORIOPSIS</i> Townsend, 1927 = <i>EUCELATORIA</i> Townsend, 1909 (Wood 1985: 40)		x					
<i>EUCEROMASIA</i> Townsend, 1912	1	-	1	-	-	-	-
<i>EUCHAETOGYNE</i> Townsend, 1908	1	1	1	-	-	-	-
<i>EUCHEIROPHAGA</i> James, 1945	1	1	-	-	-	-	-
<i>EUCLAUSICELLA</i> Townsend, 1927 = <i>ITALISPIDEA</i> Townsend, 1927 (Wood 1985: 48)		x					
<i>EUCLYTIA</i> Townsend, 1908	1	-	1	-	-	-	-
<i>EUCNEPHALIA</i> Townsend, 1892	1	-	1	-	-	-	-
<i>EUCORDYLIGASTER</i> Townsend, 1917 = <i>CORDYLIGASTER</i> Macquart, 1844 (Wood 1987: 1249, O'Hara & Wood 1998: 754)		x					
<i>EUCORONIMYIA</i> Townsend, 1908	1	-	1	-	-	-	-
<i>EUCORPULENTOSOMA</i> Townsend, 1914	1	1	-	-	-	-	-
<i>EUCYRTOPHLOEBA</i> Townsend, 1916 = <i>CYRTOPHLEBA</i> Rondani, 1856 (Mesnil 1974: 1266)		x					
<i>EUDEJEANIA</i> Townsend, 1912	1	1	-	-	-	-	-
<i>EUDEXIA</i> B. & B., 1889	1	1	-	-	-	-	-
<i>EUEMPHEREMYIA</i> Townsend, 1927	1	1	-	-	-	-	-
<i>EUEPALPODES</i> Townsend, 1915	1	1	-	-	-	-	-
<i>EUEPALPUS</i> Townsend, 1908	1	1	-	-	-	-	-
<i>EUEXORISTA</i> Townsend, 1912	1	-	1	1	-	-	-
<i>EUFABRICIOPSIS</i> Townsend, 1915	1	1	-	-	-	-	-
<i>EUGAEDIOPSIS</i> Townsend, 1916 = <i>GAEDIOPSIS</i> B. & B., 1891 (O'Hara & Wood 2004: 176)		x					
<i>EUGYMNOPEZA</i> Townsend, 1933	1	-	-	1	-	-	-
<i>EUHALIDAYA</i> Walton, 1914	1	1	1	-	-	-	-
<i>EUHELIOPROSOPA</i> Reinhard, 1964 = <i>CHILOEPALPUS</i> Townsend, 1927 (Cortés 1992: 236)		x					
<i>EUHUASCARAYA</i> Townsend, 1927	1	1	-	-	-	-	-
<i>EUHYGIA</i> Mesnil, 1968	1	-	-	1	-	1	-
<i>EUHYSTRICIA</i> Townsend, 1914	1	1	-	-	-	-	-
<i>EUJURINIODES</i> Townsend, 1935	1	1	-	-	-	-	-
<i>EULABIDOGASTER</i> Belanovsky, 1951	1	-	-	1	-	-	-
<i>EULASIONA</i> Townsend, 1892	1	-	1	1	-	-	-
<i>EULASIOPALPUS</i> Townsend, 1913	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
*EULOBO MYIA Woodley & Arnaud, 2008 Replacement name for LOBO MYIA Woodley & Arnaud, 2008, preoccupied by LOBO MYIA Niitsuma, 2007	1	1	-	-	-	-	-
EULOEWIODORIA Townsend, 1927	1	1	-	-	-	-	-
EULOEWIOPSIS Townsend, 1917	1	1	-	-	-	-	-
EUMACHAERAEA Townsend, 1927	1	1	-	-	-	-	-
EUMACROHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
EUMASICERA Townsend, 1909 = HOUGHIA Coquillett, 1897 (Wood 1987: 1206, O'Hara & Wood 1998: 754)		x					
EUMEA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
EUMEELLA Mesnil, 1939	1	-	-	1	-	-	-
EUMEGAPARIA Townsend, 1908	1	-	1	-	-	-	-
EUMELANEPALPUS Townsend, 1915	1	1	-	-	-	-	-
EUMYOBIA Townsend, 1911 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 754)		x					
EUNEMORILLA Townsend, 1919	1	1	1	-	-	-	-
EUOESTROGASTER Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
EUOESTROGASTRODES Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
EUOESTROPHASIA Townsend, 1892	1	1	-	-	-	-	-
EUOESTROPSIS Townsend, 1913	1	1	-	-	-	-	-
EUPELECOTHECA Townsend, 1919 = NEOMINTHO B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 755)		x					
EUPHASIOPTERYX Townsend, 1915 = ORMIA Robineau-Desvoidy, 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 755)		x					
EUPHOROCERA Townsend, 1892 = CHETOGENA Rondani, 1856 (Wood 1987: 1221, O'Hara & Wood 1998: 755)		x					
EUPHOROCEROPSIS Townsend, 1917 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 755)		x					
EUPODODEXIA Villeneuve, 1915	1	-	-	-	1	-	-
EUPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
EUPTILODEGEERIA Townsend, 1931 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)		x					

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
EUPTILOMYIA Townsend, 1939	1	1	-	-	-	-	-
EUPTILOPAREIA Townsend, 1916	1	-	1	-	-	-	-
EURITHIA Robineau-Desvoidy, 1844 Recorded from Oriental Region by Sun <i>et al.</i> (1992) = PANZERIA Robineau-Desvoidy, 1830 (Cerretti 2010: 326)				x		x	
EURYGASTROPSIS Townsend, 1916	1	-	-	-	-	-	1
EURYSTHAEA Robineau-Desvoidy, 1863	1	-	-	1	1	1	1
EURYTHEMYIA Reinhard, 1967	1	1	-	-	-	-	-
EUSAUNDERSIOPS Townsend, 1915	1	1	-	-	-	-	-
EUSCOPOLIA Townsend, 1892	1	-	1	-	-	-	-
EUSCOPOLIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
EUSISYROPA Townsend, 1908 = HYPHANTROPHAGA Townsend, 1892 (Wood 1987: 1206, O'Hara & Wood 1998: 755)		x					
EUSTACOMYIA Malloch, 1927	1	-	-	-	-	-	1
EUTELOTHYRIA Townsend, 1931	1	1	-	-	-	-	-
EUTHELAIRA Townsend, 1912	1	1	-	-	-	-	-
EUTHELYCONYCHIA Townsend, 1927 Synonymized with OPSOMEIGENIA Townsend, 1919 by Wood (1985: 68), but revived as a valid genus by Wood <i>in</i> O'Hara & Wood (1998: 771).	1	1	1	-	-	-	1
EUTHERA Loew, 1866	1	1	1	1	1	1	1
EUTHYPROSOPIELLA Blanchard, 1963	1	1	-	-	-	-	-
*EUTRAPELUS Reinhard, 1974 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
EUTRICHOPHORA Townsend, 1915	1	1	-	-	-	-	-
EUTRICHOPODA Townsend, 1908	1	1	-	-	-	-	-
EUTRICHOPODOPSIS Blanchard, 1966	1	1	-	-	-	-	-
EUTRIXA Coquillett, 1897	1	-	1	-	-	-	-
EUTRIXOIDES Walton, 1913	1	1	-	-	-	-	-
EUTRIXOPSIS Townsend, 1919	1	-	-	1	1	1	-
EUVESPIVORA Baranov, 1942	1	-	-	-	-	1	1
EUWINTHEMIA Blanchard, 1963	1	1	-	-	-	-	-
EVERESTIOMYIA Townsend, 1933 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
EVIDOMYIA Reinhard, 1958	1	-	1	-	-	-	-
EXECHOPALPUS Macquart, 1847	1	-	-	-	-	-	1
EXODEXIA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
EXOERNESTIA Townsend, 1927	1	1	-	-	-	-	-
EXOPALPUS Macquart, 1851	1	1	-	-	-	-	-
EXORISTA Meigen, 1803	1	-	1	1	1	1	1
EXORISTOIDES Coquillett, 1897	1	1	1	-	-	-	-
EXORISTOPSIS Townsend, 1915 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
FABRICIELLA Bezzi, 1906 = TACHINA Meigen, 1803 (Wood 1987: 1244, O'Hara & Wood 1998: 755)		x					
FABRICIOPSIS Townsend, 1914	1	1	-	-	-	-	-
FASSLOMYIA Townsend, 1931	1	1	-	-	-	-	-
FAUSTA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993) = PANZERIA Robineau-Desvoidy, 1830 (Cerretti 2010: 326)		x		x		x	
FERIOLA Mesnil, 1957 Recorded from Palaearctic Region by Richter (1986)	1	-	-	1	-	1	-
FISCHERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
FLAVICORNICULUM Chao & Shi, 1981 Recorded from both Palaearctic and Oriental regions by Chao & Shi (1981)	1	-	-	1	-	1	-
FLORADALIA Thompson, 1963	1	1	-	-	-	-	-
FORCIPOPHASIA Townsend, 1935 = ACAULONA van der Wulp, 1884 (Toma 2003: 269)		x					
FORMICOMYIA Townsend, 1916	1	1	-	-	-	-	-
FORMICOPHANIA Townsend, 1916	1	-	-	-	-	1	-
FORMODEXIA Crosskey, 1973	1	-	-	-	-	-	1
FORMOSIA Guérin-Méneville, 1843	1	-	-	-	-	1	1
FRERAEA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
FROGGATTIMYIA Townsend, 1916	1	-	-	-	-	-	1
FRONTINA Meigen, 1838	1	-	-	1	-	1	-
FRONTINIELLA Townsend, 1918	1	1	1	-	-	-	-
FRONTOCNEPHALIA Townsend, 1916	1	1	-	-	-	-	-
FRONTODEXIA Mesnil, 1976	1	-	-	-	1	-	-
GAEDIA Meigen, 1838	1	-	-	1	-	-	-
GAEDIOPHANA B. & B., 1893 = GAEDIOPSIS B. & B., 1891 (Wood 1987: 1210, O'Hara & Wood 1998: 755)		x					
GAEDIOPHANOPSIS Blanchard, 1954	1	1	-	-	-	-	-
GAEDIOPSIS B. & B., 1891	1	1	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
GAEDIOXENIS Villeneuve, 1937, <i>nomen nudum</i> See Evenhuis <i>et al.</i> (2008: 14) for authorship and dating					x		
GAEDIOXENIS Townsend, 1943 See Evenhuis <i>et al.</i> (2008: 14) for authorship and dating	1	-	-	-	1	-	-
GALAPAGOSIA Curran, 1934	1	1	-	-	-	-	-
*GALSANIA Richter, 1993 Synonymized with GONIOCERA B. & B. by Richter (1995: 747) but reinstated as valid by Richter (2002: 238)	1	-	-	1	-	-	-
GANOPLEURON Aldrich, 1934	1	1	-	-	-	-	-
GANOPROCTUS Aldrich, 1934	1	1	-	-	-	-	-
GASTROLEPTA Rondani, 1862	1	-	-	1	-	-	-
GASTROPTILOPS Mesnil, 1957	1	-	-	1	-	-	-
*GAUTENGICESA Koçak & Kemal, 2010 Replacement name for PRETORIANA Curran, 1938, preoccupied by PRETORIANA Uvarov, 1922 = MYXOGAEDIA Mesnil, 1956 (O'Hara 2011: 60–61)					x		
*GEMURSA Barraclough, 1992	1	-	-	-	-	-	1
GENEA Rondani, 1850	1	1	1	-	-	-	-
GENEODES Townsend, 1934	1	1	-	-	-	-	-
GENOTRICHIA Malloch, 1938	1	-	-	-	-	-	1
GERALDIA Malloch, 1930	1	-	-	-	-	-	1
GERMARIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
GERMARIOCHAETA Villeneuve, 1937	1	-	-	1	-	1	-
GERMARIOPSIS Townsend, 1915	1	1	-	-	-	-	-
GEROCYPTERA Townsend, 1916 = CYLINDROMYIA (GEROCYPTERA Townsend, 1916) (Herting & Dely-Draskovits 1993: 431, O'Hara, Shima & Zhang 2009: 126)						x	x
GIBSONOMYIA Curran, 1925 = PHYLLOMYIA Robineau-Desvoidy, 1830 (Mesnil & Shima 1979: 486)						x	
GIGAMYIOPSIS Reinhard, 1964	1	1	-	-	-	-	-
GIGANTOEPALPUS Townsend, 1913	1	1	-	-	-	-	-
GINGLYMIA Townsend, 1892	1	1	1	-	-	-	-
GLAUROCARA Thomson, 1869 Recorded from Palaearctic Region by Richter (1988)	1	-	-	1	1	1	-
GLOSSIDIONOPHORA Bigot, 1885 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)		x					
GNADOCHAETA Macquart, 1851	1	1	1	1	-	-	-
GONATORRHINA Röder, 1886	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
GONIA Meigen, 1803 Recorded from Oriental Region by Sun <i>et al.</i> (1992)	1	1	1	1	1	1	1
GONIOCERA B. & B., 1891	1	-	1	1	-	-	-
GONIOCHAETA Townsend, 1891	1	-	1	-	-	-	-
GONIOPHTHALMUS Villeneuve, 1910	1	-	-	1	1	1	1
GONISTYLUM Macquart, 1851	1	1	-	-	-	-	-
GONITIMYA Chao & Liu <i>in</i> Liu, Chao <i>et al.</i> , 1998 Unavailable name, no included species or type species fixation (ICZN Article 13.3, 1999)				x			
GONZALEZODORIA Cortés, 1967	1	1	-	-	-	-	-
GOPAULIA Thompson, 1968 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)		x					
GRACILICERA Miller, 1945	1	-	-	-	-	-	1
GRAPHIA van der Wulp, 1885	1	-	-	-	-	-	1
GRAPHOGASTER Rondani, 1868	1	-	1	1	-	-	-
GRAPHOTACHINA Malloch, 1938	1	-	-	-	-	-	1
GUERINIOPSIS Reinhard, 1943	1	-	1	-	-	-	-
GWENDA Richter, 1977 = PHYTOMYPTERA Rondani, 1845 (Andersen 1988: 45)				x			
GYMNAFORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
GYMNOCARCELIA Townsend, 1919 = CARCELIA Robineau-Desvoidy, 1830 (O'Hara & Wood 2004: 116)		x					
GYMNOCHAETOPSIS Townsend, 1914	1	1	-	-	-	-	-
GYMNOCHETA Robineau-Desvoidy, 1830 Also spelled GYMNOCHAETA, unjustified emendation	1	-	1	1	-	1	-
GYMNOCLYTIA B. & B., 1893	1	1	1	-	-	-	-
GYMNODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
GYMNOGLOSSA Mik, 1898	1	-	-	1	1	-	-
GYMNOMACQUARTIA Mesnil & Shima, 1978	1	-	-	1	-	-	-
GYMNOMMA van der Wulp, 1888	1	1	-	-	-	-	-
GYMNOMMOPSIS Townsend, 1927	1	1	-	-	-	-	-
GYMNOPALPUS Townsend, 1919 = SPATHIDEXIA (GYMNOPALPUS Townsend, 1919) (Wood 1987: 1265, O'Hara & Wood 1998: 755)		x					
GYMNOPHRYXE Villeneuve, 1922 Not present in Afrotropical Region according to Crosskey (1984: 201)	1	-	1	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
GYMNOSOMA Meigen, 1803	1	1	1	1	1	1	-
GYNANDROMYIA Bezzi, 1923	1	-	-	-	1	1	-
HALYDAIA Egger, 1856 Also spelled HALIDAYA or HALIDAIA, unjustified emendations (O'Hara, Shima & Zhang 2009: 38)	1	-	-	1	-	1	1
HAMAXIA Walker, 1860 Valid genus according to Chao <i>et al.</i> (1998) and Herting & Dely-Draskovits (1993) but listed as a synonym of PALPOSTOMA R.-D. by Crosskey (1976, 1980b)	1	-	-	1	1	1	-
HAMAXIELLA Mesnil, 1967	1	-	-	1	-	1	-
HAPALIOLOEMUS Baranov, 1934 Recorded from Palaearctic Region by Shima (1996)	1	-	-	1	-	1	-
*HARACCA Richter, 1995 Recorded from Oriental Region by Richter (1998c)	1	-	-	1	-	1	-
HARRISIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
HASMICA Richter, 1972 Listed as a synonym of CLAUSICELLA Rondani by Herting & Dely-Draskovits (1993) but treated as valid by Richter (1998a)	1	-	-	1	-	1	-
HAYWARDIMYIA Blanchard, 1955 Misspelled as HAYWARDIAMYIA by Guimarães (1971: 168)	1	1	-	-	-	-	-
HEBIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun <i>et al.</i> (1992)	1	-	-	1	-	1	-
HEGESINUS Reinhard, 1964	1	1	-	-	-	-	-
HELIAEA Curran, 1934	1	1	-	-	-	-	-
HELICONIOPHAGA Thompson, 1966	1	1	-	-	-	-	-
HELIODEXODES Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HELIODORUS Reinhard, 1964	1	-	1	-	-	-	-
HELIOLYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HELIOLYDELLOPS Townsend, 1934 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)		x					
HELIOPHOSOPA Townsend, 1927	1	1	-	-	-	-	-
HELIOPLAGIA Townsend, 1934 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
HEMIARGYROPHYLAX Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
HEMIARGYROPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
HEMILYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HEMIMACQUARTIA B. & B., 1893	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
HEMISTURMIA Townsend, 1927	1	1	1	-	-	-	-
*HEMISTURMIELLA Guimarães, 1983	1	1	-	-	-	-	-
HEMIWINTHEMIA Villeneuve, 1938	1	-	-	-	1	-	-
HEMYDA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
HERAULTIA Villeneuve, 1920	1	-	-	1	-	-	-
HERMYA Robineau-Desvoidy, 1830	1	-	-	1	1	1	-
HESPEROMYIA B. & B., 1889	1	-	1	-	-	-	-
HESPEROPHASIA Townsend, 1915 = KIRBYA (HESPEROPHASIA Townsend, 1915) (Mesnil 1974: 1283, O'Hara & Wood 2004: 59)		x					
HETERIA Malloch, 1930	1	-	-	-	-	-	1
HETEROMETOPIA Macquart, 1846	1	-	-	-	-	-	1
HEYNEOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
HILLOMYIA Crosskey, 1973	1	-	-	-	-	-	1
HINEOMYIA Townsend, 1916	1	-	1	-	-	-	-
HOBARTIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)							x
HOMALACTIA Townsend, 1915	1	-	1	-	-	-	-
HOMOGENIA van der Wulp, 1892	1	1	-	-	-	-	-
HOMOHYPOCHAETA Townsend, 1927	1	1	-	-	-	-	-
HOMOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
HOMOSAUNDERSIOPS Townsend, 1931	1	1	-	-	-	-	-
HOMOTRIXA Villeneuve, 1914	1	-	-	-	-	1	1
HOUGHIA Coquillett, 1897	1	1	1	-	-	-	-
HUASCARAYOPSIS Townsend, 1927	1	1	-	-	-	-	-
HUASCARODEXIA Townsend, 1919	1	1	-	-	-	-	-
HUBNERIA Robineau-Desvoidy, 1848	1	-	1	1	-	-	-
HUTTONOBESSERIA Curran, 1927	1	-	-	-	-	-	1
HYADESIMYIA Bigot, 1888	1	1	-	-	-	-	-
HYALOMYIA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 170, Sun & Marshall 2003: 18)		x					
HYALOMYODES Townsend, 1893 = STRONGYGASTER Macquart, 1834 (Wood 1987: 1260, O'Hara & Wood 1998: 755)		x					
HYALURGUS B. & B., 1893	1	-	1	1	-	1	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
HYGIELLA Mesnil, 1957	1	-	-	-	-	1	-
HYLEORUS Aldrich, 1926	1	-	-	1	1	1	1
HYOSOMA Aldrich, 1934	1	1	-	-	-	-	-
HYPERAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
HYPERSARA Villeneuve, 1935	1	-	-	-	1	1	-
HYPERTROPHOCERA Townsend, 1891	1	1	1	-	-	-	-
HYPERTROPHOMMA Townsend, 1915	1	1	1	-	-	-	-
HYPHANTROPHAGA Townsend, 1892	1	1	1	-	-	-	-
HYPOCHAETOPSIS Townsend, 1915	1	1	-	-	-	-	-
HYPODORIA Townsend, 1927	1	1	-	-	-	-	-
HYPOHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
HYPOMYOTHYRIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HYPOPHYLAX Townsend, 1935 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)		x					
HYPOPROXYNOPS Townsend, 1927	1	1	-	-	-	-	-
HYPOTACHINA B. & B., 1891 = NEMORAEA Robineau-Desvoidy, 1830 (Crosskey 1980b: 843)		x					
HYPOVORIA Villeneuve, 1912	1	1	1	1	-	-	-
*HYPSONYIA Cortés, 1983 Junior homonym of HYPSONYIA McAlpine, 1965 and replaced by RCORTESIA Koçak & Kemal, 2010		x					
HYSTRICEPHALA Macquart, 1846	1	-	-	-	1	-	-
HYSTRICHODEXIA Röder, 1886	1	1	-	-	-	-	-
HYSTRICIA Macquart, 1844	1	1	1	-	-	-	-
HYSTRICIELLA Townsend, 1915	1	1	-	-	-	-	-
HYSTRICIOPSIS Townsend, 1914 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)		x					
HYSTRICOVORIA Townsend, 1928	1	-	-	-	1	1	1
HYSTRIONYIA Portschinsky, 1881 Recorded from Oriental Region by Chao (1974)	1	-	-	1	-	1	-
HYSTRYSYPHONA Bigot, 1859	1	1	-	-	-	-	-
ICELIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
*ICELIOPSIS Guimarães, 1976	1	1	-	-	-	-	-
ICONOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
ICTERICODEXIA Townsend, 1934	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
IGNEOMYIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating	1	-	-	-	1	-	-
IGNOTOMYIA Reinhard, 1961 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 755)		x					
ILLA Baranov, 1938 Junior homonym of ILLA Warren, 1914 and replaced by SOLOMONILLA Özdikmen, 2007							x
IMAGUNCULA Reinhard, 1958 = SPALLANZANIA Robineau-Desvoidy, 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 755)		x					
IMITOMYIA Townsend, 1912	1	-	1	-	1	-	-
IMPECCANTIA Reinhard, 1961	1	-	1	-	-	-	-
INCAMYIA Townsend, 1912	1	1	-	-	-	-	-
INCAMYIOPSIS Townsend, 1919	1	1	-	-	-	-	-
INTRAPALES Villeneuve, 1938	1	-	-	-	1	-	-
IRENGIA Townsend, 1935	1	1	-	-	-	-	-
IRWINIA Cortés, 1967 = PHYTOMYPTERA Rondani, 1845 (Mesnil 1973: 1192, Andersen 1988: 45)		x					
ISAFARUS Richter, 1976	1	-	-	1	-	-	-
ISCHYROPHAGA Townsend, 1915	1	1	-	-	-	-	-
ISIDOTUS Reinhard, 1962	1	-	1	-	-	-	-
ISOCHAETINA Mesnil, 1950	1	-	-	-	-	1	-
*ISOPEXOPSIS Sun & Chao, 1994 = TAKANOMYIA Mesnil, 1957 (O'Hara, Shima & Zhang 2009: 119)						x	
ISOSTURMIA Townsend, 1927	1	-	-	1	-	1	1
ISTOCHETA Rondani, 1859 Also spelled ISTOCHAETA, unjustified emendation. Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
ITABIOMYIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
ITACNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
ITACUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
ITALISPIDEA Townsend, 1927	1	1	-	-	-	-	-
ITALYDELLA Townsend, 1927	1	1	-	-	-	-	-
ITAMINTHO Townsend, 1931	1	1	-	-	-	-	-
ITAPLECTOPS Townsend, 1927	1	1	-	-	-	-	-
ITASAUNDERSIA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ITASTURMIA Townsend, 1927	1	1	-	-	-	-	-
ITAVORIA Townsend, 1931	1	1	-	-	-	-	-
ITAXANTHOMELANA Townsend, 1927	1	1	-	-	-	-	-
ITEUTHELAIIRA Townsend, 1927	1	1	-	-	-	-	-
JAENIMYIA Townsend, 1912 = PTEROTOPEZA Townsend, 1908 (Toma & Guimarães 2000a: 8)		x					
JALAPAMYIA Reinhard, 1964 = MAUROMYIA Coquillett, 1897 (O'Hara 2002: 56)		x					
JAMACARIA Curran, 1928	1	1	-	-	-	-	-
JANTHINOMYIA B. & B., 1893	1	-	-	1	-	1	-
JAYNESLESKIA Townsend, 1934 = GENEIA Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)		x					
JURINELLA B. & B., 1889	1	1	1	-	-	-	-
JURINIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
JURINIOPSIS Townsend, 1916	1	1	1	-	-	-	-
JURINIOSOMA Townsend, 1927	1	1	-	-	-	-	-
JURINODEXIA Townsend, 1915	1	1	-	-	-	-	-
KAISERIOLA Mesnil, 1970 Recognized as valid by Crosskey (1984: 201)	1	-	-	-	1	-	-
KALLISOMYIA Borisova, 1964	1	-	-	1	-	-	-
KAMBAITIMYIA Mesnil, 1953	1	-	-	-	-	1	-
KINANGOPANA van Emden, 1960	1	-	-	-	1	-	-
KINIATILIOPS Mesnil, 1955	1	-	-	-	1	-	-
KINIATILLA Villeneuve, 1938	1	-	-	-	1	-	-
KIRBYA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
KLUGIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
KORALLIOMYIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating	1	-	-	-	-	1	1
KUWANIMYIA Townsend, 1916 Recognized as valid by Herting & Dely-Draskovits (1993: 252), Shima (2006: 44, 106) and O'Hara, Shima & Zhang (2009: 110), but treated as a synonym of DOLICHOCOLON Brauer & Bergenstamm, 1889 by Tschorsnig & Richter (1998: 814); refined by Cerretti (2009b)	1	-	-	1	1	1	-
LABIGASTERA Macquart, 1834	1	-	-	1	-	-	-
LAFUENTEMYIA Marnef, 1965	1	1	-	-	-	-	-
*LAMBRUSCA Richter, 1998	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
LASIONA van der Wulp, 1890	1	1	-	-	-	-	-
LASIONEURA Coquillett, 1895 = GINGLYMIA Townsend, 1892 (Wood 1987: 1239, O'Hara & Wood 1998: 755)		x					
LASIOPALES Villeneuve, 1922	1	-	-	1	-	-	-
LASIOPALPUS Macquart, 1847	1	1	-	-	-	-	-
LATIGINELLA Villeneuve, 1936	1	-	-	-	1	-	-
LAUFFERIELLA Villeneuve, 1929	1	-	-	1	-	-	-
LECANIPA Rondani, 1859	1	-	-	1	-	-	1
LEIOPHORA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
LEPTIDOSOPHIA Townsend, 1931	1	1	-	-	-	-	-
LEPTODEXIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOMACQUARTIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOSTYLUM Macquart, 1851	1	1	-	-	-	-	-
LEPTOTHELAIRA Mesnil & Shima, 1979	1	-	-	1	-	1	-
LESCHENAULTIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
LESKIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
LESKIOLA Mesnil, 1957	1	-	-	-	-	1	-
LESKIOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LESKIOMIMA B. & B., 1891 = GENEIA Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)		x					
LESKIOPSIS Townsend, 1916	1	1	1	-	-	-	-
LESPEZIA Robineau-Desvoidy, 1863	1	1	1	1	-	-	1
LEUCOCARCELIA Villeneuve, 1921	1	-	-	-	1	-	-
LEUCOSTOMA Meigen, 1803	1	1	1	1	1	-	1
LEVERELLA Baranov, 1934	1	-	-	-	-	-	1
LIGERIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
LIGERIELLA Mesnil, 1961 Recorded from Oriental Region by Shima (1994)	1	-	-	1	-	1	-
LINDIGEPALPUS Townsend, 1931	1	1	-	-	-	-	-
LINDIGIA Townsend, 1931	1	1	-	-	-	-	-
LINDNERIOLA Mesnil, 1959	1	-	-	-	1	-	-
LINNAEMYA Robineau-Desvoidy, 1830 Also spelled LINNAEMYIA, unjustified emendation	1	1	1	1	1	1	1

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
LISPIDEOSOMA Reinhard, 1943 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 755)		x					
LISSOGLOSSA Villeneuve, 1912	1	-	-	1	-	-	-
LITOPHASIA Girschner, 1887	1	-	-	1	1	-	-
LIXINIA Curran, 1926 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
*LIXADMONTIA Wood & Cave, 2006 Described from Neotropical Region and introduced into Florida in 2007	1	1	1	-	-	-	-
LIXOPHAGA Townsend, 1908 Recorded from Oriental Region by Shima (1997)	1	1	1	1	-	1	1
*LOBOMYIA Woodley & Arnaud, 2008 Junior homonym of LOBOMYIA Niitsuma, 2007 and replaced by EULOBOMYIA Woodley & Arnaud, 2008		x					
LOEWIA Egger, 1856	1	-	1	1	-	-	-
LOMACHANTHA Rondani, 1859	1	-	-	1	-	-	-
LOPHOSIA Meigen, 1824	1	-	-	1	-	1	-
LOPHOSIOSOMA Mesnil, 1973	1	-	-	-	-	1	-
LUBUTANA Villeneuve, 1938	1	-	-	-	1	-	-
LYDELLA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
LYDELLINA Villeneuve, 1916	1	-	-	-	1	1	-
LYDELLOHOUGHIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
LYDELLOTHELIRA Townsend, 1919	1	1	-	-	-	-	-
LYDINA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
LYDINOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LYGAEOMYIA Aldrich, 1934	1	1	-	-	-	-	-
LYPHA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
LYPHOSIA Mesnil, 1957	1	-	-	1	-	-	-
MACHAIROMASICERA Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
MACQUARTIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
MACROCHLORIA Malloch, 1929	1	-	-	-	-	-	1
MACROHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
MACROHOUGHIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MACROJURINIA Townsend, 1916	1	1	-	-	-	-	-
MACROMETOPA B. & B., 1889	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
MACROMYIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
MACROPODEXIA Townsend, 1933 = SENOSTOMA Macquart, 1847 (Barraclough 1992: 1309)							x
MACROPROSOPA B. & B., 1889	1	-	-	1	-	-	-
MACTOMYIA Reinhard, 1958	1	-	1	-	-	-	-
MACULOSALIA Mesnil, 1946	1	-	-	1	-	-	-
MADREMYIA Townsend, 1916	1	1	1	1	-	-	-
*MAGRIPA Richter, 1988	1	-	-	1	-	-	-
*MAHAUIELLA Toma, 2003	1	1	-	-	-	-	-
MALAYIA Malloch, 1926	1	-	-	-	-	1	-
MALLOCHOMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
MANOLA Richter, 1982	1	-	-	1	-	-	-
MANTEOMASIPHYA Guimarães, 1966	1	1	-	-	-	-	-
MAPOLOMYIA Verbeke, 1960 = CAHENIA Verbeke, 1960 (Crosskey 1984: 200)					x		
MARACASIMYIA Thompson, 1968 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)		x					
*MARNEFIA Cortés, 1982	1	1	-	-	-	-	-
MARSHALLOMYIA Fennah <i>in van Emden</i> , 1960 The author of this name is given in the literature as van Emden, but the author was Fennah as explained in a note on the first page of the paper.	1	-	-	-	1	-	-
MASICERA Macquart, 1834	1	-	-	1	-	-	-
MASIPHYA B. & B., 1891	1	1	1	-	-	-	-
MASIPHYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MASISTYLOIDES Mesnil, 1963	1	-	-	1	-	-	-
MASISTYLUM B. & B., 1893	1	-	1	1	-	-	-
MASTIGIOMYIA Reinhard, 1964	1	1	-	-	-	-	-
MATUCANIA Townsend, 1919	1	1	-	-	-	-	-
MAURITIODORIA Townsend, 1932	1	-	-	-	1	-	-
MAUROMYIA Coquillett, 1897	1	1	1	-	-	-	-
MAYODISTICHONA Townsend, 1928	1	1	-	-	-	-	-
MAYOPHORINIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
MAYOSCHIZOCERA Townsend, 1927	1	1	-	-	-	-	-
MEDINA Robineau-Desvoidy, 1830	1	1	1	1	1	1	-
MEDINELLA Dugdale, 1969	1	-	-	-	-	-	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MEDINODEXIA Townsend, 1927	1	-	-	-	-	1	1
MEDINOMYIA Mesnil, 1957	1	-	-	-	-	1	-
MEDINOPHYTO Townsend, 1927	1	1	-	-	-	-	-
MEDINOSPILA Mesnil, 1977	1	-	-	-	1	-	-
*MEDIOSETIGER Barraclough, 1983	1	-	-	-	1	-	-
MEGAPARIA van der Wulp, 1891	1	1	1	-	-	-	-
MEGAPARIOPSIS Townsend, 1915	1	-	1	-	-	-	-
MEGAPROSOPUS Macquart, 1844	1	1	1	-	-	-	-
MEGISTOGASTROPSIS Townsend, 1916	1	-	-	-	-	1	1
*MEHMETIA Özdikmen, 2007 Replacement name for RHAMPHOPTERYX Townsend, 1931, preoccupied by RHAMPHOPTERYX Bryk, 1913	1	1	-	-	-	-	-
MEIGENIA Robineau-Desvoidy, 1830 Recorded from Afrotropical Region by Zeegers (2007, Yemen)	1	-	1	1	1	1	-
MEIGENIELLOIDES Townsend, 1919	1	1	1	-	-	-	-
MELANACTIA Townsend, 1927 = OXYNOPS Townsend, 1912 (Wood 1985: 71)		x					
MELANASOMYIA Malloch, 1935	1	-	-	-	-	1	-
MELANEPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
MELANEPALPUS Townsend, 1914	1	1	-	-	-	-	-
*MELANESOMYIA Barraclough, 1998 <i>Melanesomyia</i> Barraclough, 1997 is a <i>nomen nudum</i> because a type species was not designated from three included species.	1	-	-	-	-	-	1
MELANODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
MELANOPHRYS Williston, 1886	1	-	1	-	-	-	-
MELANORLOPTERYX Townsend, 1927	1	1	-	-	-	-	-
MELANOROMINTHO Townsend, 1935	1	1	-	-	-	-	-
MELANOROPHASIA Townsend, 1934	1	1	-	-	-	-	-
MELEDONUS Aldrich, 1926	1	-	1	-	-	-	-
MELETERUS Aldrich, 1926	1	1	1	-	-	-	-
MELISONEURA Rondani, 1861	1	-	-	1	-	-	-
MELLACHNUS Aldrich, 1934	1	1	-	-	-	-	-
MENDELSSOHNIA Kugler, 1971	1	-	-	1	-	-	-
MENETUS Aldrich, 1926 Junior homonym of MENETUS Adams & Adams, 1855 and replaced by ALDRICHOMYIA Özdikmen, 2006			x				

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
MERICINA Curran, 1927 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
MESEMBRIERIGONE Townsend, 1931	1	1	-	-	-	-	-
MESEMBRINORMIA Townsend, 1931	1	1	-	-	-	-	-
MESNILANA van Emden, 1945	1	-	-	-	1	-	-
*MESNILETTA Herting, 1979	1	-	-	-	-	1	-
MESNILISCA Zimin, 1974	1	-	-	1	-	-	-
*MESNILIUS Özdikmen, 2006 Replacement name for PARAGONIA Mesnil, 1950, preoccupied by PARAGONIA Hübner, 1923	1	-	-	-	-	-	1
*MESNILUS Özdikmen, 2007 Replacement name for ZIMINIOLA Mesnil, 1978, preoccupied by ZIMINIOLA Gerasimov, 1930	1	-	-	-	1	-	-
MESNILOMYIA Kugler, 1972 Recorded from Afrotropical Region by Zeegers (2007, Yemen) = ROSSIMIYIOPS Mesnil, 1953 (Cerretti <i>et al.</i> 2009: 32)				x	x		
MESOCHAETA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)		x					
METACEMYIA Herting, 1969	1	-	-	1	1	-	-
METADEXIA Coquillett, 1899 = ZELIA Robineau-Desvoidy, 1830 (Wood 1987: 1249, O'Hara & Wood 1998: 755)		x					
METADORIA B. & B., 1893 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
METADRINOMYIA Shima, 1980	1	-	-	1	-	1	-
METAGONISTYLUM Townsend, 1927 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)		x					
METAMYOPHASIA Blanchard, 1966	1	1	-	-	-	-	-
METAMYOBIA Townsend, 1927	1	1	-	-	-	-	-
METAPHOROCERA Thompson, 1968	1	1	-	-	-	-	-
METAPHRYNO Crosskey, 1967	1	-	-	-	-	-	1
METAPLAGIA Coquillett, 1895	1	-	1	-	-	-	-
METARRHINOMYIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62; cited as a synonym of OPSOMEIGENIA Townsend, 1919, by Wood 1985: 68, in error)		x					
METOPIOPS Townsend, 1912 = PSEUDOCHAETA (METOPIOPS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 755, O'Hara & Wood 2004: 196)		x					
METOPIOPSIS Vimmer & Soukup, 1940	1	1	-	-	-	-	-
METOPOACTIA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
METOPOMINTHO Townsend, 1927 = PHYLLOMYA Robineau-Desvoidy, 1830 (Mesnil 1975: 1351)						x	
METOPOMUSCOPTERYX Townsend, 1915	1	-	1	-	-	-	-
METOPOSISYROPS Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)					x	x	
MIAMIMYIA Townsend, 1916 Recorded from Neotropical Region by Guimarães (1982b)	1	1	1	-	-	-	-
MIAMIMYIOPS Townsend, 1939	1	1	-	-	-	-	-
MICROAPORIA Townsend, 1919	1	1	-	-	-	-	-
MICROCEROPHINA Kugler, 1977	1	-	-	1	-	-	-
MICROCHAETINA van der Wulp, 1891	1	1	1	-	-	-	-
MICROCHAETOGYNE Townsend, 1931	1	1	-	-	-	-	-
MICROCHAETONA Townsend, 1919 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
MICROGYMNOMMA Townsend, 1916	1	1	-	-	-	-	-
MICROHYSTRICIA Malloch, 1938	1	-	-	-	-	-	1
MICROLESKIA Thompson, 1968 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)		x					
MICROMASIPHYA Townsend, 1934	1	1	-	-	-	-	-
MICRONYCHIA B. & B., 1889 One described species in Palaearctic Region according to O'Hara 2002: 117.	1	-	1	1	-	-	-
MICRONYCHIOPS Townsend, 1915	1	1	-	-	-	-	-
MICROPTHALMA Macquart, 1844	1	1	1	1	1	1	1
MICROPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MICROSILLUS Aldrich, 1926	1	1	-	-	-	-	-
MICROSOMA Macquart, 1855	1	-	-	1	-	-	-
MICROTOWNSENDIA Curran, 1934 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)		x					
MICROTROPESA Macquart, 1846	1	-	-	-	-	-	1
MIKIA Kowarz, 1885	1	-	-	1	-	1	-
MILADA Richter, 1973	1	-	-	1	-	-	-
MILONIUS Reinhard, 1955 = MYSTACOMYIA Giglio-Tos, 1893 (Wood 1987: 1211, O'Hara & Wood 1998: 756)		x					
MIMOLOGUS Reinhard, 1955 = EUNEMORILLA Townsend, 1919 (Wood 1987: 1211, O'Hara & Wood 1998: 756)		x					
MINTHO Robineau-Desvoidy, 1830	1	-	-	1	1	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
MINTHODES B. & B., 1889	1	-	-	1	1	-	-
MINTHODEXIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MINTHOLESKIA Townsend, 1934	1	1	-	-	-	-	-
MINTHOMYIA Townsend, 1919 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)		x					
MINTHOPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
*MINTHOSOMA Zeegers, 2007	1	-	-	-	1	-	-
MINTHOTACHINA Townsend, 1935	1	1	-	-	-	-	-
MINTHOXIA Mesnil, 1968	1	-	-	-	-	-	1
*MITANNIA Herting, 1987	1	-	-	1	-	-	-
MOCHLOSOMA B. & B., 1889	1	1	1	-	-	-	-
MONGOLOMINTHO Richter, 1976	1	-	-	1	-	-	-
MONOESTROGASTER Townsend, 1939 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
MONOLEPTOPHAGA Baranov, 1938	1	-	-	-	-	-	1
MONTANARTURIA Miller, 1945	1	-	-	-	-	-	1
*MONTANOTHALMA Barraclough, 1996	1	-	-	-	1	-	-
MONTSERRATIA Thompson, 1964	1	1	-	-	-	-	-
*MONTUOSA Chao & Zhou, 1996	1	-	-	1	-	-	-
MOREIRIA Townsend, 1932	1	1	-	-	-	-	-
MORPHODEXIA Townsend, 1931	1	1	-	-	-	-	-
MUNIRA Richter, 1974	1	-	-	1	-	-	-
MUSCINOTHELAIIRA Townsend, 1916 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
MUSCOPTERYX Townsend, 1892	1	1	1	-	-	-	-
MYATELEMUS Reinhard, 1967	1	-	1	-	-	-	-
MYCTEROMYIELLA Mesnil, 1966	1	-	-	1	1	1	1
MYERSIMYIA Townsend, 1935 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)		x					
MYIOCHAETA Cortés, 1967	1	1	-	-	-	-	-
*MYIOCLURA Reinhard, 1974	1	1	-	-	-	-	-
*MYIODEXIA Cortés & Campos, 1971	1	1	-	-	-	-	-
MYIODORIOPS Townsend, 1935 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)		x					
MYIOMIMA B. & B., 1889	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
MYIOMINTHO B. & B., 1889	1	1	-	-	-	-	-
MYIOPHARUS B. & B., 1889	1	1	1	-	-	-	-
MYIOPHASIA B. & B., 1891 = GNADOCHAETA Macquart, 1851 (Wood 1987: 1254, O'Hara & Wood 1998: 756)		x					
MYIOPHASIOMIMA Blanchard, 1966	1	1	-	-	-	-	-
MYIOPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MYIOSCOTIPTERA Giglio-Tos, 1893	1	1	-	-	-	-	-
MYIOSTURMIA Townsend, 1927 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14)		x					
MYIOSTURMIOPSIS Thompson, 1963	1	1	-	-	-	-	-
MYIOTRIXA B. & B., 1893	1	-	-	-	-	-	1
MYIOXYNOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
MYOBIOMIMA Townsend, 1926	1	-	-	-	-	1	-
MYOBIOPSIS Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 756)		x					
MYOSTOMA Robineau-Desvoidy, 1830 = ESTHERIA Robineau-Desvoidy, 1830 (Herting 1984: 141, Herting & Dely-Draskovits 1993: 363)						x	
MYOTHYRIOPSIS Townsend, 1919	1	1	1	-	-	-	-
MYSTACELLA van der Wulp, 1890	1	1	1	-	-	-	-
MYSTACOMYIA Giglio-Tos, 1893	1	1	1	-	-	-	-
MYSTACOMYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MYXARCHICLOPS Villeneuve, 1916	1	-	-	-	1	-	-
MYXEXORISTOPS Townsend, 1911 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
MYXOGAEDIA Mesnil, 1956 Valid name to replace PRETORIANA Curran, 1938 (O'Hara 2011: 60–61)	1				1		
NAIRA Richter, 1970	1	-	-	1	-	-	-
*NANOPLAGIA Villeneuve, 1929 Removed from synonymy with PLAGIOMIMA B. & B., 1891 and revived as a valid genus by Cerretti (2009a: 108)	1	-	-	1	-	-	-
*NARDIA Cerretti, 2009	1	-	-	-	1	-	-
NEAERA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
NEALSOMYIA Mesnil, 1939 Recorded from Afrotropical Region by Cerretti (2005)	1	-	-	1	1	1	-
NEAPHRIA Townsend, 1914	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
NEMORAEA Robineau-Desvoidy, 1830	1	1	-	1	1	1	1
NEMORILLA Rondani, 1856	1	1	1	1	1	1	1
NEMORILLOIDES B. & B., 1891	1	-	-	-	1	-	-
NEOARGYROPHYLAX Townsend, 1927	1	1	-	-	-	-	-
NEOBRACHELIA Townsend, 1931	1	1	-	-	-	-	-
NEOCAMPYLOCHAETA Townsend, 1927	1	1	-	-	-	-	-
NEOCHAETOPLAGIA Blanchard, 1963	1	1	-	-	-	-	-
NEOCRASPEDOTHRIX Townsend, 1927	1	1	-	-	-	-	-
NEOCUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
NEOCYRTOPHOEBIA Vimmer & Soukup, 1940	1	1	-	-	-	-	-
NEOEMDENIA Mesnil, 1953	1	-	-	1	-	-	-
NEOERIGONE Townsend, 1919 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
NEOERYTHONYCHIA Malloch, 1932	1	-	-	-	-	-	1
NEOEUNANTHA Townsend, 1931 Listed as a synonym of EUANTHA van der Wulp, 1885 by Guimarães (1971) but treated as valid by Guimarães (1982a)	1	1	-	-	-	-	-
NEOGYMNOMMA Townsend, 1915	1	1	-	-	-	-	-
NEOLOPHOSIA Townsend, 1939	1	1	-	-	-	-	-
NEOLYDELLA Mesnil, 1939	1	-	-	-	1	-	-
NEOMASIPHIA Guimarães, 1966	1	1	-	-	-	-	-
NEOMEDINA Malloch, 1935	1	-	-	-	-	-	1
NEOMETACHAETA Townsend, 1915	1	1	-	-	-	-	-
NEOMINTHO B. & B., 1891	1	1	1	-	-	-	-
NEOMINTHOIDEA Thompson, 1968	1	1	-	-	-	-	-
NEOMINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
NEOMYOSTOMA Townsend, 1935	1	1	-	-	-	-	-
NEOPAEDARIUM Blanchard, 1943	1	1	-	-	-	-	-
*NEOPHASMOPHAGA Guimarães, 1982	1	1	-	-	-	-	-
NEOPHRYXE Townsend, 1916 Recorded from Oriental Region by Liang, & Chao (1992)	1	-	-	1	-	1	-
NEOPHYLLOPHILA Townsend, 1927 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
NEOPLECTOPS Malloch, 1930	1	-	-	1	1	1	-
NEOPODOMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOSOLIERIA Townsend, 1927	1	1	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
*NEOSOPHIA Guimarães, 1982	1	1	-	-	-	-	-
NEOSSARROMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOTACHINA Malloch, 1938	1	-	-	-	-	-	1
NEOTRAFOIOPSIS Townsend, 1931	1	1	-	-	-	-	-
NEOTRYPHERA Malloch, 1938	1	-	-	-	-	-	1
NEOXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
NEOXYNOPSOIDEA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
*NEOZELIA Guimarães, 1975	1	1	-	-	-	-	-
NEPHOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
NEPHOPLAGIA Townsend, 1919	1	1	-	-	-	-	-
NEPOCARCELIA Townsend, 1927	1	1	-	-	-	-	-
NEPOPHASMOPHAGA Townsend, 1927	1	1	-	-	-	-	-
NEXIMYIA Crosskey, 1967	1	-	-	-	-	-	1
NICEPHORUS Reinhard, 1944	1	-	1	-	-	-	-
*NIGARA Richter, 1999	1	-	-	1	-	-	-
NIGRILYPHA O'Hara, 2002	1	-	1	-	-	-	-
NILEA Robineau-Desvoidy, 1863	1	1	1	1	1	1	1
NIMIOGLOSSA Reinhard, 1945	1	1	1	-	-	-	-
NIPPONOCEROMYIA Mesnil & Shima, 1978 = PROCEROMYIA Mesnil, 1957 (O'Hara 1989: 44)				x			
*NOTHOVORIA Cortés & González, 1989	1	1	-	-	-	-	-
*NOTODERUS Cortés, 1986	1	1	-	-	-	-	-
NOTODYTES Aldrich, 1934	1	1	-	-	-	-	-
NOTOMANES Aldrich, 1934	1	1	-	-	-	-	-
NOWICKIA Wachtl, 1894 = TACHINA (NOWICKIA Wachtl, 1894) (Wood 1987: 1244, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 325)				x		x	
OBERONOMYIA Reinhard, 1964	1	1	-	-	-	-	-
OBLITONEURA Mesnil, 1975	1	-	-	1	-	-	-
*OBSCUROMYIA Barraclough & O'Hara, 1998	1	-	-	-	-	-	1
OCCISOR Hutton, 1901	1	-	-	-	-	-	1
OCHROCERA Townsend, 1916	1	-	1	-	-	-	-
OCHROEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OCYPTEROMIMA Townsend, 1916	1	-	-	-	1	1	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
OCYRTOSOMA Townsend, 1912	1	1	-	-	-	-	-
OCYTATA Gistel, 1848	1	-	-	1	-	-	-
OEDEMAMEDINA Townsend, 1927	1	1	-	-	-	-	-
OEDEMATOCERA Townsend, 1916 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
OESTROHYSTRICIA Townsend, 1912	1	1	-	-	-	-	-
OESTROPHASIA B. & B., 1889	1	1	1	-	-	-	-
OESTROPHASIANA Townsend, 1931 = OESTROPHASIA B. & B., 1889 (Guimarães 1977: 220)		x					
OLA Paramonov, 1968 = RUTILOTRIXA Townsend, 1933 (Barraclough 1992: 1258)							x
OLENOCHAETA Townsend, 1892 = DISTICHONA van der Wulp, 1890 (Wood 1987: 1203, O'Hara & Wood 1998: 756)		x					
OLIGOESTRUS Townsend, 1932	1	1	-	-	-	-	-
OLINDA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
OLINDOPSIS Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)		x					
OLLACHACTIA Townsend, 1927	1	1	-	-	-	-	-
OLLACHEA Townsend, 1919	1	1	-	-	-	-	-
OLLACHERYPHE Townsend, 1927	1	1	-	-	-	-	-
OMMALESKIA Townsend, 1917 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
ONYCHOGONIA B. & B., 1889	1	-	1	1	-	-	-
OOMASICERA Townsend, 1911	1	1	-	-	-	-	-
OOMEIGENIA Townsend, 1915 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)		x					
OPESIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
OPHIRION Townsend, 1911	1	1	-	-	-	-	-
OPHIRIONOPSIS Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
OPHIRODEXIA Townsend, 1911	1	1	-	-	-	-	-
OPHIROSTURMIA Townsend, 1911	1	1	-	-	-	-	-
OPSOEMPHERIA Townsend, 1927	1	1	-	-	-	-	-
OPSOLESKIA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
OPSOMEIGENIA Townsend, 1919 Recorded from Oriental Region by Chao <i>et al.</i> (1998)	1	-	1	-	-	1	-
OPSOPHAGUS Aldrich, 1926	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
OPSOPHASIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
OPSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
OPSOTHERESIA Townsend, 1919	1	-	1	-	-	-	-
OPSOZELIA Townsend, 1919	1	1	-	-	-	-	-
OPTICOPTERYX Townsend, 1931	1	1	-	-	-	-	-
*ORAEOSOMA Cortés, 1976	1	1	-	-	-	-	-
ORAPHASMOPHAGA Reinhard, 1958	1	-	1	-	-	-	-
ORASTURMIA Reinhard, 1947	1	-	1	-	-	-	-
ORESTILLA Reinhard, 1944	1	-	1	-	-	-	-
ORMIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
ORMIOPHASIA Townsend, 1919	1	1	-	-	-	-	-
OROHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
OROMASIPHYA Townsend, 1927	1	1	-	-	-	-	-
OROPHOROCERA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
ORTHAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
ORTHOSIMYIA Reinhard, 1944	1	-	1	-	-	-	-
OSSIDINGIA Townsend, 1919 Recognized as valid by Crosskey (1984: 201)	1	-	-	-	1	-	-
OSTRACOPHYTO Townsend, 1915	1	-	1	-	-	-	-
OSWALDIA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Shima (1991)	1	1	1	1	-	1	-
OTOMASICERA Townsend, 1912	1	-	1	-	-	-	-
OXYAPORIA Townsend, 1919	1	1	-	-	-	-	-
OXYEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OXYMEDORIA Villeneuve, 1916	1	-	-	-	1	-	-
OXYNOPS Townsend, 1912	1	1	1	-	-	-	-
OXYNOPSALIA Curran, 1934 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
OXYNOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
OXYOPHIRION Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
OXYPHYLLOMYIA Villeneuve, 1937	1	-	-	1	-	1	-
PACHYCHETA Portschinsky, 1881 Valid name for genus previously called BARYCHAETA Bezzi, 1906 (O'Hara 2009: 66)	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PACHYMYIA Macquart, 1843	1	1	-	-	-	-	-
PACHYNOCERA Townsend, 1919	1	1	-	-	-	-	-
PACHYSTYLUM Macquart, 1848	1	-	-	1	-	-	-
PAEDARIUM Aldrich, 1926	1	1	-	-	-	-	-
PALES Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
PALESISA Villeneuve, 1929	1	-	-	1	-	-	-
PALEXORISTA Townsend, 1921 = DRINO (PALEXORISTA Townsend, 1921) (O'Hara & Wood 2004: 121)					x	x	x
PALIA Curran, 1927	1	-	-	-	-	-	1
PALIANA Curran, 1927	1	-	-	-	-	-	1
PALMONIA Kugler, 1972	1	-	-	1	-	-	-
PALPEXORISTA Townsend, 1926 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 756)		x					
PALPOLINNAEMYIA Townsend, 1927	1	1	-	-	-	-	-
PALPOSTOMA Robineau-Desvoidy, 1830	1	-	-	-	1	1	1
PALPOTACHINA Townsend, 1915	1	1	-	-	-	-	-
PALPOZENILLIA Townsend, 1934	1	1	-	-	-	-	-
PAMMAERUS Aldrich, 1927	1	1	-	-	-	-	-
PANACEMYIA Townsend, 1919 = TRIGONOSPILA Pokorny, 1886 (Wood 1985: 85)		x					
PANDELLEIA Villeneuve, 1907	1	-	-	1	1	-	-
PANZERIA Robineau-Desvoidy, 1830	1	-	1	1	-	1	-
PARABOTHRIA Vimmer & Soukup, 1940	1	1	-	-	-	-	-
PARABRACHYCOMA Blanchard, 1940	1	1	-	-	-	-	-
PARACHAETA Coquillett, 1897 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Wood 1987: 1213, O'Hara & Wood 1998: 756, Toma & Guimarães 2002: 35)		x					
*PARACHAETOPSIS Blanchard, 1959 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)		x					
PARACHAETOLYGA Bischof, 1904	1	1	-	-	-	-	-
PARACLARA Bezzi, 1908 Valid name to replace CLARA B. & B. (Crosskey 1980a: 1230, 1984: 200)	1	-	-	-	1	-	-
PARACRASPEDOTHRIX Villeneuve, 1920 Synonymized with CHAETOSTIGMOPTERA Townsend, 1916 by Wood (1985: 31), but treated as valid by Herting & Dely-Draskovits (1993: 165) and O'Hara & Wood (2004: 104)	1	-	1	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PARADEJEANIA B. & B., 1893	1	1	1	-	-	-	-
PARADIDYMA B. & B., 1891	1	1	1	-	-	-	-
PARADORIA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
PARADRINO Mesnil, 1949 See Evenhuis & O'Hara (2008: 66) for details about dating	1	1	-	-	1	1	1
PARAGONIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating Junior homonym of PARAGONIA Hübner, 1823 and replaced by MESNILIUS Özdkimen, 2006							x
PARAJURINIA Townsend, 1928	1	1	-	-	-	-	-
PARALISPE B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)		x					
PARALYPHA Mesnil, 1963	1	-	-	1	-	-	-
PARAMESOCHAETA B. & B., 1891	1	1	-	-	-	-	-
PARANETIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
PARANOXYNOPS Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
PARAPALES Mesnil, 1950 See Evenhuis & O'Hara (2008: 66–67) for details about dating	1	-	-	-	1	1	-
PARAPEXOPSIS Mesnil, 1953	1	-	-	1	-	-	-
PARAPHASIANA Townsend, 1940 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
PARAPHASIOPSIS Townsend, 1917	1	1	-	-	-	-	-
PARAPHASMOPHAGA Townsend, 1915	1	-	1	-	-	-	-
PARAPHORANTHA Townsend, 1915 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756, Sun & Marshall 2003: 19)		x					
PARAPOLIOPS Blanchard, 1957	1	1	-	-	-	-	-
PARAPORIA Townsend, 1912 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
PARAPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
PARARCHYTAS B. & B., 1895	1	1	1	-	-	-	-
PARARONDANIA Villeneuve, 1916	1	-	-	-	1	-	-
PARARRHINACTIA Townsend, 1935	1	1	-	-	-	-	-
PARASETIGENA B. & B., 1891	1	1	1	1	-	-	-
PARATACHINA B. & B., 1891	1	-	-	-	1	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PARATHELAIIRA Townsend, 1919 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
PARATHERESIA Townsend, 1915 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 756)		x					
PARATRIXA B. & B., 1891	1	-	-	1	-	-	-
PARATROPEZA Paramonov, 1964	1	-	-	-	-	-	1
PARATRYPHERA B. & B., 1891	1	-	-	1	1	1	-
PARAVIBRISSINA Shima, 1979	1	-	-	-	-	1	1
PARAXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PARAZELIA Townsend, 1919 Junior homonym of PARAZELIA Bigot, 1882 and replaced by CESAPANAMA Koçak & Kemal, 2010		x					
PARECHINOTACHINA Townsend, 1931	1	1	-	-	-	-	-
PAREPALPUS Coquillett, 1902	1	1	1	-	-	-	-
PARERIGONE Brauer, 1898	1	-	-	1	-	1	-
*PARERIGONESIS Chao & Sun <i>in</i> Chao, Sun & Zhou, 1990 = PARERIGONE Brauer, 1898 (Tschorsnig & Richter 1998: 758)				x			
PAREUPOGONA Townsend, 1916	1	-	-	-	-	-	1
PARHAMAXIA Mesnil, 1967	1	-	-	1	-	-	-
PARKERELLA Townsend, 1942 = TRIARTHRIA Stephens, 1829 (O'Hara 1996a: 16)		x					
PARODOMYIOPS Townsend, 1935	1	1	-	-	-	-	-
PAROPESIA Mesnil, 1970	1	-	-	-	-	1	-
PAROPSIVORA Malloch, 1934 Recorded from Oriental Region by Shima (1994)	1	-	-	-	-	1	1
PARTHENOLESKIA Townsend, 1941	1	1	-	-	-	-	-
PATELLOA Townsend, 1916	1	1	1	-	-	-	-
PATILLALIA Curran, 1934	1	1	-	-	-	-	-
*PATULIFRONS Barraclough, 1992	1	-	-	-	-	-	1
*PAULIPALPUS Barraclough, 1992	1	-	-	-	-	-	1
PELAMERA Herting, 1969	1	-	-	1	-	-	-
PELASHYRIA Villeneuve, 1935	1	-	-	-	1	-	-
PELATACHINA Meade, 1894	1	-	1	1	-	-	-
PELECOTHECA Townsend, 1919	1	1	-	-	-	-	-
PELETERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	1	1	1	1	1	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PELYCOPS Aldrich, 1934	1	1	-	-	-	-	-
PENNAPODA Townsend, 1897	1	1	-	-	-	-	-
PENTATOMOPHAGA de Meijere, 1917	1	-	-	1	-	1	1
PENTHOSIA van der Wulp, 1892	1	1	1	-	-	-	-
PENTHOSIOSOMA Townsend, 1926	1	-	-	-	-	1	-
PERACROGLOSSA Townsend, 1931	1	1	-	-	-	-	-
PEREMPTOR Hutton, 1901	1	-	-	-	-	-	1
PERIARCHICLOPS Villeneuve, 1924	1	-	-	1	-	-	-
PERIBAEA Robineau-Desvoidy, 1863	1	-	-	1	1	1	1
PERICHETA Rondani, 1859 Unnecessary <i>nomen novum</i> for POLICHETA Rondani, 1856				x			
PERIGYMNOSOMA Villeneuve, 1929	1	-	-	-	-	1	-
PERIOPTICHOCHAETA Townsend, 1927	1	1	-	-	-	-	-
*PERIOSTOMA Cortés, 1986	1	1	-	-	-	-	-
PERISCEPSIA Gistel, 1848	1	1	1	1	1	1	-
PERISTASISEA Villeneuve, 1934	1	-	-	-	1	-	-
PERRISSINA Malloch, 1938	1	-	-	-	-	-	1
PERRISSINOIDES Dugdale, 1962	1	-	-	-	-	-	1
*PERSEDEA Richter, 2001 = ROSSIMYIOPS Mesnil, 1953 (Cerretti <i>et al.</i> 2009: 32)				x			
PERUMYIA Arnaud, 1963	1	1	-	-	-	-	-
PETAGNIA Rondani, 1856	1	-	-	1	-	-	-
PETEINA Meigen, 1838	1	-	-	1	-	1	-
PETINARCTIA Villeneuve, 1928 = PERISCEPSIA (PETINARCTIA Villeneuve, 1928) (Wood 1987: 1253, O'Hara & Wood 1998: 756)				x			
PETRARGYROPS Townsend, 1927	1	1	-	-	-	-	-
PEXOPSIS B. & B., 1889	1	-	-	1	1	1	-
PHAENOPSIS Townsend, 1912 = PSEUDOCHAETA (PHAENOPSIS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 197)		x					
PHAEODEMA Aldrich, 1934	1	1	-	-	-	-	-
PHALACROPHYTO Townsend, 1915	1	-	1	-	-	-	-
PHANIA Meigen, 1824	1	-	-	1	-	-	-
*PHANIOLA Mesnil, 1978 = CATAPARIPROSOPA Townsend, 1927 (Crosskey 1984: 195)					x		

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PHANTASIOMYIA Townsend, 1915	1	-	1	-	-	-	-
PHANTASIOSIPHONA Townsend, 1915 = SIPHONA Meigen, 1803 (O'Hara 1983: 275)		x					
PHAONIELLA Malloch, 1938	1	-	-	-	-	-	1
PHASIA Latreille, 1804	1	1	1	1	1	1	1
PHASIATACTA Townsend, 1911	1	1	-	-	-	-	-
PHASIOCYPTERA Townsend, 1927	1	1	-	-	-	-	-
PHASIOORMIA Townsend, 1933	1	-	-	-	-	1	1
PHASIOPHYTO Townsend, 1919	1	1	-	-	-	-	-
PHASIOPS Coquillett, 1899	1	-	1	-	-	-	-
PHASIOPSIS Townsend, 1912 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 756)		x					
PHASIOSTOMA Townsend, 1915 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, O'Hara & Wood 1998: 756)		x					
PHASMOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
PHASMOPHAGA Townsend, 1909	1	1	1	-	-	-	-
PHASMOVORA Cortés, 1968 = PHASMOPHAGA Townsend, 1909 (Wood 1985: 72)		x					
PHEBELLIA Robineau-Desvoidy, 1846	1	-	1	1	-	1	-
PHILIPPODEXIA Townsend, 1926	1	-	-	-	-	1	-
*PHILOCORUS Cortés, 1976	1	1	-	-	-	-	-
PHOBETROMYIA Reinhard, 1964	1	1	-	-	-	-	-
PHONOMYIA B. & B., 1893	1	-	-	1	-	-	-
PHORANTHELLA Brooks, 1945 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756)		x					
PHORCIDELLA Mesnil, 1946	1	-	-	-	-	1	-
PHORINIA Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
PHOROCERA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
PHOROCEROSOMA Townsend, 1927	1	-	-	1	1	1	1
PHOROCEROSTOMA Malloch, 1930	1	-	-	-	-	-	1
PHOSOCEPHALA Townsend, 1908	1	1	-	-	-	-	-
PHRYNO Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
PHRYNOTACHINA Townsend, 1927	1	1	-	-	-	-	-
PHRYXE Robineau-Desvoidy, 1830	1	1	1	1	1	1	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PHYLLARISTOMYIA Townsend, 1931	1	1	-	-	-	-	-
PHYLLOMYA Robineau-Desvoidy, 1830 Also spelled PHYLLOMYIA, unjustified emendation	1	1	1	1	-	1	-
PHYLLOPHIOPSIS Townsend, 1915	1	1	1	-	-	-	-
PHYLLOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
PHYTOMYPTERA Rondani, 1845	1	1	1	1	1	1	-
PHYTOMYPTERINA van Emden, 1960	1	-	-	-	1	-	-
PHYTOROPHAGA Bezzi, 1923	1	-	-	1	-	1	1
PICCONIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
PICTOEPALPUS Townsend, 1915	1	1	-	-	-	-	-
PILIGENA van Emden, 1947	1	-	-	-	1	-	-
*PILIGENOIDES Barraclough, 1985	1	-	-	-	1	-	-
PILIMYIA Malloch, 1930	1	-	-	-	-	-	1
PIMELIMYIA Mesnil, 1949 See Evenhuis & O'Hara (2008: 67) for details about dating	1	-	-	-	1	-	-
PIRIONA Aldrich, 1928	1	1	-	-	-	-	-
PIRIONIMYIA Townsend, 1931	1	1	-	-	-	-	-
PIXIMACTIA Townsend, 1927	1	1	-	-	-	-	-
PLAGIMASICERA Townsend, 1915	1	1	-	-	-	-	-
PLAGIOCOMA Villeneuve, 1916	1	-	-	-	1	-	-
PLAGIOMIMA B. & B., 1891 Recorded from Afrotropical Region by Crosskey (1984), but restricted to New World by Cerretti (2009a)	1	1	1	-	-	-	-
PLAGIOMYIA Curran, 1927	1	-	-	-	-	-	1
PLANOMYIA Aldrich, 1934	1	1	-	-	-	-	-
PLATYDEXIA van Emden, 1954	1	-	-	-	1	-	-
PLATYMYA Robineau-Desvoidy, 1830 Also spelled PLATYMYIA, unjustified emendation	1	-	1	1	-	1	-
PLATYPHASIA Townsend, 1935 Junior homonym of PLATYPHASIA Skuse, 1890 and replaced by BRASILOMYIA Özdikmen, 2010		x					
PLATYRRHINODEXIA Townsend, 1927	1	1	-	-	-	-	-
PLATYSCHINERIA Villeneuve, 1942	1	-	-	-	1	-	-
PLATYTACHINA Malloch, 1938	1	-	-	-	-	-	1
PLATYTAINIA Macquart, 1851	1	-	-	-	-	-	1
PLAXACTIA Townsend, 1931 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PLECTOPSIS Townsend, 1927	1	1	-	-	-	-	-
PLESINA Meigen, 1838	1	-	-	1	1	-	-
PLESIODEXILLA Blanchard, 1966	1	1	-	-	-	-	-
PLETHOCHAETIGERA Malloch, 1938	1	-	-	-	-	-	1
PODODEXIA B. & B., 1889	1	-	-	-	1	-	-
PODOSTURMIA Townsend, 1928	1	1	-	-	-	-	-
POLICHETA Rondani, 1856	1	-	1	1	-	-	-
POLIOPS Aldrich, 1934	1	1	-	-	-	-	-
POLISTIOPSIS Townsend, 1915	1	1	-	-	-	-	-
*POLYBIOCYPTERA Guimarães, 1979	1	1	-	-	-	-	-
POLYBIOPHILA Curran, 1937 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
POLYCHAETA Macquart, 1851	1	-	-	-	-	-	1
POLYGASTER van der Wulp, 1890	1	1	-	-	-	-	-
POLYGASTROPTERYX Mesnil, 1953	1	-	-	-	-	1	-
PORPHYROMUS van Emden, 1960	1	-	-	-	1	-	-
*PRADOCANIA Tschorsnig, 1997	1	-	-	1	-	-	-
PRETORIAMYIA Curran, 1927	1	-	-	-	1	-	-
PRETORIANA Curran, 1938 Junior homonym of PRETORIANA Uvarov, 1922 and replaced by junior synonym MYXOGAEDIA Mesnil, 1956 (O'Hara 2011: 60–61)					x		
PROCARCELIA Townsend, 1927	1	1	-	-	-	-	-
PROCEROMYIA Mesnil, 1957	1	-	-	1	-	-	-
PROCLEONICE Townsend, 1935	1	1	-	-	-	-	-
PRODEGEERIA B. & B., 1895	1	-	1	1	1	1	1
PRODEMOTICUS Villeneuve, 1919	1	-	-	1	-	-	-
PRODEXODES Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)		x					
PRODIAPHANIA Townsend, 1927	1	-	-	-	-	-	1
PROLESKIA Townsend, 1927	1	1	-	-	-	-	-
PROLESKIOMIMA Townsend, 1934	1	1	-	-	-	-	-
PROLOPHOSIA Townsend, 1933	1	-	-	-	1	-	-
PROLYPHA Townsend, 1934	1	1	-	-	-	-	-
PROMASIPHYA Townsend, 1927 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 757)		x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PROMEGAPARIA Townsend, 1931	1	1	-	-	-	-	-
PROMETOPIOPS Townsend, 1927	1	1	-	-	-	-	-
PROMINTHO Townsend, 1926	1	-	-	-	-	1	-
PRONEMORILLA Townsend, 1935	1	1	-	-	-	-	-
PROOPPIA Townsend, 1926	1	-	1	1	-	-	-
PROPARACHAETA Townsend, 1928	1	1	-	-	-	-	-
PROPARACHAETOPSIS Blanchard, 1942 Recognized as valid by Toma & Guimarães (2000b: 16)	1	1	-	-	-	-	-
PROPHAENOPSIS Townsend, 1927 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)		x					
PROPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
PROPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
PROPHOROSTOMA Townsend, 1927	1	1	-	-	-	-	-
PRORHYNCHOPS B. & B., 1891	1	1	-	-	-	-	-
PRORIEDELIA Mesnil, 1953	1	-	-	-	-	1	-
PROROGLUTEA Townsend, 1919	1	1	-	-	-	-	-
PROSCISSIO Hutton, 1901	1	-	-	-	-	-	1
PROSENA Lepeletier & Serville, 1828	1	-	1	1	1	1	1
PROSENACTIA Blanchard, 1940	1	1	-	-	-	-	-
PROSENINA Malloch, 1930	1	-	-	-	-	-	1
PROSENOIDES B. & B., 1891	1	1	1	-	1	-	-
PROSENOSONA Malloch, 1938	1	-	-	-	-	-	1
PROSETHILLA Herting, 1984	1	-	-	1	-	-	-
PROSHELIOMYIA B. & B., 1891	1	-	-	-	1	1	-
PROSOPEA Rondani, 1861	1	-	-	1	-	-	-
PROSOPOCHAETA Macquart, 1851	1	1	-	-	-	-	-
PROSOPODOPSIS Townsend, 1926 Synonymized with KUWANIMYIA Townsend, 1916 by Herting (1984: 77), but treated as valid by Crosskey (1984: 201), Zeegers (2007: 393), and O'Hara, Shima & Zhang (2009: 116); redefined by Cerretti (2009b: 51–52)	1	-	-	-	1	1	-
PROSOPOFRONTINA Townsend, 1926 = ISTOCHETA Rondani, 1859 (Herting 1984: 24)					x	x	
PROSPALAEA Aldrich, 1925	1	1	-	-	-	-	-
PROSPANIPALPUS Townsend, 1931	1	1	-	-	-	-	-
PROSPHERYSA van der Wulp, 1890	1	1	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PROSPHERYSODORIA Townsend, 1928	1	1	-	-	-	-	-
PROSUCCINGULUM Mesnil, 1959	1	-	-	-	1	-	-
PROTAPORIA Townsend, 1919	1	-	-	-	-	-	1
PROTODEJEANIA Townsend, 1915	1	1	1	-	-	-	-
PROTOGONIOPS Townsend, 1913	1	1	-	-	-	-	-
PROTOGONIOPSIS Townsend, 1915	1	1	-	-	-	-	-
PROTOHYSTRICIA Malloch, 1929	1	-	-	-	-	-	1
PROTONOTODYTES Blanchard, 1966	1	1	-	-	-	-	-
PROTRICHOPROSOPIS Blanchard, 1966	1	1	-	-	-	-	-
PROTYPOPHAEMYIA Blanchard, 1963	1	1	-	-	-	-	-
PROXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PSALIDOXENA Villeneuve, 1941	1	-	-	1	-	-	-
PSECACERA Bigot, 1880	1	1	-	-	-	-	-
PSEUDALSOMYIA Mesnil, 1968	1	-	-	1	-	1	1
*PSEUDEBENIA Shima, Han & Tachi, 2010	1	-	-	1	-	1	-
PSEUDEUANTHA Townsend, 1915 = URAMYA Robineau-Desvoidy, 1830 (Wood 1987: 1262, O'Hara & Wood 1998: 757)		x					
PSEUDOBOMBYLIOMYIA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOBRULLAEA Mesnil, 1957	1	-	-	-	-	1	-
PSEUDOCELATORIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
PSEUDOCHAETA Coquillett, 1895	1	1	1	-	-	-	-
PSEUDOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
PSEUDODEXIA B. & B., 1891	1	1	-	-	-	-	-
*PSEUDODEXIA Chao <i>in</i> Chao, Liang & Zhou, 2002 Junior homonym of PSEUDODEXIA Brauer & Bergenstamm, 1891 and replaced by PSEUDODEXILLA O'Hara, Shima & Zhang, 2009						x	
*PSEUDODEXILLA O'Hara, Shima & Zhang, 2009 Replacement name for PSEUDODEXIA Chao, 2002, preoccupied by PSEUDODEXIA Brauer & Bergenstamm, 1891	1	-	-	-	-	1	-
PSEUDODINERA B. & B., 1891	1	-	-	-	1	-	-
PSEUDOGONIA B. & B., 1889	1	-	-	1	1	1	1
PSEUDOMASIPHYA Thompson, 1963	1	1	-	-	-	-	-
PSEUDOMINTHO B. & B., 1889 = MINTHODES B. & B., 1889 (Tschorsnig & Richter 1998: 781)				x			

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PSEUDOMINTHODES Townsend, 1933	1	-	-	-	1	-	-
PSEUDOMORINIA van der Wulp, 1891 = PHYLLOMYA Robineau-Desvoidy, 1830 (Wood 1987: 1257, O'Hara & Wood 1998: 757)		x					
PSEUDOMYOTHYRIA Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
PSEUDOPACHYSTYLUM Mik, 1891	1	-	1	1	-	-	-
PSEUDOPERICHAETA B. & B., 1889 Synonymized with NILEA Robineau-Desvoidy, 1863 by Wood (1987: 1210) and synonymy followed by O'Hara & Wood (2004 132); treated as valid by O'Hara, Shima & Zhang (2009: 77)	1	-	-	1	1	1	1
PSEUDOPROSPHERYSA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
PSEUDORED TENBACHERIA B. & B., 1889	1	1	-	-	-	-	-
PSEUDORRHINACTIA Thompson, 1968	1	1	-	-	-	-	-
PSEUDOSIPHOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOVIIVIANIA B. & B., 1891	1	1	-	-	-	-	-
PSEUDOXANTHOZONA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOXANTHOZONELLA Townsend, 1931	1	1	-	-	-	-	-
PSILOPLEURA Reinhard, 1943 Junior homonym of PSILOPLEURA Druce, 1898 and replaced by BAHRETTINIA Özdikmen, 2007			x				
PTEROTOPEZA Townsend, 1908 As "PTEROPEZA" in Guimarães (1971), in error	1	1	-	-	-	-	-
PTESIOMYIA B. & B., 1893	1	-	-	1	-	-	-
PTILOCATAGONIA Mesnil, 1956	1	-	-	-	1	-	-
PTILODEGEERIA B. & B., 1891	1	1	-	-	-	-	-
PTILODEXIA B. & B., 1889	1	1	1	-	-	-	-
PTILOGONIA Bischof, 1904	1	1	-	-	-	-	-
PTILOMYIOPSIS Townsend, 1933	1	1	-	-	-	-	-
PTILOMYOIDES Curran, 1928	1	1	-	-	-	-	-
PUJOLINA Mesnil, 1968 = BLEPHARELLA Macquart, 1851 (Crosskey 1980b: 868)						x	
PUNAMYIA Townsend, 1915	1	1	-	-	-	-	-
PUNAMYOCERA Townsend, 1919	1	1	-	-	-	-	-
PYGIDIMYIA Crosskey, 1967	1	-	-	-	-	-	1
PYGOALCAGER Townsend, 1935	1	-	-	-	-	-	1

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
PYGOPHORINIA Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)		x					
PYRRHODEXIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOERNESTIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOTACHINA Townsend, 1931	1	1	-	-	-	-	-
QUADRA Malloch, 1929	1	-	-	-	-	-	1
QUADRATOSOMA Townsend, 1914	1	1	-	-	-	-	-
RAMONDA Robineau-Desvoidy, 1863 = PERISCEPSIA (RAMONDA R.-D., 1863) (O'Hara & Wood 2004: 65)				x			
RAMONELLA Kugler, 1980 Recorded from Afrotropical Region by Zeegers (2007, Yemen)	1	-	-	1	1	-	-
*RASILIVERPA Barraclough, 1992	1	-	-	-	-	-	1
*RCORTESIA Koçak & Kemal, 2010 Replacement name for HYPSONOMYIA Cortés, 1983, preoccupied by HYPSONOMYIA McAlpine, 1965	1	1					
REDTENBACHERIA Schiner, 1861	1	-	-	1	-	-	-
REICHARDIA Karsch, 1886	1	-	-	-	1	-	-
REINHARDIANA Arnaud, 1952 = MICROCHAETINA van der Wulp, 1891 (Wood 1987: 1220, O'Hara & Wood 1998: 757)		x					
RHACHOEPALPUS Townsend, 1908	1	1	1	-	-	-	-
RHACHOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
RHACODINELLA Mesnil, 1968	1	-	-	1	-	-	-
RHAMPHINA Macquart, 1835	1	-	-	1	-	-	-
RHAMPHININA Bigot, 1885	1	1	-	-	-	-	-
RHAMPHOPTERYX Townsend, 1931 Junior homonym of RHAMPHOPTERYX Bryk, 1913 and replaced by MEHMETIA Özdikmen, 2007		x					
RHAPHIOCHAETA B. & B., 1889	1	-	-	1	-	-	-
RHINAPLOMYIA Mesnil, 1955	1	-	-	1	-	1	-
RHINOMACQUARTIA B. & B., 1891	1	1	-	-	-	-	-
RHINOMYOBIA B. & B., 1893	1	-	-	-	-	-	1
RHINOMYODES Townsend, 1933	1	-	-	1	-	1	-
*RHINOPHOROIDES Barraclough, 2005	1	-	-	-	1	-	-
RHOMBOTHYRIA van der Wulp, 1891	1	1	-	-	-	-	-
RHOMBOTHYRIOPS Townsend, 1915	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
RHYNCHOGONIA B. & B., 1893 Recorded from Afrotropical Region by Zeegers (2010, United Arab Emirates)	1	-	-	1	1	-	-
RICHTERIOLOA Mesnil, 1963	1	-	-	1	-	-	-
RICOSIA Curran, 1927	1	1	-	-	-	-	-
RIEDELIA Mesnil, 1942	1	-	-	1	-	1	-
RIOTERIA Herting, 1973	1	-	-	1	1	-	-
ROBINALDIA Herting, 1983	1	-	-	1	-	-	-
RONDANIA Robineau-Desvoidy, 1850	1	-	1	1	-	-	-
RONDANIOOESTRUS Villeneuve, 1916	1	-	-	-	1	-	-
ROSSIMYIOPS Mesnil, 1953 Redefined and recorded from Palaearctic Region by Cerretti <i>et al.</i> (2009)	1	-	-	1	1	-	-
RUIZIELLA Cortés, 1951	1	1	-	-	-	-	-
RUTILIA Robineau-Desvoidy, 1830	1	-	-	-	-	1	1
RUTILODEXIA Townsend, 1915	1	-	-	-	-	-	1
RUTILOTRIXA Townsend, 1933	1	-	-	-	-	-	1
SANTACRUZIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
SANTACRUZIOPSIS Thompson, 1968 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
SARALBA Walker, 1865	1	-	-	-	-	-	1
SARCOCALIRRHOE Townsend, 1928	1	1	-	-	-	-	-
SARCOPROSENA Townsend, 1927	1	1	-	-	-	-	-
SARRORHINA Villeneuve, 1936 Misspelled as SARRHORINA by Crosskey (1980b: 842), see Crosskey (1984: 200)	1	-	-	-	1	-	-
SARROMYIA Pokorny, 1893	1	-	-	1	-	-	-
SAUNDERSIOPS Townsend, 1914	1	1	-	-	-	-	-
SCAPHIMYIA Mesnil, 1955	1	-	-	1	-	1	-
SCHEMBRIA Rondani, 1861 Recorded from Afrotropical Region by Crosskey (1984)	1	-	-	1	1	-	-
SCHINERIA Rondani, 1857	1	-	-	1	-	-	-
SCHISTOSTEPHANA Townsend, 1919	1	1	-	-	-	-	-
SCHIZOTACHINA Walker, 1852 = PHYTOMYPTERA Rondani, 1844 (Wood 1987: 1220, O'Hara & Wood 1998: 757)		x					
SCHIZOCEROPHAGA Townsend, 1916 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)		x					

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
SCHIZOLINNAEA van Emden, 1960	1	-	-	-	1	-	-
SCHLINGERMYIA Cortés, 1967	1	1	-	-	-	-	-
SCHWARZALIA Curran, 1934	1	1	-	-	-	-	-
SCOMMA Richter, 1972	1	-	-	1	-	-	-
SCOTIPTERA Macquart, 1835	1	1	-	-	-	-	-
SEMISUTURIA Malloch, 1927	1	-	-	-	-	-	1
SENOMETOPIA Macquart, 1834 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Crosskey (1976: 231, 1980b: 865) and Cantrell & Crosskey (1989: 774) but as a valid genus by Herting & Dely-Draskovits (1993: 217) and O'Hara, Shima & Zhang (2009: 78)	1	-	-	1	1	1	1
SENOTOMA Macquart, 1847	1	-	-	-	-	-	1
*SEPSEOCARA Richter, 1986	1	-	-	1	-	-	-
SERICODORIA Townsend, 1928	1	1	-	-	-	-	-
SERICOTACHINA Townsend, 1916	1	-	-	-	-	1	-
SERICOZENILLIA Mesnil, 1957	1	-	-	1	-	-	-
SERVILLIA Robineau-Desvoidy, 1830 = TACHINA (SERVILLIA R.-D., 1830) (Herting 1984: 86, Herting & Dely-Draskovits 1993: 267)						x	
*SETALUNULA Chao & Yang, 1990 Recorded from Palaearctic Region by Shima & Tachi (2009)	1	-	-	1	-	1	-
SETOLESTES Aldrich, 1934	1	1	-	-	-	-	-
SHANNONIELLA Townsend, 1939 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)		x					
SHANNONOMYIELLA Townsend, 1939	1	1	-	-	-	-	-
SIGNOSOMA Townsend, 1914	1	1	-	-	-	-	-
SIGNOSOMOPSIS Townsend, 1914	1	1	-	-	-	-	-
SIMOMA Aldrich, 1926	1	-	-	1	-	1	-
SIPHOACTIA Townsend, 1927	1	1	-	-	-	-	-
SIPHOCROCUTA Townsend, 1935	1	1	-	-	-	-	-
SIPHOLESKIA Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 757)		x					x
SIPHONA Meigen, 1803	1	1	1	1	1	1	1
SIPHOSTURMIA Coquillett, 1897	1	1	1	-	-	-	-
SISYPHOMYIA Townsend, 1927	1	1	-	-	-	-	-
SISYROPA B. & B., 1889	1	1	1	1	1	1	1
SITELLITERGUS Reinhard, 1964	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
SITOPHAGA Gistel, 1848 = ZAIRA Robineau-Desvoidy, 1830 (Herting 1974: 25, as "SITOPHILA")		x					
SMIDTIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
SMIDTIOLA Mesnil, 1957 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)						x	
SOLIERIA Robineau-Desvoidy, 1849	1	-	1	1	-	1	-
*SOLOMONILLA Özdikmen, 2007 Replacement name for ILLA Baranov, 1938, preoccupied by ILLA Warren, 1914	1	-	-	-	-	-	1
SONACA Richter, 1981	1	-	-	1	-	-	-
SOPHIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
*SOPHIELLA Guimarães, 1982	1	1	-	-	-	-	-
SOROCHEMYIA Townsend, 1915	1	1	-	-	-	-	-
SPALLANZANIA Robineau-Desvoidy, 1830	1	1	1	1	-	1	-
SPATHIDEXIA Townsend, 1912	1	1	1	-	-	-	-
SPATHIMEIGENIA Townsend, 1915 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)		x					
SPATHIMYIA Townsend, 1912 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
SPATHIPALPUS Rondani, 1863	1	1	-	-	-	-	-
SPHAERINA van der Wulp, 1890	1	1	1	-	-	-	-
SPILOCHAETOSOMA Smith, 1917	1	-	1	-	-	-	-
*SPINIABDOMINA Shi, 1991 = PARATRIXA B. & B., 1891 (O'Hara, Shima & Zhang 2009: 54)				x			
SPIROGLOSSA Doleschall, 1858	1	-	-	-	-	-	1
SQUAMOMEDINA Townsend, 1934	1	1	-	-	-	-	-
STACKELBERGOMYIA Rohdendorf, 1948	1	-	-	1	-	-	-
STAUROCHAETA B. & B., 1889	1	-	-	1	-	-	-
STEATOSOMA Aldrich, 1934	1	1	-	-	-	-	-
STELEONEURA Stein, 1924 Recorded from Oriental Region by Chao <i>et al.</i> (1998)	1	-	1	1	-	1	-
STENOCHAETA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
STENODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
STENOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
STOLATOSOMA Reinhard, 1953	1	1	-	-	-	-	-
STOMATODEXIA B. & B., 1889	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
STOMATOMYIA B. & B., 1889 = CHETOGENA (STOMATOMYIA B. & B., 1889) (Herting 1984: 13, O'Hara & Wood 2004: 148)		x			x	x	x
STOMATOTACHINA Townsend, 1931	1	1	-	-	-	-	-
STOMINA Robineau-Desvoidy, 1830 Recorded from Afrotropical Region by Crosskey (1984) and Zeegers (2007, Yemen)	1	-	-	1	1	-	-
STRONGYGASTER Macquart, 1834	1	1	1	1	-	-	-
STUARDOMYIA Cortés, 1945	1	1	-	-	-	-	-
STURMIA Robineau-Desvoidy, 1830	1	1	-	1	1	1	1
STURMIELLINA Thompson, 1963	1	1	-	-	-	-	-
STURMIMASIPHYA Townsend, 1935	1	1	-	-	-	-	-
STURMIOACTIA Townsend, 1926	1	1	-	-	-	-	-
STURMIODEXIA Townsend, 1919	1	1	-	-	-	-	-
STURMIOMIMA Townsend, 1934	1	1	-	-	-	-	-
STURMIOPSIS Townsend, 1916	1	-	-	1	1	1	-
STURMIOPSOIDEA Thompson, 1966	1	1	-	-	-	-	-
*STYLOCARCELIA Zeegers, 2007	1	-	-	-	1	-	-
SUBCLYTIA Pandellé, 1894	1	-	-	1	-	-	-
SUBFISCHERIA Villeneuve, 1937	1	-	-	-	1	-	-
SUCCINGULODES Townsend, 1935	1	1	-	-	-	-	-
SUENSONOMYIA Mesnil, 1953	1	-	-	1	-	1	-
SUMICHRASTIA Townsend, 1916	1	1	-	-	-	-	-
SUMPIGASTER Macquart, 1855	1	-	-	1	1	1	1
SYMMORPHOMYIA Mesnil & Shima, 1977	1	-	-	1	-	-	-
SYNACTIA Villeneuve, 1916	1	-	-	1	-	-	-
SYNAMPHICHAETA Villeneuve, 1936	1	-	-	1	-	-	-
SYNORBITALIA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
SYRINGOSOMA Townsend, 1917	1	1	-	-	-	-	-
TACHINA Meigen, 1803	1	1	1	1	-	1	-
TACHINEO Malloch, 1938	1	-	-	-	-	-	1
TACHINOESTRUS Portschinsky, 1887	1	-	-	1	-	-	-
TACHINOMYIA Townsend, 1892	1	1	1	-	-	-	-
TACHINOPHASIA Townsend, 1931	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
TACHINOPHYTO Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
TAKANOELLA Baranov, 1935	1	-	-	1	-	-	-
TAKANOMYIA Mesnil, 1957	1	-	-	1	-	1	-
TALAROCERA Williston, 1888	1	1	-	-	-	-	-
TALPAROMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
TAMANAMYIA Thompson, 1963 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
TAPAJOHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
TAPAJOLESKIA Townsend, 1934	1	1	-	-	-	-	-
TAPAJOSIA Townsend, 1934	1	1	-	-	-	-	-
TAPERAMYIA Townsend, 1935	1	1	-	-	-	-	-
TARASSUS Aldrich, 1933	1	1	-	-	-	-	-
TARPESSITA Reinhard, 1967	1	1	-	-	-	-	-
TASMANIOMYIA Townsend, 1916	1	-	-	-	-	-	1
*TECHNAMYIA Reinhard, 1974	1	1	-	-	-	-	-
TELODYTES Aldrich, 1934	1	1	-	-	-	-	-
*TELONOTOMYIA Cortés, 1986	1	1	-	-	-	-	-
TELOTHYRIA van der Wulp, 1890	1	1	-	-	-	-	-
TELOTHYRIOSOMA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
TERETROPHORA Macquart, 1851	1	-	-	-	-	-	1
TESSERACEPHALUS Reinhard, 1955	1	1	-	-	-	-	-
TETRAGRAPHIA B. & B., 1891	1	1	-	-	-	-	-
*TETRIGIMYIA Shima & Takahashi, 2011	1	-	-	1	-	-	-
*TETTIGONIOPHAGA Guimarães, 1978	1	1	-	-	-	-	-
THECOCARCELIA Townsend, 1933	1	-	-	1	1	1	1
THELAIRA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
THELAIRALIA Curran, 1934 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
*THELAIRAPORIA Guimarães, 1980	1	1	-	-	-	-	-
THELAIROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
THELAIRODES van der Wulp, 1891	1	1	-	-	-	-	-
THELAIRODORIA Townsend, 1927	1	1	1	-	-	-	-
THELAIRODORIOPSIS Thompson, 1968	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
THELAIRODRINO Mesnil, 1954	1	-	-	-	1	1	-
THELAIROLESKIA Townsend, 1926	1	-	-	-	-	1	-
THELAIROMIMA Townsend, 1935 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
THELAIROPHASIA Townsend, 1919	1	1	-	-	-	-	-
THELAIROSOMA Villeneuve, 1916	1	-	-	-	1	-	-
THELYCONYCHIA B. & B., 1889	1	-	-	1	1	1	1
THELYMORPHA B. & B., 1889	1	-	-	1	-	-	-
THELYMYIA B. & B., 1891	1	-	-	1	-	-	-
THELYOXYNOPS Townsend, 1927	1	1	-	-	-	-	-
THELYPHAENOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
THEMATHECA Reinhard, 1961 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
THERESIA Robineau-Desvoidy, 1830 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 757)		x					
THEROBIA Brauer, 1862	1	-	-	1	1	1	1
THRIXION B. & B., 1889 Recorded from Afrotropical Region by Zeegers (2007, Yemen)	1	-	-	1	1	-	-
THRYPTODEXIA Malloch, 1926	1	-	-	-	-	1	-
THYSANOMYIA B. & B., 1891 = BLEPHARIPA Rondani, 1856 (Wood 1987: 1213, O'Hara & Wood 1998: 757)		x					
THYSANOPSIS Townsend, 1917	1	1	-	-	-	-	-
THYSANOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
TIMAVIA Robineau-Desvoidy, 1863 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)				x	x	x	
TINALYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
TIPULIDOMIMA Townsend, 1933	1	-	-	-	1	-	-
TLEPHUSA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
TIPULOLESKIA Townsend, 1931	1	1	-	-	-	-	-
TOPOMEIGENIA Townsend, 1919	1	1	-	-	-	-	-
TOROCCA Walker, 1859	1	-	-	1	-	1	1
TOROSOMYIA Reinhard, 1935	1	-	1	-	-	-	-
TOTHILLIA Crosskey, 1976	1	-	-	-	-	1	-
TOWNSENDIELLOMYIA Baranov, 1932	1	-	1	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
TOXOCNEMIS Macquart, 1855	1	-	-	-	-	-	1
TRAFOIA B. & B., 1893	1	1	1	1	-	-	-
TREPOPHRYS Townsend, 1908 As "TREPOPHRYX" in Guimarães (1971), in error	1	1	-	-	-	-	-
TRIACHORA Townsend, 1908 = BELVOSIA Robineau-Desvoidy, 1830 (Wood 1987: 1214, O'Hara & Wood 1998: 757)		x					
TRIARTHRIA Stephens, 1829	1	1	1	1	-	-	1
TRICHACTIA Stein, 1924	1	-	-	1	1	1	-
TRICHINOCHAETA Townsend, 1917	1	1	-	-	-	-	-
TRICHOCERONIA Cortes, 1945	1	1	-	-	-	-	-
TRICHODISCHIA Bigot, 1885	1	1	-	-	-	-	-
TRICHODURA Macquart, 1843	1	1	-	-	-	-	-
TRICHOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
TRICHOFORMOSOMYIA Baranov, 1934	1	-	-	1	-	1	-
TRICHOPAREIA B. & B., 1889 = ADMONTIA B. & B., 1889 (Wood 1985: 17)						x	
TRICHOPHASIA Townsend, 1939 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
TRICHOPHORA Macquart, 1847	1	1	-	-	-	-	-
TRICHOPHOROPSIS Townsend, 1914 Junior homonym of TRICHOPHOROPSIS Bonaparte, 1854 and replaced by ANDICESA Koçak & Kemal, 2010		x					
TRICHOPODA Berthold, 1827 Introduced and established in Palaearctic Region (Colazza, Giangiuliani & Bin 1996) and Australasian Region (Coombs & Sands 2000)	1	1	1	1	-	-	1
TRICHOPROSOPUS Macquart, 1843	1	1	-	-	-	-	-
TRICHOPYRRHOSIA Townsend, 1927	1	1	-	-	-	-	-
*TRICHORAEA Cortés, 1974	1	1	-	-	-	-	-
TRICHOSAUNDERSIA Townsend, 1914	1	1	-	-	-	-	-
TRICHOSTYLUM Macquart, 1851	1	-	-	-	-	-	1
TRICHOTOPTERYX Townsend, 1919	1	1	-	-	-	-	-
TRICHSCHIZOTACHINA Townsend, 1935d	1	1	-	-	-	-	-
TRIGONOSPILA Pokorný, 1886	1	1	1	1	1	1	1
TRINITODEXIA Townsend, 1935	1	1	-	-	-	-	-
TRINITODORIA Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
TRIODONTOPYGA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
TRISCHIDOCERA Villeneuve, 1915	1	-	-	-	-	1	-
TRISMEGISTOMYA Reinhard, 1967	1	-	1	-	-	-	-
TRITAXYS Macquart, 1847	1	-	-	-	-	1	1
TRIXA Meigen, 1824 Recorded from Afrotropical and Oriental Regions by Zhang & Shima (2005)	1	-	-	1	1	1	-
TRIXELLA Mesnil, 1980 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58) Recorded from Oriental Region by Shima (1988)				x		x	
TRIXICEPS Villeneuve, 1936	1	-	-	1	-	-	-
TRIXOCLEA Villeneuve, 1916	1	-	-	-	1	-	-
TRIXODES Coquillett, 1902	1	1	1	-	-	-	-
TRIXODOPSIS Townsend, 1933	1	1	-	-	-	-	-
TRIXOMORPHA B. & B., 1889	1	-	-	-	-	1	-
TROCHILOCHAETA Townsend, 1940	1	1	-	-	-	-	-
TROCHILODES Coquillett, 1903	1	-	1	-	-	-	-
TROCHILOGLOSSA Townsend, 1919	1	1	-	-	-	-	-
TROCHILOLESKIA Townsend, 1917	1	1	1	-	-	-	-
TROMODESIANA Townsend, 1931	1	1	-	-	-	-	-
TROMODESIOPSIS Townsend, 1927	1	1	-	-	-	-	-
TROPIDODEXIA Townsend, 1915	1	1	-	-	-	-	-
TROPIDOPSIOMORPHA Townsend, 1927	1	1	-	-	-	-	-
TRUPHIA Malloch, 1930	1	-	-	-	-	-	1
TRYPETIDOMIMA Townsend, 1935 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)		x					
TRYPHERA Meigen, 1838	1	-	1	1	-	-	-
TRYPHERINA Malloch, 1938	1	-	-	-	-	-	1
TRYPHEROMYIA Reinhard, 1945 = ANGUSTIA Sellers, 1943 (Wood 1985: 19)		x					
TRYPHEROSOMA Verbeke, 1962 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1984: 200)					x		
TSUGAEA Hall, 1939	1	-	1	-	-	-	-
TUNAPUNIA Thompson, 1963	1	1	-	-	-	-	-
TURANOSONIA Rohdendorf, 1924	1	-	-	-	-	1	-
TYLODEXIA Townsend, 1926	1	-	-	-	-	1	-
TYREOMMA B. & B., 1891	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
UCAYALIMYIA Townsend, 1927	1	1	-	-	-	-	-
UCLESIA Girschner, 1901	1	-	1	1	-	-	-
UCLESIELLA Malloch, 1938	1	-	-	-	-	-	1
UGIMEIGENIA Townsend, 1916	1	-	-	-	-	-	1
URAMYA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
URAPORIA Townsend, 1919	1	1	-	-	-	-	-
UROCHAETONA Townsend, 1919 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
URODEXIA Osten-Sacken, 1882	1	-	-	1	-	1	-
URODEXIOMIMA Townsend, 1927	1	-	-	-	-	1	-
URODEXODES Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
UROEUANTHA Townsend, 1927	1	-	-	-	-	1	-
UROHYPOMYIA Townsend, 1939 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)		x					
UROMEDINA Townsend, 1926	1	-	-	-	-	1	-
URSOPHYTO Aldrich, 1926	1	-	1	-	-	-	-
URUCURYMYIA Townsend, 1934	1	1	-	-	-	-	-
URUHUASIA Townsend, 1914	1	1	-	-	-	-	-
URUHUASIOPSIS Townsend, 1915	1	1	-	-	-	-	-
URULESKIA Townsend, 1934	1	1	-	-	-	-	-
URUMYOBIA Townsend, 1934	1	1	-	-	-	-	-
USHPAYACUA Townsend, 1928	1	1	-	-	-	-	-
VANDERWULPELLA Townsend, 1919	1	1	-	-	-	-	-
VANDERWULPIA Townsend, 1891	1	1	1	-	-	-	-
*VELARDEMYIA Valencia, 1972	1	1	-	-	-	-	-
VELOCIA Robineau-Desvoidy, 1863 = MEDINA Robineau-Desvoidy, 1830 (Mesnil 1962: 726)		x					
VELUTA Malloch, 1938	1	-	-	-	-	-	1
*VENTOPLAGIA Richter, 2009	1	-	-	1	-	-	-
VERRUGOMYIA Townsend, 1927	1	1	-	-	-	-	-
VERRUGOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
VERTEPALPUS Curran, 1947	1	1	-	-	-	-	-
VIBRISSINA Rondani, 1861 Recorded from Oriental Region by Sun <i>et al.</i> (1992)	1	1	1	1	-	1	-
VIBRISSOEPALPUS Townsend, 1915	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
VIBRISSOMYIA Townsend, 1912	1	1	-	-	-	-	-
VIBRISOVORIA Townsend, 1919	1	1	-	-	-	-	-
VILLANOVIA Strobl, 1910	1	-	-	1	-	-	-
VISAYALYDINA Townsend, 1926	1	1	-	-	-	-	-
VIVIANOIDEA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
VORIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
VORIELLA Malloch, 1930	1	-	-	-	-	-	1
WAGNERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
WARDARINA Mesnil, 1953	1	-	-	1	-	-	-
WATTIA Malloch, 1938	1	-	-	-	-	-	1
WEBERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
WEINGAERTNERIELLA Baranov, 1932	1	-	-	1	-	1	-
WINTHELLIA Crosskey, 1967	1	-	-	-	-	-	1
WINTHEMIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
XANTHOBASIS Aldrich, 1934	1	1	-	-	-	-	-
XANTHOCHAETONA Townsend, 1934 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)		x					
XANTHODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
XANTHOEPALPODES Townsend, 1913	1	1	-	-	-	-	-
XANTHOEPALPUS Townsend, 1914	1	1	1	-	-	-	-
XANTHOMELANODES Townsend, 1893	1	1	1	-	-	-	-
XANTHOMELANOPSIS Townsend, 1917	1	1	-	-	-	-	-
XANTHOOESTRUS Villeneuve, 1914	1	-	-	-	-	1	-
XANTHOPELTA Aldrich, 1934	1	1	-	-	-	-	-
XANTHOPHYLLOPHILA Townsend, 1927 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
XANTHOPHYTO Townsend, 1916	1	1	1	-	-	-	-
XANTHOPTEROMYIA Townsend, 1926	1	-	-	-	-	1	-
XANTHOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
XANTHOTRICHIVUS Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
XANTHOZONA Townsend, 1908	1	1	-	-	-	-	-
XENOPHASIA Townsend, 1934 Junior homonym of XENOPHASIA Strickland, 1841 and replaced by CESAPERUA Koçak & Kemal, 2010		x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
XENOPLAGIA Townsend, 1914	1	1	-	-	-	-	-
XENORHYNCHIA Malloch, 1938	1	-	-	-	-	-	1
XEOPROSOPA Townsend, 1919	1	1	-	-	-	-	-
XIPHOCHAETA Mesnil, 1968	1	-	-	-	1	-	-
XIPHOMYIA Townsend, 1917 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
XIPHOPHASIA Townsend, 1937 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
XYLOCAMPTOMIMA Townsend, 1927	1	1	-	-	-	-	-
XYLOTACHINA B. & B., 1891	1	-	-	1	-	1	-
XYSTA Meigen, 1824	1	-	-	1	-	-	-
YAHUARMAYOIA Townsend, 1927	1	1	-	-	-	-	-
YOPHAEMYIOPS Townsend, 1935	1	1	-	-	-	-	-
ZAIRA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
ZAMBESA Walker, 1856	1	-	-	-	-	1	1
ZAMBESOMIMA Mesnil, 1967	1	-	-	1	-	-	-
ZAMIMUS Malloch, 1932	1	-	-	-	-	1	-
ZEALANDOTACHINA Malloch, 1938	1	-	-	-	-	-	1
ZEBROMYIA Malloch, 1929	1	-	-	-	-	-	1
ZELIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
ZELINDOMYIA Verbeke, 1962 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1984: 200)					x		
ZELINDOPSIS Villeneuve, 1943, <i>nomen nudum</i> See Evenhuis <i>et al.</i> (2008: 34) for authorship and dating					x		
ZELINDOPSIS Anonymous, 1946 See Evenhuis <i>et al.</i> (2008: 34) for authorship and dating	1	-	-	-	1	-	-
ZELIOMIMA Mesnil, 1976	1	-	-	-	1	-	-
ZENARGOMYIA Crosskey, 1964	1	-	-	-	-	-	1
ZENILLIA Robineau-Desvoidy, 1830	1	1	-	1	-	1	-
ZENILLIANA Curran, 1927 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1976: 120, 1980b: 861) Treated as valid genus by Chao <i>et al.</i> (1998: 1758)					x		
ZEUXIA Meigen, 1826	1	-	-	1	-	-	-
ZEUXIOTRIX Mesnil, 1976	1	-	-	-	1	-	-
ZIMINIA Mesnil, 1963	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

<b>GENUS</b>	<b>Wor</b>	<b>Neo</b>	<b>Nea</b>	<b>Pal</b>	<b>Afr</b>	<b>Ori</b>	<b>Aus</b>
ZIMINIOLA Mesnil, 1978 Junior homonym of ZIMINIOLA Gerasimov, 1930 and replaced by MESNILUS Özdikmen, 2007					x		
ZITA Curran, 1927	1	-	-	-	-	-	1
ZIZYPHOMYIA Townsend, 1916	1	1	1	-	-	-	-
ZONALIA Curran, 1934	1	1	-	-	-	-	-
ZONOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
ZOPHOMYIA Macquart, 1835	1	-	-	1	-	-	-
ZOSTEROMEIGENIA Townsend, 1919	1	-	-	-	-	-	1
ZYGOBOTHRIA Mik, 1891 = DRINO (ZYGOBOTHRIA Mik, 1891) (O'Hara, Shima & Zhang 2009: 69)					x	x	x
ZYGOFRONTINIOPSIS Blanchard, 1959 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14); genus overlooked by Guimarães (1971)		x					
ZYGOZENILLIA Townsend, 1927	1	1	-	-	-	-	-
Totals	1519	819	305	406	223	259	228

## REFERENCES

- Andersen, S. 1988. Revision of European species of *Phytomyptera* Rondani (Diptera: Tachinidae). *Entomologica Scandinavica* **19**: 43–80.
- Barracough, D.A. 1983. *Mediosetiger microcephala*, a new genus and species of Ormiini from the Natal Drakensberg (Diptera: Tachinidae). *Annals of the Natal Museum* **25**: 431–435.
- Barracough, D.A. 1985. *Piligenooides*, a new genus near to *Piligena* van Emden, 1947 (Diptera: Tachinidae: Dexiini). *Journal of the Entomological Society of Southern Africa* **48**: 267–271.
- Barracough, D.A. 1992. The systematics of the Australasian Dexiini (Diptera: Tachinidae: Dexiinae) with revisions of endemic genera. *Invertebrate Taxonomy* **6**: 1127–1371.
- Barracough, D.A. 1996. *Montanothalma natalensis*, a new high altitude genus and species of Microphthalmini (Diptera: Tachinidae: Tachiniinae) from the Natal Drakensberg of South Africa. *Annals of the Natal Museum* **37**: 123–129.
- Barracough, D.A. 1997. *Melanesomyia*, a tribally unplaced new genus of Dexiinae (Diptera: Tachinidae) from Indonesia (Maluku) and Papua New Guinea, with description of two new species. *Australian Journal of Entomology* **36**: 345–350.
- Barracough, D.A. 1998. Type-species designation for “*Melanesomyia* Barracough” (Diptera: Tachinidae). *Australian Journal of Entomology* **37**: 22.
- Barracough, D.A. 2005. *Rhinophoroides minutus*, a new genus and species of rare nocturnal Dufourini (Diptera: Tachinidae: Dexiinae) from South Africa. *African Entomology* **13**: 380–384.
- Barracough, D.A. and O’Hara, J.E. 1998. *Obscuromyia*, a remarkable new genus of the endemic Australian tribe Myiotrixini (Diptera: Tachinidae: Tachiniinae). *Invertebrate Taxonomy* **12**: 825–832.
- Blanchard, E.E. 1959. Dípteros parásitos de orugas de Arctiidae (“gatas peludas”). *Revista de Investigaciones Agrícolas* **13**: 157–182.
- Cantrell, B.K. and Crosskey, R.W. 1989. Family Tachinidae. Pp. 733–784. In: Evenhuis, N.L., ed., *Catalog of the Diptera of the Australasian and Oceanian Regions*. Bishop Museum Special Publication 86. Bishop Museum Press and E.J. Brill. 1155 pp.
- Cerretti, P. 2005. World revision of the genus *Nealsomyia* Mesnil (Diptera, Tachinidae). *Revue Suisse de Zoologie* **112**: 121–144.
- Cerretti, P. 2009a. A new Afrotropical genus of Voriini, with remarks on related genera (Diptera: Tachinidae: Dexiinae). *Insect Systematics and Evolution* **40**: 105–120.
- Cerretti, P. 2009b. A review of the genus *Kuwanimyia* Townsend (Diptera: Tachinidae), with taxonomic remarks on related genera. *African Entomology* **17**: 51–63.
- Cerretti, P. 2010. *I tachinidi della fauna italiana (Diptera Tachinidae) con chiave interattiva dei generi ovest-paleartici*. Volumes I & II. Centro Nazionale Biodiversità Forestale, Verona. 573 pp. (Vol. I) + 339 pp. (Vol. II) + CD ROM.
- Cerretti, P. and Barracough, D.A. 2007. *Anomalostomyia namibica*, a new genus and species of Afrotropical Tachinidae (Diptera). *Italian Journal of Zoology* **74**: 101–106.
- Cerretti, P., Biase, A. de and Freidberg, A. 2009. Systematic study of the genus *Rossimylops* Mesnil (Diptera: Tachinidae). *Zootaxa* **1984**: 31–56.
- Chao, C.-m. 1974. Notes on the Chinese Larvaevoridae. IX. *Hystriomyia* Portschnsky. [In Chinese with English summary.] *Acta Entomologica Sinica* **17**: 474–478.
- Chao, C.-m. 1999. Tachinidae. Pp. 1661–2206. In Xue, W. and Chao, C.-m., chief eds., *Flies of China. Volume 2*. [In Chinese with English summary.] Liaoning Science and Technology Press, Shenyang. 1–17 + 1366–2425 pp. + 32 plates. [Dated 1996 but published in 1999.]
- Chao, C.-m. et al. (1998) Tachinidae. Pp. 1661–2206 + pls. 1–30. In: Xue, W.-q. and Chao, C.-m., eds., *Flies of China. Vol. 2*. [In Chinese with English summary.] Liaoning Science and Technology Press, Shenyang. 17 pp. + 1366–2425 + 32 pls.
- Note: The authors of the Tachinidae chapter were not cited in the chapter and can only be determined from the section “Authors and their addresses” at the beginning of Vol. 1. Chao was the principal author, but in addition the following contributors to the Tachinidae chapter can be considered as co-authors: Liang, E.-y., Shi, Y.-s., Zhou, S.-x., Sun, X.-k. and Chen, R.-j. (colored plates). The order of co-authors cannot be determined.
- Chao, C.-m. and Liang, E.-y. 2002. Review of the Chinese *Carcelia* Robineau-Desvoidy (Diptera: Tachinidae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **27**: 807–848.
- Chao, C.-m., Liang, E.-y. and Zhou, S.-x. 2002. Diptera: Tachinidae. Pp. 814–834. In: Huang, F., ed., *Forest Insects of Hainan*. [In Chinese with English summary.] Science Press, Beijing. xi + 1064 pp.
- Chao, C.-m. and Shi, Y.-s. 1981. Notes on new genus *Flavicorniculum* Chao et Shi of Tachinidae from China. [In Chinese with English summary.] *Acta Entomologica Sinica* **24**: 203–208.
- Chao, C.-m., Sun, X.-k. and Zhou, S.-x. 1990. Studies on the tribe Parerigonini from China (Diptera: Phasiinae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **15**: 230–241.
- Chao, C.-m. and Yang, L.-l. 1990. Notes on a new genus and species of Tachinidae from China. [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **15**: 77–82.
- Chao, C.-m. and Zhou, S.-x. 1993. Diptera: Tachinidae. Pp. 1271–1347. In: Chen, S., ed., *Insects of the Hengduan Mountains Region, Volume 2*. [In Chinese with English summary.] Science Press, Beijing. i–xvi + 867–1547 (1992).
- Chao, C.-m. and Zhou, S.-x. 1996. Diptera Tachinidae. Pp. 217–224. In: Wu, S.-g. and Feng, Z.-j., chief eds., *The Biology and Human Physiology in the Hoh Xil Region*. [In: The Series of the Comprehensive Scientific Expedition to the Hoh Xil Region.] [In Chinese with English summary.] Science Press, Beijing. 357 pp.
- Coelho, S.M.P., Carvalho, C.J.B. de and Guimarães, J.H. 1989. Chave e sinonimias para as espécies sul-americanas de *Winthemia* Robineau-Desvoidy (Diptera, Tachinidae) com descrição de três espécies novas. *Revista Brasileira de Zoologia* **6**: 271–296.
- Colazza, S., Giangiuliani, G. and Bin, F. 1996. Fortuitous introduction and successful establishment of *Trichopoda pennipes* F.: adult parasitoid of *Nezara viridula* (L.). *Biological Control* **6**: 409–411.

- Coombs, M. and Sands, D.P.A. 2000. Establishment in Australia of *Trichopoda giacomellii* (Blanchard) (Diptera: Tachinidae), a biological control agent for *Nezara viridula* (L.) (Hemiptera: Pentatomidae). *Australian Journal of Entomology* **39**: 219–222.
- Cortés, R. 1973. Taquíidos chilenos nuevos o poco conocidos III. (Diptera, Tachinidae). *Revista Chilena de Entomología* **7**: 97–105.
- Cortés, R. 1974. Sobre cuatro géneros de Dexiinos chilenos (Diptera, Tachinidae) con los fémures posteriores de los machos modificados. *Revista Chilena de Entomología* **8**: 35–38.
- Cortés, R. 1976. Taquíidos chilenos nuevos o poco conocidos, IV – (Diptera, Tachinidae). *Facultad de Agronomía, Universidad de Chile, Boletín Técnico* **40** (1975): 3–14.
- Cortés, R. 1979. Taquíidos chilenos – Argentinos (Diptera, Tachinidae). *Inv. Agrícola (Chile)* **5**: 75–82.
- Cortés, R. 1982. *Marnefia mirifica* n. gen. et sp. – con insólita venación alar. *Phegea* **10**: 137–144.
- Cortés, R. 1983. Tachinid flies (Diptera: Tachinidae) from Tarapacá and Antofagasta provinces, Chile III. Addendum. *Florida Entomologist* **66**: 377–389.
- Cortés, R. 1986. Taquíidos de Aysen (XI region) y Magallanes (XII region) Chile (Diptera: Tachinidae). *Acta Entomológica Chilena* **13**: 133–160.
- Cortés, R. 1992. Nuevas sinonimias de taquíidos chilenos (Diptera: Tachinidae). *Acta Entomológica Chilena* **17**: 235–236.
- Cortés, R. and Campos, L. 1971. Taquíidos de Tarapacá y Antofagasta (Diptera: Tachinidae). *Anales de la Universidad del Norte* **8** (1970): 104 pp.
- Cortés, R. and Campos, L. 1974. Taquíidos de Tarapacá y Antofagasta. Addenda I. (Diptera: Tachinidae). *Idesia (Chile)* **3**: 111–125.
- Cortés, R. and González, C.R. 1989. Géneros Voriinos de taquíidos chilenos (Diptera: Tachinidae, Voriini). *Memórias do Instituto Oswaldo Cruz (Rio de Janeiro)* **84**, Supl. IV: 115–123.
- Crosskey, R.W. 1973. A conspectus of the Tachinidae (Diptera) of Australia, including keys to the supraspecific taxa and taxonomic and host catalogues. *Bulletin of the British Museum (Natural History). Entomology Supplement* **21**. 221 pp.
- Crosskey, R.W. 1976. A taxonomic conspectus of the Tachinidae (Diptera) of the Oriental Region. *Bulletin of the British Museum (Natural History). Entomology Supplement* **26**. 357 pp.
- Crosskey, R.W. 1977. Family Tachinidae. Pp. 586–697. In: Delfinado, M.D. and Hardy, D.E., eds., *A catalog of the Diptera of the Oriental Region. Volume III. Suborder Cyclorrhapha (excluding Division Aschiza)*. University Press of Hawaii, Honolulu. 854 pp.
- Crosskey, R.W., ed. 1980a. *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1980b. Family Tachinidae. Pp. 822–882. In: Crosskey, R.W., ed., *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1984. Annotated keys to the genera of Tachinidae (Diptera) found in tropical and southern Africa. *Annals of the Natal Museum* **26**: 189–337.
- Evenhuis, N.L. 1996. Revised online version of Cantrell and Crosskey (1989). Website address: <http://hbs.bishopmuseum.org/aocat/tachinidae.html>. (Web page dated 11 November 1996, accessed 19 January 2005.)
- Evenhuis, N.L. and O’Hara, J.E. 2008. The status of Mesnil’s 1949 *Die Fliegen* genus-group names (Diptera: Tachinidae). *Zootaxa* **1827**: 65–68.
- Evenhuis, N.L., Pape, T. and Pont, A.C. 2008. The problems of subsequent typification in genus-group names and use of the *Zoological Record*: a study of selected post-1930 Diptera genus-group names without type species designations. *Zootaxa* **1912**: 1–44.
- González, C.R. 1992. Géneros Cuphocerinos de taquíidos chilenos (Diptera: Tachinidae: Cuphocerini). *Acta Entomológica Chilena* **17**: 53–68.
- Griffiths, G.C.D. 1980. Preface. Pp. V–XIII. In: Griffiths, G.C.D., ed., *Flies of the Nearctic Region. Volume 1. Handbook, Part 1. History of Nearctic dipterology*. E. Schweizerbart’sche Verlagsbuchhandlung, Stuttgart.
- Guimarães, J.H. 1971. *Family Tachinidae (Larvaevoridae). A catalogue of the Diptera of the Americas south of the United States*. São Paulo. Vol. **104**, 333 pp.
- Guimarães, J.H. 1975. *Neozelia alini*, gen. et sp. n. (Diptera: Tachinidae), a parasite of cerambycids (Coleoptera), with a listing of Tachinidae parasite [sic] of Cerambycidae. *Papéis Avulsos de Zoologia (São Paulo)* **29**: 37–44.
- Guimarães, J.H. 1976a. A revision of the genus *Cylindromyia* Meigen in the Americas south of the United States (Diptera, Tachinidae). *Arquivos de Zoologia* **27**: 1–50.
- Guimarães, J.H. 1976b. A review of the tribe Iceliini (Diptera, Tachinidae) with descriptions of one new genus and two new species from Brazil. *Studia Entomologica* **19**: 173–186.
- Guimarães, J.H. 1977. A review of the tribe Oestrophiini Brauer & Bergenstamm (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **30**: 215–238.
- Guimarães, J.H. 1978. Note on Neotropical Oedematocerini, with a new genus and species from Brazil (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **31**: 299–305.
- Guimarães, J.H. 1979. *Polybiocypthera plaumanni*, gen. et sp. nov. and *Hemyda conopoides*, sp. n., two new wasp-like Tachinidae (Diptera). *Papéis Avulsos de Zoologia (São Paulo)* **32**: 217–221.
- Guimarães, J.H. 1980. Revision of the South American Uramyini (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **33**: 191–219.
- Guimarães, J.H. 1982a. A study of the South American Sophiini, with the description of new genera and species from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 163–171.
- Guimarães, J.H. 1982b. Three new Oedematocerini from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 213–217.
- Guimarães, J.H. 1983a. Taxonomy of Brazilian flies of the genus *Lespesia* Robineau-Desvoidy (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **35**: 11–30.

- Guimarães, J.H. 1983b. Contribution to the knowledge of the South American Winthemiini (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **27**: 225–242.
- Herting, B. 1974. Revision der von Robineau-Desvoidy beschriebenen europäischen Tachiniden und Rhinophorinen (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **264**: 1–46.
- Herting, B. 1979. Revision einiger nicht-paläarktischer Arten aus der Tribus Cylindromyiini (Dipt. Tachinidae, Phasiinae). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **326**: 1–15.
- Herting, B. 1984. Catalogue of Palearctic Tachinidae (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **369**: 1–228.
- Herting, B. 1987. Beiträge zur Kenntnis der paläarktischen Raupenfliegen (Dipt. Tachinidae), XVII. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **408**: 1–14.
- Herting, B. and Dely-Draskovits, Á. 1993. Family Tachinidae. Pp. 118–458. In: Soós, Á. and Papp, L., eds., *Catalogue of Palearctic Diptera. Volume 13. Anthomyiidae – Tachinidae*. Hungarian Natural History Museum, Budapest. 624 pp.
- Irwin, M.E., Schlinger, E.I. and Thompson, F.C. 2003. Diptera, true flies. Pp. 692–702. In: Goodman, S.M. and Benstead, J.P., *The Natural History of Madagascar*. University of Chicago Press, Chicago and London. 1728 pp.
- Koçak, A.Ö. and Kemal, M. 2010. Nomenclatural notes on the genus group names of some families (Diptera). *Priamus* **12**: 156–160.
- Liang, E.-y. and Chao, C.-m. 1992. On the genus *Neophryxe* Townsend from China (Diptera: Tachinidae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **17**: 224–226.
- Liu, Y.-z., Chao, C.-m., Li, L.-f., Zhou, S.-x., Wang, H.-x. and Zhang, W.-j. 1998. *Fauna of Tachinidae from Shanxi Province, China*. [In Chinese.] Science Press, Beijing. x + 378 pp. + 11 pls.
- Mesnil, L.P. 1962. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 705–752 (Lieferung 221).
- Mesnil, L.P. 1971. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 977–1024 (Lieferung 286).
- Mesnil, L.P. 1973. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1169–1232 (Lieferung 299).
- Mesnil, L.P. 1974. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1233–1304 (Lieferung 304).
- Mesnil, L.P. 1975. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1305–1384 (Lieferung 309).
- Mesnil, L.P. 1977. Nouveaux Tachinaires de Madagascar. 2e partie (Dipt. Tachinidae). *Verhandlungen der Naturforschenden Gesellschaft in Basel* **86**: 171–192.
- Mesnil, L.P. 1978. Nouveaux Tachinaires de Madagascar (Dipt. Tachinidae) – 8e partie. *Bulletin de la Société Entomologique Suisse* **51**: 279–290.
- Mesnil, L.P. and Pschorn-Walcher, H. 1968. A preliminary list of Tachinidae (Diptera) from Japan. *Mushi* **41**: 149–174.
- Mesnil, L.P. and Shima, H. 1979. New tribe, genera and species of Japanese and Oriental Tachinidae (Diptera), with note on synonymy. *Kontyû* **47**: 476–486.
- O’Hara, J.E. 1983. Classification, phylogeny and zoogeography of the North American species of *Siphona* Meigen (Diptera: Tachinidae). *Quaestiones Entomologicae* **18** (1982): 261–380.
- O’Hara, J.E. 1989. Systematics of the genus group taxa of the Siphonini (Diptera: Tachinidae). *Quaestiones Entomologicae* **25**: 1–229.
- O’Hara, J.E. 1996a. Earwig parasitoids of the genus *Triarthria* Stephens (Diptera: Tachinidae) in the New World. *Canadian Entomologist* **128**: 15–26.
- O’Hara, J.E. 1996b. The tachinid taxa of Louis P. Mesnil, with notes on nomenclature (Insecta: Diptera). *Canadian Entomologist* **128**: 115–165.
- O’Hara, J.E. 2002. Revision of the Polideini (Tachinidae) of America north of Mexico. *Studia dipterologica. Supplement* **10**: 170 pp.
- O’Hara, J.E. 2009. Resurrection of the name *Pachycheta* Portschinsky for a genus of Tachinidae (Diptera). *Zootaxa* **1989**: 66–68.
- O’Hara, J.E. 2011. Cyber nomenclaturalists and the “CESA itch”. *Zootaxa* **2933**: 57–64.
- O’Hara, J.E., Cerretti, P., Pape, T. and Evenhuis, N. L. 2011. Nomenclatural studies toward a world list of Diptera genus-group names. Part II: Camillo Rondani. *Zootaxa* **3141**: 1–268.
- O’Hara, J.E., Shima, H. and Zhang, C.-t. 2009. Annotated catalogue of the Tachinidae (Insecta: Diptera) of China. *Zootaxa* **2190**: 1–236.
- O’Hara, J.E. and Wood, D.M. 1998. Tachinidae (Diptera): nomenclatural review and changes, primarily for America north of Mexico. *Canadian Entomologist* **130**: 751–774.
- O’Hara, J.E. and Wood, D.M. 2004. Catalogue of the Tachinidae (Diptera) of America north of Mexico. *Memoirs on Entomology, International* **18**. 410 pp.
- Özdikmen, H. 2006. New substitute names for two preoccupied tachinid genera *Paragonia* Mesnil, 1950 and *Menetus* Aldrich, 1926 (Diptera). *Munis Entomology & Zoology* **1**: 270–272.
- Özdikmen, H. 2007. A nomenclatural act: replacement names for homonymous tachinid genera with lepidopteran genera (Diptera: Tachinidae). *Munis Entomology & Zoology* **2**: 163–168.
- Özdikmen, H. 2010. *Brasilomyia* nom. nov., a new name for the preoccupied tachinid genus *Platyphasmia* Townsend, 1935 (Diptera: Tachinidae). *Munis Entomology & Zoology* **5**: 293–294.
- Note: “*Platyphasmia*” in title is a misspelling of “*Platyphasia*”.
- Pape, T. 1998. Family Rhinophoridae. Pp. 679–689. In: Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera*. Science Herald, Budapest. 880 pp.
- Pape, T. and Arnaud, P.H. Jr. 2001. *Bezzimyia* — a genus of native New World Rhinophoridae (Insecta, Diptera). *Zoologica Scripta* **30**: 257–297.
- Pape, T. and Shima, H. 1993. A new genus of Tachinidae from the Philippines (Diptera). *Tijdschrift voor Entomologie* **136**: 77–81.
- Reinhard, H.J. 1974. New genera and species of American Tachinidae (Diptera). *Canadian Entomologist* **106**: 1155–1170.
- Rice, A.D. 2005. The parasitoid guild of larvae of *Chrysophtharta agricola* Chapuis (Coleoptera: Chrysomelidae) in Tasmania, with

- notes on biology and a description of a new genus and species of tachinid fly. *Australian Journal of Entomology* **44**: 400–408.
- Richter, V.A. 1986. On the fauna of tachinids (Diptera, Tachinidae) of the Far East. [In Russian.] *USSR Academy of Sciences, Proceedings of the Zoological Institute, Leningrad* **146**: 87–116. [In volume entitled “Flies (Diptera) in ecosystems of South Siberia and Far East”, ed. Nartshuk, E.P.]
- Richter, V.A. 1988. New Palearctic genera and species of tachinids (Diptera, Tachinidae). [In Russian.] *Systematika Nasekomikh i Kleshchei* **70**: 202–212.
- Richter, V.A. 1993. New and little known tachinids (Diptera, Tachinidae) of Transbaikalia and Far East. [In Russian.] *Entomologicheskoe Obozrenie* **72**: 422–440. [English translation in *Entomological Review* **74**(6): 64–83, 1995.]
- Richter, V.A. 1995. New data on the systematics and biology of Palearctic tachinids (Diptera, Tachinidae). [In Russian.] *Entomologicheskoe Obozrenie* **73** (1994): 739–752. [English translation in *Entomological Review* **75**(1): 75–87, 1996.]
- Richter, V.A. 1998a. The tachinid genus *Hasmica* new to the fauna of Pakistan (Diptera: Tachinidae). *Zoosystematica Rossica* **7**: 162.
- Richter, V.A. 1998b. New and little known species of tachinids (Diptera, Tachinidae) of the fauna of Russia and neighbouring countries. [In Russian.] *Entomologicheskoe Obozrenie* **77**: 704–712. [English translation in *Entomological Review* **78**(5): 620–626, 1998.]
- Richter, V.A. 1998c. On a remarkable distribution of two pairs of related species in Palearctic tachinids (Tachinidae). Pp. 183–184. In: Ismay, J.W., ed., *Abstracts Volume, Fourth International Congress of Dipterology*. Oxford. 275 pp.
- Richter, V.A. 1999. New and little known tachinids (Diptera, Tachinidae) from the Russian Far East. [In Russian.] *Entomologicheskoe Obozrenie* **78**: 719–731. [English translation in *Entomological Review* **79**(5): 576–584, 1999.]
- Richter, V.A. 2001. A new genus and species of tachinid flies (Diptera: Tachinidae) from Iran. *International Journal of Dipterological Research* **12**: 25–28.
- Richter, V.A. 2002. *Galsania* Richter, 1993, a distinct genus of tachinids (Diptera: Tachinidae). *Zoosystematica Rossica* **11**: 238.
- Richter, V.A. 2004. [Fam. Tachinidae – tachinids], pp. 148–398. In: Sidorenko, V.S. ed., *Key to the insects of Russian Far East*. Vol. VI. Diptera and Siphonaptera. Part 3. Dal’nauka, Vladivostok. 659 pp. [In Russian.]
- Richter, V.A. 2008. A new genus and a new species of tachinids (Diptera, Tachinidae) from deserts of Middle Asia. [In Russian.] *Entomologicheskoe Obozrenie* **87**: 663–667. [English translation in *Entomological Review* **88**(6): 727–729, 2008.]
- Richter, V.A. 2009. A new genus and a new species of tachinids (Diptera, Tachinidae) from the south of Middle Asia. *Entomologicheskoe Obozrenie* **88**: 689–692. [In Russian.]
- Sabrosky, C.W. 1981. A partial revision of the genus *Euclatoria* (Diptera, Tachinidae), including important parasites of *Heliothis*. *United States Department of Agriculture. Technical Bulletin* **1635**: i–iv, 1–18.
- Shi, Y.-s. 1991. Notes on *Spiniabdomina* gen. nov. and a new species of *Lixophaga* Townsend of the tribe Blondelini [sic] (Diptera, Tachinidae) from China. [In Chinese with English summary.] *Entomotaxonomia* **13**: 127–132.
- Shima, H. 1979. New genera, species and subspecies of Oriental Tachinidae (Diptera). *Bulletin of the National Science Museum, Series A (Zoology)* **5**: 135–152.
- Shima, H. 1988. Some remarkable new species of Tachinidae (Diptera) from Japan and the Indo-Australian Region. *Bulletin of the Kitakyushu Museum of Natural History* **8**: 1–37.
- Shima, H. 1991. Study on the tribe Blondeliini from Japan (Diptera, Tachinidae). VII. Genus *Oswaldia* Robineau-Desvoidy. *Japanese Journal of Entomology* **59**: 67–86.
- Shima, H. 1994. Three remarkable new species of Tachinidae (Diptera) from South Asia. *Japanese Journal of Sanitary Zoology* **45**, Suppl.: 277–286.
- Shima, H. 1996a. A systematic study of the tribe Winthemiini from Japan (Diptera, Tachinidae). *Beiträge zur Entomologie* **46**: 169–235.
- Shima, H. 1996b. A systematic study of the genus *Cavillatrix* Richter (Diptera, Tachinidae). *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **2**: 133–148.
- Shima, H. 1997. Taxonomic notes on Oriental Tachinidae (Insecta, Diptera) I: Blondeliini. *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **3**: 169–186.
- Shima, H. 1999. Host-parasite catalog of Japanese Tachinidae (Diptera). *Makunagi/ Acta Dipterologica. Supplement* **1**: 1–108.
- Shima, H. 2005. Tachinidae (Insecta, Diptera) of the Akasaka Imperial Gardens and the Tokiwamatsu Imperial Villa, Tokyo. [In Japanese.] *Memoirs of the National Science Museum (Tokyo)* **39**: 387–395.
- Shima, H. 2006. A host-parasite catalog of Tachinidae (Diptera) of Japan. *Makunagi/ Acta Dipterologica. Supplement* **2**: 171 pp.
- Shima, H., Han, H.-y. and Tachi, T. 2010. Description of a new genus and six new species of Tachinidae (Diptera) from Asia and New Guinea. *Zootaxa* **2516**: 49–67.
- Shima, H. and Tachi, T. 2009. Description of a new species of the genus *Setalunula* Chao & Yang (Diptera, Tachinidae) from Japan. *Bulletin of the National Science Museum. Series A (Zoology)* **35**: 233–242.
- Shima, H. and Takahashi, H. 2011. *Tetrigimyia minor*, a new genus and species of Tachinidae (Diptera) parasitic on *Formosatettix larvatus* (Orthoptera: Tetrigidae) in Japan. *Zootaxa* **2921**: 39–46.
- Sun, X.-k. and Chao, C.-m. 1994. A new genus and species of the tribe Sturmiini from China (Diptera: Tachinidae) *Acta Zootaxonomica Sinica* **19**: 480–483.
- Sun, X.-k., Liang, E.-y., Qiao, Y., Chao, C.-m. and Zhou, S.-x. 1992. Diptera, Tachinidae. [In Chinese with English summary.] *Iconography of forest insects in Hunan China* **1992**: 1163–1207.
- Sun, X.-k. and Marshall, S.A. 2003. Systematics of *Phasia* Latreille (Diptera: Tachinidae). *Zootaxa* **276**: 1–320.
- Toma, R. 2003. Estudo das espécies do “complexo *Acaulona*” sensu Sabrosky (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **47**: 267–282.
- Toma, R. and Guimarães, J.H. 2000a. Revisão do gênero *Pterotopeza* (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 7–14.

- Toma, R. and Guimarães, J.H. 2000b. Revisão do gênero *Proparachaetopsis* revalidado (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 15–24.
- Toma, R. and Guimarães, J.H. 2002. Estudo taxonômico de *Leschenaultia* Robineau-Desvoidy (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **46**: 33–70.
- Tschorsnig, H.-P. 1997. A new genus and four new species of Palearctic Tachinidae. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **555**: 1–9.
- Tschorsnig, H.-P. and Richter, V.A. 1998. Family Tachinidae. Pp. 691–827. In: Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera*. Science Herald, Budapest. 880 pp.
- Valencia, L.A. 1972. *Velardemyia*, nuevo genero de Tachinidae – Voriini (Diptera) del Peru. *Revista Peruana de Entomología* **15**: 363–365.
- Wood, D.M. 1974. Notes on *Allophorocera* with a description of a new species (Diptera: Tachinidae) from Finland. *Canadian Entomologist* **106**: 667–671.
- Wood, D.M. 1985. A taxonomic conspectus of the Blondeliini of North and Central America and the West Indies (Diptera: Tachinidae). *Memoirs of the Entomological Society of Canada* **132**: 1–130.
- Wood, D.M. 1987. Tachinidae. Pp. 1193–1269. In: McAlpine, J.F., Peterson, B.V., Shewell, G.E., Teskey, H.J., Vockeroth, J.R. and Wood, D.M., eds., *Manual of Nearctic Diptera. Volume 2. Agriculture Canada Monograph* **28**: i–vi, 675–1332.
- Wood, D.M. and Cave, R.D. 2006. Description of a new genus and species of weevil parasitoid from Honduras (Diptera: Tachinidae). *Florida Entomologist* **89**: 239–244.
- Woodley, N.E. 1994. A new species of *Lydella* (Diptera: Tachinidae) from Mexico with a discussion of the definition of the genus. *Bulletin of Entomological Research* **84**: 131–136.
- Woodley, N.E. and Arnaud, P.H., Jr. 2008a. *Lobomyia neotropica*, a new genus and species of Tachinidae (Diptera) from the Neotropical Region. *Zootaxa* **1783**: 31–39.
- Woodley, N.E. and Arnaud, P.H., Jr. 2008b. *Eulobomyia*, a new replacement name for *Lobomyia* Woodley & Arnaud (Diptera: Tachinidae). *Zootaxa* **1856**: 67.
- Zeegers, T. 2007. A first account of the Tachinidae (Insecta: Diptera) of Yemen. *Fauna of Arabia* **23**: 369–419.
- Zeegers, T. 2010. Order Diptera, family Tachinidae. Pp. 673–686. In: Harten, A. van, ed., *Arthropod fauna of the UAE. Vol. 3*.
- Zhang, C.-t. and Shima, H. 2005. A revision of the genus *Trixa* Meigen (Diptera: Tachinidae). *Insect Science* **12**: 57–71.
- Ziegler, J. and Shima, H. 1996. Tachinid flies of the Ussuri area (Diptera: Tachinidae). *Beiträge zur Entomologie* **46**: 379–478.