

# WORLD GENERA OF THE TACHINIDAE (DIPTERA) AND THEIR REGIONAL OCCURRENCE

by

**James E. O'Hara<sup>1</sup> and Shannon J. Henderson<sup>1</sup>**

**18 December 2018**

**Version 10.0**



---

<sup>1</sup> Canadian National Collection of Insects, Agriculture and Agri-Food Canada, 960 Carling Avenue, Ottawa, Ontario, Canada, K1A 0C6. E-mails: james.ohara@canada.ca, shannon.henderson@canada.ca

Cover image: Female of *Xanthoepalpus bicolor* (Williston) on a flower in Lockett Meadow, San Francisco Peaks, Arizona. Picture by J.E. O'Hara, 5 July 2017.

## TABLE OF CONTENTS

**Click on a page number to go to the page indicated**

Foreword .....	2
Biogeographic summary .....	3
World species of the Tachinidae .....	5
Publication history of world genera list.....	5
Table of genera and their regional occurrence .....	6
References .....	82

**Select a letter to go directly to the corresponding genus in the list of world genera**

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

### FOREWORD

This tenth edition of *World Genera of the Tachinidae (Diptera) and their Regional Occurrence* updates previous lists that have been published consecutively since the first list appeared online in 2005 (O'Hara 2005). New to this version is a column indicating the number of species per genus. This addition is possible due to the progress we have made towards a catalogue of world Tachinidae. All of our nomenclatural and distributional data is contained in a FileMaker Pro database and we recently completed the entry of all valid names and distributions of species. We continue to add the names and type information for synonyms of these valid names. A screen shot of the database for the valid genus name *Actia* is shown below in Figure 1.

Our compilation of genera names of world Tachinidae began years ago with the names and distributions given in regional catalogues. The names have been brought up-to-date by incorporating changes and new names from subsequently published papers. The original literature has since been checked to verify the accuracy of names and dates. The catalogues that provided the starting point for our world list of genera were as follows:

#### Regional catalogues

Nearctic Region	O'Hara & Wood (2004)
Neotropical Region	Guimarães (1971)
Palaeartic Region	Herting & Dely-Draskovits (1993)
Afrotropical Region	O'Hara & Cerretti (2016)
Oriental Region	Crosskey (1976, 1977)
Australasian Region	Cantrell & Crosskey (1989)

#### Country catalogue

China	O'Hara, Shima & Zhang (2009)
-------	------------------------------

All generic names that appear as valid in the regional catalogues above are included in the table below, either as valid names (in black) or invalid names (in light brown; i.e., synonyms). For each invalid name, a reference to the synonymy is given. This is usually the original source of the synonymy but is rarely a later listing. Publications cited in this manner are listed after the table in the References section. Each synonym is denoted with an "x" in the table to indicate the catalogue in which the name occurred. New

# WORLD GENERA OF THE TACHINIDAE

records for regional distributions are also referenced. Currently recognized genera are coded with a “1” for regions in which they occur. The sum of each column is given at the bottom of the table and in the summary table in the next section; these sums represent the number of genera known from each region.

For the purposes of this document, the boundary between the Nearctic and Neotropical regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O’Hara and Wood (2004). The true boundary between these regions is in southern Mexico (Griffiths 1980). The boundary between the Palaearctic and Oriental Regions through China is explained in O’Hara and Cerretti (2016: 19).

An asterisk (\*) following a generic name denotes a genus described after publication of the corresponding regional catalogue(s). Papers containing these generic names are cited in the References.




Figure 1. Screen shot of the valid genus page for *Actia* R.-D. in the author’s database of world Tachinidae.

## BIOGEOGRAPHIC SUMMARY

The following table provides a summary of the number of tachinid species and genera per biogeographic region along with the number and percent of genera endemic to each region. Former versions of this table

## WORLD GENERA OF THE TACHINIDAE

relied on species numbers given in regional catalogues but the numbers given here are from our database of world Tachinidae (see Foreword).


Number	World	Neotropical <sup>1</sup>	Nearctic <sup>1</sup>	Palearctic	Afrotropical	Oriental	Australasian <sup>2</sup>
Species	8552	3034	1306	2113	1137	1216	880
Genera	1493	795	307	411	235	260	229
Endemic genera	1073 <sup>3</sup>	608	55	142	104	40	124
Generic endemism	–	76%	18%	35%	44%	15%	54%

<sup>1</sup> The boundary between the Nearctic and Neotropical Regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O’Hara and Wood (2004).

<sup>2</sup> Australasian and Oceanian Regions.

<sup>3</sup> Total number of genera found in only one region.

Figure 2 provides a graphical comparison between the number of genera recognized in the world and per biogeographic region in 2005 and 2018. There has been a slight decrease in the overall number of genera from 1528 in 2005 to 1493 in 2018, primarily due to a decrease in the number of recognized genera in the Neotropical Region (down from 822 to 795). The over-split genera of the Neotropical Region are gradually being revised and combined into larger and more meaningful genera at a faster rate than new genera are being described.



**Figure 2.** Number of tachinid genera recognized in the world and per biogeographic region in 2005 and 2018, with levels of endemism.

The Tachinidae are currently thought to have originated in the middle of the Cenozoic Era, perhaps around the Eocene-Oligocene boundary (Cerretti *et al.* 2017), with some major lineages then experiencing “explosive radiation” (Winkler *et al.* 2015). The true extent of this radiation, regardless of when it started or how quickly it progressed, is impossible to quantify because there is no objective means by which to estimate the present size of the family or the number of species that have gone extinct. O’Hara (2013b: 1–2) observed that “One can only guess at the true diversity of the family but at least double the number of

valid species is a conservative estimate”. We know there are many undescribed species in such places as Middle and South America, China, Southeast Asia and Australia but whether the total number of extant species is twice the number of described species or ten times this number is a matter of speculation.

The present-day pattern of generic endemism in the Tachinidae was discussed by O’Hara (2013a). The biogeographic regions with the lowest number of endemic genera are the Nearctic and Oriental Regions, which must have functioned in part as corridors for the movement of species between regions during the latter half of the Cenozoic. The Palaearctic Region also served as a dispersal route between the Nearctic, Afrotropical and Oriental Regions, but its huge size and diverse physiography and climate permitted the development of a sizable endemic fauna at both the generic and species levels. The highest levels of generic endemism are found in the Neotropical, Afrotropical and Australasian Regions, which we speculate functioned mostly as cul-de-sac’s during the periods of greatest tachinid radiation. These regions were therefore ideally suited for the evolution of endemic faunas. This notwithstanding, the 76% generic endemism in the Neotropical Region is due in large measure to the over-split nature of the genera.

## WORLD SPECIES OF THE TACHINIDAE

The number of tachinid species per genus is included here for the first time. This is a precursor to a larger publication we are developing, namely a provisional checklist of the Tachinidae of the world. This will be available online early in 2019 and will undergo periodic updates to correct errors and incorporate new information. The checklist will include the valid names and distributions of species within a higher classification consistent with the results of recent taxonomic and phylogenetic studies. The checklist will be “provisional” at least for its first edition because it is a work in progress and fine tuning of the content will be necessary as minor errors, overlooked names, and so forth come to light.

Our total for the number of described species of world Tachinidae is currently 8552. This is consistent with the 8500 species estimated by O’Hara (2013b). The footnote to that estimate still applies:

“Pape *et al.* (2011) estimated the number of valid species of Tachinidae at slightly over 9600, but this number included *nomina dubia*. Most of the 1300+ *nomina dubia* in the Tachinidae are old names from the 1800s and many of them are likely senior or junior synonyms of other currently recognized species, at least within the well-known fauna of the Palaearctic Region. The number of valid species of Tachinidae without synonymous *nomina dubia* is here roughly estimated at 8500.” (O’Hara 2013b: 1)

## PUBLICATION HISTORY OF WORLD GENERA LIST

This tenth version of *World Genera of the Tachinidae (Diptera) and their Regional Occurrence* replaces Version 1 dated 23 February 2005, Version 2 dated 20 July 2006, Version 3 dated 22 November 2007, Version 4 dated 31 December 2008, Version 5 dated 5 August 2010, Version 6 dated 23 December 2011, Version 7 dated 10 December 2012, Version 8 dated 10 November 2014, and Version 9 dated 9 May 2016. Each version was published online on the date given on its title page. Version 10 incorporates changes in generic concepts and distributions published or discovered since Version 9.

---

**WORLD GENERA OF THE TACHINIDAE**

---

**TABLE OF GENERA AND THEIR REGIONAL OCCURRENCE**

Abbreviations: Neo, Neotropical; Nea, Nearctic; Pal, Palaearctic; Afr, Afrotropical; Ori, Oriental; Aus, Australasian.

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ABEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ABOLODORIA Townsend, 1934 = AMETADORIA Townsend, 1927 (Wood <i>in</i> Fleming <i>et al.</i> 2015b: 6)	0	x					
ACANTHOLESPIESIA Wood, 1987	3	1	1	-	-	-	-
ACAULONA van der Wulp, 1888	4	1	-	-	-	-	-
ACEMEIGENIA Townsend, 1927 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)	0	x					
ACEMYA Robineau-Desvoidy, 1830 Also spelled ACEMYIA, unjustified emendation.	10	-	1	1	1	1	-
ACROCERONIA Cortés, 1951	1	1	-	-	-	-	-
ACROGLOSSA Williston, 1889 = SPALLANZANIA R.-D., 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 753)	0	x					
ACRONACANTHA van der Wulp, 1891	1	1	-	-	-	-	-
ACRONARISTA Townsend, 1908 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)	0	x					
ACRONARISTOPSIS Townsend, 1919 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)	0	x					
ACTIA Robineau-Desvoidy, 1830	68	1	1	1	1	1	1
ACTINACTIA Townsend, 1927 = CEROMYA R.-D., 1830 (O'Hara 1989: 53)	0	x					
ACTINOAETA B. & B., 1889	4	1	-	-	-	-	-
ACTINOAETOPTERYX Townsend, 1927 Recorded from Australasian Region by Evenhuis (1996).	12	-	-	1	-	1	1
ACTINOCROCUTA Townsend, 1935 = SIPHONA (ACTINOCROCUTA Townsend, 1935) (O'Hara 1989: 87)	0	x					
ACTINODORIA Townsend, 1927	4	1	-	-	-	-	-
ACTINOMINHELLA Townsend, 1928	1	1	-	-	-	-	-
ACTINOPLAGIA Blanchard, 1940	1	1	-	-	-	-	-
ACTINOPROSOPA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					
ACTINOTACHINA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ACUCERA Malloch, 1930 = GERALDIA Malloch, 1930 (Barraclough 1992: 1229)	0						x
ACUPHOCEROPSIS Blanchard, 1943	1	1	-	-	-	-	-
ADEJEANIA Townsend, 1913	38	1	1	-	-	-	-
ADIDYMA Townsend, 1935 = AMETADORIA Townsend, 1927 (Wood <i>in Fleming et al.</i> 2015b: 6)	0	x					
ADMONTIA B. & B., 1889	34	1	1	1	-	1	-
ADORYPHOROPHAGA Townsend, 1931 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
AESIA Richter, 2011*	1	-	-	1	-	-	-
AFROLIXA Curran, 1939	1	-	-	-	1	-	-
AFROPHYLAX Cerretti & O'Hara <i>in</i> O'Hara & Cerretti, 2016	1	-	-	-	1	-	-
AFROSTURMIA Curran, 1927 = BLEPHARELLA Macquart, 1851 (O'Hara & Cerretti 2016)	0				x		
AGAEDIOXENIS Villeneuve, 1939	5	-	-	-	1	-	-
AGICUPHOCERA Townsend, 1915	1	1	-	-	-	-	-
AGLUMMYIA Townsend, 1912	1	1	-	-	-	-	-
AGRARIALIA Curran, 1934 = HOUGHIA Coquillett, 1897 (Wood <i>in Fleming et al.</i> 2014: 10)	0	x					
ALASKOPHYTO Townsend, 1915 = MACQUARTIA R.-D., 1830 (Wood 1987: 1258, O'Hara & Wood 1998: 753)	0			x			
ALDRICHIOPA Guimarães, 1971	1	1	-	-	-	-	-
ALDRICHOMYIA Özdikmen, 2006* Replacement name for MENETUS Aldrich, 1926, preoccupied by MENETUS Adams & Adams, 1855.	1	-	1	-	-	-	-
ALEXOGLOBLINIA Cortés, 1945	1	1	-	-	-	-	-
ALLELOMYIA González, 1992*	1	1	-	-	-	-	-
ALLOPHOROCERA Hendel, 1901	21	-	1	1	-	-	-
ALLOPROSOPAEA Villeneuve, 1923	2	-	-	1	-	-	-
ALLOSTURMIA Blanchard, 1958	1	1	-	-	-	-	-
ALLOTHELAIRA Villeneuve, 1915	3	-	-	-	1	1	1
ALOPHORA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)	0				x	x	x

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ALOPHORELLA Townsend, 1912 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)	0	x					
ALOPHOROPHASIA Townsend, 1927 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0			x		x	
ALPINOPLAGIA Townsend, 1931	1	1	-	-	-	-	-
ALSOMYIA B. & B., 1891	3	-	-	1	-	-	-
ALSOPSYCHE B. & B., 1891	1	1	-	-	-	-	-
ALTAIA Malloch, 1938	1	-	-	-	-	-	1
AMAZOHOUGHIA Townsend, 1934	2	1	-	-	-	-	-
AMBLYCHAETA Aldrich, 1934	1	1	-	-	-	-	-
AMELIBAEA Mesnil, 1955	1	-	-	1	-	-	-
AMESIOMIMA Mesnil, 1950	1	-	-	-	1	-	-
AMETADORIA Townsend, 1927	10	1	1	-	-	-	-
AMICROTRICHOMMA Townsend, 1927	2	1	-	-	-	-	-
AMNONIA Kugler, 1971	2	-	-	1	1	-	-
AMPHIBOLIA Macquart, 1844	9	-	-	-	-	-	1
AMPHICESTONIA Villeneuve, 1939	2	-	-	1	-	-	-
AMPHITROPESA Townsend, 1933	2	-	-	-	-	-	1
ANACAMPTOMYIA Bischof, 1904	10	-	-	-	1	-	1
ANADISCALIA Curran, 1934	1	1	-	-	-	-	-
ANADISTICHONA Townsend, 1934	1	1	-	-	-	-	-
ANAEUDORA Townsend, 1933 Treated as a synonym of MIKIA Kowarz, 1885 by O'Hara, Shima & Zhang (2009: 168) following Crosskey (1976: 206); treated as valid by Herting & Dely-Draskovits (1993: 275), Richter (2004: 281) and others. Recorded from Oriental Region by Sun <i>et al.</i> (1992).	3	-	-	1	-	1	-
ANAGONIA B. & B., 1891	25	-	-	-	-	-	1
ANAMASTAX B. & B., 1891	1	-	-	-	-	-	1
ANAMERIANIA Zimin, 1960 = BOTRIA Rondani, 1856 (Ziegler & Shima 1996: 407, as "BOTHRIA")	0			x			
ANAMETOPOCHAETA Townsend, 1919	1	1	-	-	-	-	-



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ANAPHORINIA Townsend, 1927 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
ANATROPOMYIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)	0						x
ANCISTROPHORA Schiner, 1865	1	-	-	1	-	-	-
ANDESIMYIA Brèthes, 1909	1	1	-	-	-	-	-
ANDICESA Koçak & Kemal, 2010* Replacement name for TRICHOPHOROPSIS Townsend, 1914, preoccupied by TRICHOPHOROPSIS Bonaparte, 1854.	5	1	-	-	-	-	-
ANDINOMYIA Townsend, 1912	5	1	-	-	-	-	-
ANDROEURYOPS Beneway, 1961 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
ANDROSOMA Cortés & Campos, 1971*	1	1	-	-	-	-	-
ANECHUROMYIA Mesnil & Shima, 1979	1	-	-	1	-	-	-
ANEMORILLA Townsend, 1915	1	1	-	-	-	-	-
ANEOGMENA B. & B., 1891	5	-	-	1	-	1	1
ANEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ANGIORHINA B. & B., 1889 = GNADOCHAETA Macquart, 1851 (Wood in O'Hara & Wood 1998: 770)	0	x		x			
ANGUSTIA Sellers, 1943	3	1	1	-	-	-	-
ANHANGABAHUIA Townsend, 1931 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
ANISIA van der Wulp, 1890	20	1	1	-	-	-	-
ANOMALOSTOMYIA Cerretti & Barraclough, 2007	1	-	-	-	1	-	-
ANOXYNOPS Townsend, 1927	4	1	1	-	-	-	-
ANOXYNOPSELLA Townsend, 1935 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
ANOXYNOPSOIDEA Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
ANTHOMYIOPSIS Townsend, 1916	4	-	1	1	-	1	-
ANTISTASEA Bischof, 1904	2	-	-	-	1	-	-
ANTISTASEOPSIS Townsend, 1934	1	1	-	-	-	-	-
ANUROPHYLLA Villeneuve, 1938	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
APALPOSTOMA Malloch, 1930	1	-	-	-	-	-	1
APATEMYIA Macquart, 1846	4	-	-	-	-	-	1
APHRIA Robineau-Desvoidy, 1830	10	-	1	1	-	1	-
APLOMYA Robineau-Desvoidy, 1830 Also spelled APLOMYIA, unjustified emendation.	14	1	1	1	1	1	1
APLOMYIOPSIS Villeneuve, 1933 = EUTHELYCONYCHIA Townsend, 1927 (Wood <i>in</i> O'Hara & Wood 1998: 771) Recorded from Australasian Region by Evenhuis (1996), as an introduction.	0	x					x
APLOMYODORIA Townsend, 1928	1	1	-	-	-	-	-
APLOMYOPSIS Townsend, 1927	2	1	1	-	-	-	-
APOMORPHOMYIA Crosskey, 1984	1	-	-	-	1	-	-
APOREOMYIA Pape & Shima, 1993*	1	-	-	-	-	1	-
APPENDICIA Stein, 1924 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754)	0			x			
APROTHECA Macquart, 1851	2	-	-	-	-	-	1
ARAMA Richter, 1972	1	-	-	1	-	-	-
ARAUCOGONIA Cortés, 1976*	1	1	-	-	-	-	-
ARAUCOSIMUS Aldrich, 1934	3	1	-	-	-	-	-
ARCHIPHANIA van Emden, 1945 = CATHAROSIA Rondani, 1868 (O'Hara & Cerretti 2016)	0				x		
ARCHYTAS Jaenicke, 1867	99	1	1	-	-	-	1
ARCHYTOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
ARCONA Richter, 1988*	2	-	-	1	-	-	-
ARCTOSOMA Aldrich, 1934	1	1	-	-	-	-	-
ARGYROCHAETONA Townsend, 1919	2	1	-	-	-	-	-
ARGYRODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
ARGYROMIMA B. & B., 1889	1	1	-	-	-	-	-
ARGYROPHYLAX B. & B., 1889 Recorded from Palaearctic Region by Shima (1999).	21	1	1	1	-	1	1
ARGYROTHELAIRA Townsend, 1916	2	-	-	-	-	1	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ARIDALIA Curran, 1934 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 10)	0	x					
ARRHENOMYZA Malloch, 1929	1	-	-	-	-	-	1
ARRHINACTIA Townsend, 1927	2	1	1	-	-	-	-
ASETULIA Malloch, 1938	1	-	-	-	-	-	1
ASILIDOTACHINA Townsend, 1931	1	1	-	-	-	-	-
ASIPHONA Mesnil, 1954 = SIPHONA (APHANTORHAPHOPSIS Townsend, 1926) (O'Hara 1989: 92)	0				x		
ASSECLAMYIA Reinhard, 1956	1	-	1	-	-	-	-
ATACTA Schiner, 1868	4	1	1	-	-	-	-
ATACTOPSIS Townsend, 1917	2	1	1	-	-	-	-
ATACTOSTURMIA Townsend, 1915	2	1	-	-	-	-	-
ATELOGLOSSA Coquillett, 1899	14	-	1	-	-	-	-
ATELOGLUTUS Aldrich, 1934	6	1	-	-	-	-	-
ATHRYCIA Robineau-Desvoidy, 1830	5	1	1	1	-	-	-
ATLANTOMYIA Crosskey, 1977	1	-	-	-	1	-	-
ATRACTOCEROPS Townsend, 1916	4	-	-	-	-	1	-
ATRICHIOPODA Townsend, 1931	1	1	-	-	-	-	-
ATROPHOPALPUS Townsend, 1892 = PARADIDYMA B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)	0	x					
ATYLOMYIA Brauer, 1898	3	-	-	1	-	-	-
ATYLOSTOMA B. & B., 1889	4	-	-	1	-	1	-
AULACEPHALA Macquart, 1851	2	-	-	1	1	1	-
AUSTENIOPS Townsend, 1915	1	1	-	-	-	-	-
AUSTRALOTACHINA Curran, 1938	1	-	-	-	-	-	1
AUSTROMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
AUSTRONILEA Crosskey, 1967	1	-	-	-	-	-	1
AUSTROPHASIOPSIS Townsend, 1933	2	-	-	-	-	1	-
AUSTROPHOROCERA Townsend, 1916	27	1	1	1	-	1	1

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
AUSTROPHRYNO Townsend, 1916	1	-	-	-	-	-	1
AUSTROPHYTOMYPTERA Blanchard, 1962	1	1	-	-	-	-	-
AUSTROSOLIERIA Cerretti & O'Hara <i>in</i> O'Hara & Cerretti, 2016	2	-	-	-	1	-	-
AUSTROSTAUROCHAETA Townsend, 1931 = ADMONTIA B. & B., 1889 (Wood 1985: 17)	0	x					
AVIBRISSIA Malloch, 1932	2	-	-	-	-	-	1
AVIBRISSINA Malloch, 1932	2	-	-	-	-	-	1
AVIBRISSOSTURMIA Townsend, 1927	9	1	-	-	-	-	-
AZYGOBOTHRIA Townsend, 1911	1	1	-	-	-	-	-
BACTROMYIA B. & B., 1891	8	-	-	1	-	1	-
BACTROMYIELLA Mesnil, 1952	1	-	-	-	-	1	1
BACULOCAPTUS Cortés, 1968 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)	0	x					
BAHRETTINIA Özdikmen, 2007* Replacement name for PSILOPLEURA Reinhard, 1943, preoccupied by PSILOPLEURA Druce, 1898.	1	-	1	-	-	-	-
BALDE Rice, 2005*	1	-	-	-	-	-	1
BAMPURA Tschorsnig, 1983	2	-	-	1	-	-	-
BARYCHAETA Bezzi, 1906 Unnecessary <i>nomen novum</i> for PACHYCHETA Portschinsky, 1881 (O'Hara 2009: 66).	0			x			
BATHYDEXIA van der Wulp, 1891	2	1	-	-	-	-	-
BAUMHAUERIA Meigen, 1838	7	-	-	1	-	-	-
BELIDA Robineau-Desvoidy, 1863	6	-	1	1	-	-	-
BELLINA Robineau-Desvoidy, 1863	1	-	-	-	-	1	-
BELVOSIA Robineau-Desvoidy, 1830	71	1	1	-	-	-	-
BELVOSIELLA Curran, 1934	1	1	-	-	-	-	-
BELVOSIOMIMOPS Townsend, 1935	1	1	-	-	-	-	-
BESKIA B. & B., 1889	1	1	1	-	-	-	-
BESKIOCEPHALA Townsend, 1916	1	1	-	-	-	-	-
BESKIOLESKIA Townsend, 1919	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
BESSA Robineau-Desvoidy, 1863	5	-	1	1	1	1	1
BESSERIA Robineau-Desvoidy, 1830	15	-	1	1	1	-	-
BESSERIOIDES Curran, 1938 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0					x	x
BEZZIMYIA Townsend, 1919 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257).	0	x					
BEZZIOMYIOBIA Baranov, 1938	1	-	-	-	-	-	1
BIBIOMIMA B. & B., 1889	1	1	-	-	-	-	-
BICRUCIOSTURMIA Townsend, 1932 = WINTHEMIA R.-D., 1830 (Coelho 1989: 274)	0	x					
BILLAEA Robineau-Desvoidy, 1830	74	1	1	1	1	1	-
BINGHAMIMYIA Townsend, 1919	1	1	-	-	-	-	-
BIOMEIGENIA Mesnil, 1961	4	-	-	1	-	1	-
BISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
BITHIA Robineau-Desvoidy, 1863	21	-	-	1	-	-	-
BLEPHARELLA Macquart, 1851	46	-	-	1	1	1	1
BLEPHARELLINA Mesnil, 1952 See Evenhuis & O'Hara (2008: 65) for details about dating.	1	-	-	-	1	-	-
BLEPHARIATACTA Townsend, 1931	1	1	-	-	-	-	-
BLEPHARIPA Rondani, 1856	28	1	1	1	-	1	1
BLEPHAROMYIA B. & B., 1889	6	-	1	1	-	-	-
BLEPHAROPODA Rondani, 1850	1	1	-	-	-	-	-
BLONDELIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun <i>et al.</i> (1992) and Shima (1997).	20	1	1	1	1	1	-
BOGOSIA Rondani, 1873	10	-	-	-	1	-	-
BOGOSIELLA Villeneuve, 1923 Treated as a synonym of PHASIA Latreille, 1804 by Sun and Marshall (2003: 19) but recognized as valid by O'Hara & Cerretti (2016).	1	-	-	-	1	-	-
BOLBOCHETA Bigot, 1885	1	1	-	-	-	-	-
BOLODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
BOLOHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
BOLOMYIA B. & B., 1891 = MYSTACELLA van der Wulp, 1890 (Wood 1987: 1210, O'Hara & Wood 1998: 754)	0	x					
BOMBYLIOMYIA B. & B., 1889	9	1	1	-	-	-	-
BOMBYLIOPSIS Townsend, 1915 = HYSTRICIA Macquart, 1844 (Wood 1987: 1202, O'Hara & Wood 1998: 754, O'Hara 2002: 97)	0	x					
BONNANIOPS Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
BONNETIA Robineau-Desvoidy, 1830 = LINNAEMYA Robineau-Desvoidy, 1830 (Mesnil 1971: 1006)	0	x					
BORGMEIERMYIA Townsend, 1935	4	1	-	-	-	-	-
BOTHROPHORA Schiner, 1868	1	-	-	-	-	-	1
BOTRIA Rondani, 1856 The spelling BOTHRIA is an incorrect original spelling (O'Hara <i>et al.</i> 2011: 40).	4	-	-	1	-	-	-
BOTRIOPSIS Townsend, 1928	1	-	-	-	-	1	-
BOURQUINIA Blanchard, 1935	1	1	-	-	-	-	-
BRACHELIA Robineau-Desvoidy, 1830	3	-	-	-	1	-	-
BRACHELIOPSIS van Emden, 1960	1	-	-	-	1	-	-
BRACHICHETA Rondani, 1861 BRACHYCHAETA Brauer & Bergenstamm, 1889 is an unjustified emendation of BRACHICHETA (O'Hara <i>et al.</i> 2011: 40–41, 258).	2	-	-	1	-	-	-
BRACHYBELVOSIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYCHAETOIDES Mesnil, 1970	2	-	-	-	1	-	-
BRACHYCNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYMASICERA Townsend, 1911	3	1	-	-	-	-	-
BRACHYMERA B. & B., 1889	2	-	-	1	-	-	-
BRACTEOLA Richter, 1972	1	-	-	1	-	-	-
BRASILOMYIA Özdikmen, 2010* Replacement name for PLATYPHASIA Townsend, 1935, preoccupied by PLATYPHASIA Skuse, 1890.	1	1					
BRAZILIOMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
BRULLAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
BUQUETIA Robineau-Desvoidy, 1847	3	-	1	1	-	1	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CADURCIA Villeneuve, 1926	13	-	-	1	1	1	-
CADURCIELLA Villeneuve, 1927	3	-	-	1	1	-	-
CAENIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CAENISOMA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)	0	x					
CAENISOMOPSIS Townsend, 1934	1	1	-	-	-	-	-
CAHENIA Verbeke, 1960	2	-	-	-	1	-	-
CALCAGER Hutton, 1901	2	-	-	-	-	-	1
CALCAGERIA Curran, 1927	2	-	-	-	-	-	1
CALLIETHILLA Shima, 1979	2	-	-	-	1	1	-
CALLOTROXIS Aldrich, 1929	1	1	-	-	-	-	-
CALOCARCELIA Townsend, 1927	6	1	-	-	-	-	-
CALODEXIA van der Wulp, 1891	41	1	-	-	-	-	-
CALOHYSTRICIA Townsend, 1931	3	1	-	-	-	-	-
CALOLYDELLA Townsend, 1927	12	1	1	-	-	-	-
CALOSIA Malloch, 1938	1	-	-	-	-	-	1
CALOTACHINA Malloch, 1938	1	-	-	-	-	-	1
CALOTHELAIIRA Townsend, 1927 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
CALOZENILLIA Townsend, 1927 Removed from Afrotropical Region by O'Hara & Cerretti (2016).	5	-	-	1	-	1	1
CALPODOMYIA Townsend, 1915 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)	0	x					
CALTAGIRONEA Cortés & Campos, 1974*	2	1	-	-	-	-	-
CALYPTROMYIA Villeneuve, 1915	2	-	-	1	1	1	-
CAMARONA van der Wulp, 1891	2	1	-	-	-	-	-
CAMPBELLIA Miller, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0						x
CAMPOSIANA Townsend, 1915	1	1	-	-	-	-	-
CAMPOSODES Cortés, 1967	1	1	-	-	-	-	-
CAMPTOPHRYNO Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CAMPYLIA Malloch, 1938	2	-	-	-	-	-	1
CAMPYLOCHETA Rondani, 1859 Also spelled CAMPYLOCHAETA, unjustified emendation.	48	1	1	1	1	1	1
CANALIA Curran, 1934 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
CANTRELLIUS Barraclough, 1992*	1	-	-	-	-	-	1
CARBONILLA Mesnil, 1974	1	-	-	1	-	-	-
CARCELIA Robineau-Desvoidy, 1830	127	1	1	1	1	1	1
CARCELIATHRIX Cerretti & O'Hara <i>in</i> O'Hara & Cerretti, 2016	1	-	-	-	1	-	-
CARCELIELLA Baranov, 1934 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Crosskey (1976: 229), Cantrell & Crosskey (1989: 773) and others but reinstated as a valid genus by Shima (2005: 390).	2	-	-	1	-	1	-
CARCELIMYIA Mesnil, 1944	1	-	-	-	-	-	1
CARCELINA Mesnil, 1944 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Chao & Liang (2002: 808) and others but as a valid genus by Herting & Dely-Draskovits (1993: 217), O'Hara, Shima & Zhang (2009: 64) and others.	6	-	-	1	-	1	-
CARCELIOCEPHALA Townsend, 1934 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					
CARCELIODORIA Townsend, 1928	1	1	-	-	-	-	-
CARMODYMYIA Thompson, 1968	1	1	-	-	-	-	-
CASAHUIRIA Townsend, 1919	1	1	-	-	-	-	-
CATAGONIA B. & B., 1891	1	-	-	1	-	-	-
CATAJURINIA Townsend, 1927	1	1	-	-	-	-	-
CATALINOVORIA Townsend, 1926 = HYPOVORIA Villeneuve, 1912 (Mesnil 1974: 1278)	0	x					
CATAPARIPROSOPA Townsend, 1927	12	-	-	-	1	1	-
CATAPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
CATAPHORINIOPSIS Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
CATEMOPHRYS Townsend, 1908 = VANDERWULPIA Townsend, 1891 (Wood 1987: 1260, O'Hara & Wood 1998: 754)	0	x					
CATENA Richter, 1975	1	-	-	1	-	-	-



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CATHAROSIA Rondani, 1868 Recorded from Australasian Region by O'Hara <i>et al.</i> (2014).	12	-	1	1	1	-	1
CATOCYPTERA Townsend, 1927 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)	0	x					
CAVALIERIA Villeneuve, 1908	1	-	-	1	-	-	-
CAVILLATRIX Richter, 1986* Recorded from the Oriental and Australasian regions by Shima (1996b).	11	-	-	1	-	1	1
CELATORIA Coquillett, 1890	7	1	1	-	-	-	-
CELATORIOPSIS Blanchard, 1963 = EUCELATORIA Townsend, 1909 (Sabrosky 1981: 4)	0	x					
CENOSOMA van der Wulp, 1890 = OESTROPHASIA (CENOSOMA van der Wulp, 1890) (Wood 1987: 1260, O'Hara & Wood 1998: 754)	0	x					
CERACIA Rondani, 1865	13	1	1	1	1	1	1
CERANTHIA Robineau-Desvoidy, 1830 = SIPHONA (CERANTHIA R.-D., 1830) (O'Hara 1989: 99, O'Hara & Wood 2004: 301)	0			x	x		
CERATOCHAETOPS Mesnil, 1970 Correctly dated 1970 in O'Hara (1996b: 123) but dated 1954 in Herting & Dely-Draskovits (1993: 232) and O'Hara & Wood (2004: 164), in error.	2	-	1	1	-	-	-
CERATOMETOPA Townsend, 1931	1	1	-	-	-	-	-
CERATOMYIELLA Townsend, 1891 = PARADIDYMA B.& B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)	0	x					
CEROMASIA Rondani, 1856	3	-	1	1	-	-	-
CEROMASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CEROMYA Robineau-Desvoidy, 1830 Also spelled CEROMYIA, unjustified emendation.	67	1	1	1	1	1	1
CEROTACHINA Arnaud, 1963	2	1	-	-	-	-	-
CESAMORELOSIA Koçak & Kemal, 2010* Replacement name for ERGOLABUS Reinhard, 1964, preoccupied by ERGOLABUS Gistel, 1848.	1	1	-	-	-	-	-
CESAPANAMA Koçak & Kemal, 2010* Replacement name for PARAZELIA Townsend, 1919, preoccupied by PARAZELIA Bigot, 1882.	1	1	-	-	-	-	-
CESAPERUA Koçak & Kemal, 2010* Replacement name for XENOPHASIA Townsend, 1934, preoccupied by XENOPHASIA Strickland, 1841.	2	1	-	-	-	-	-
CESTONIA Rondani, 1861	8	-	-	1	1	1	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CESTONIONERVA Villeneuve, 1929	3	-	-	1	1	-	-
CESTONIOPTERA Villeneuve, 1939	1	-	-	1	-	-	-
CHAETEXORISTA B. & B., 1894	16	-	1	1	1	1	1
CHAETOCALIRRHOE Townsend, 1935	1	1	-	-	-	-	-
CHAETOCNEPHALIA Townsend, 1915	5	1	-	-	-	-	-
CHAETOCRANIA Townsend, 1915	1	-	1	-	-	-	-
CHAETOCRANIOPSIS Townsend, 1915	5	1	-	-	-	-	-
CHAETODEMOTICUS B. & B., 1891	1	1	-	-	-	-	-
CHAETODEXIA Mesnil, 1976	4	-	-	-	1	-	-
CHAETODORIA Townsend, 1927	1	1	-	-	-	-	-
CHAETOEPALPUS Vimmer & Soukup, 1940 Treated as a <i>nomen dubium</i> by Guimarães (1971: 217).	1	1	-	-	-	-	-
CHAETOGAEDIA B. & B., 1891	16	1	1	-	-	-	1
CHAETOGLOSSA Townsend, 1892	2	1	1	-	-	-	-
CHAETOGYNE B. & B., 1889	3	1	-	-	-	-	-
CHAETOLIXOPHAGA Blanchard, 1940	1	1	-	-	-	-	-
CHAETONA van der Wulp, 1891	7	1	-	-	-	-	-
CHAETONALIA Curran, 1934 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
CHAETONODEXODES Townsend, 1916	3	1	1	-	-	-	-
CHAETONOPSIS Townsend, 1915	1	-	1	-	-	-	-
CHAETOPHLEPSIS Townsend, 1915 = CAMPYLOCHETA Rondani, 1859 (Mesnil 1974: 1250)	0	x					
CHAETOPHOROCERA Townsend, 1912	2	1	-	-	-	-	-
CHAETOPHTHALMUS B. & B., 1891	27	-	-	-	-	-	1
CHAETOPLAGIA Coquillett, 1895	1	1	1	-	-	-	-
CHAETOPLETHA Malloch, 1938	1	-	-	-	-	-	1
CHAETORIA Becker, 1908	5	-	-	1	1	1	1
CHAETOSISYROPS Townsend, 1912	1	1	-	-	-	-	-
CHAETOSTIGMOPTERA Townsend, 1916	4	1	1	1	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CHAETOSTURMIA Villeneuve, 1915	1	-	-	-	1	-	-
CHAETOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
CHAETOVORIA Villeneuve, 1920	2	-	1	1	-	-	-
CHAETOXYNOPS Townsend, 1928	1	1	-	-	-	-	-
CHAQUIMAYOIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
CHARAPOZELIA Townsend, 1927	1	1	-	-	-	-	-
CHARITELLA Mesnil, 1957	7	-	-	-	1	1	-
CHESIPPUS Reinhard, 1967	1	-	1	-	-	-	-
CHETINA Rondani, 1856	2	-	-	1	-	-	-
CHETOGASTER Macquart, 1851	6	-	-	-	-	-	1
CHETOGENA Rondani, 1856 Also spelled CHAETOGENA, unjustified emendation.	71	1	1	1	1	1	1
CHETOPTILIA Rondani, 1862 Also spelled CHAETOPTILIA, unjustified emendation. Recorded from Australasian Region by Cantrell & Burwell (2010).	6	-	-	1	1	1	1
CHILOCLISTA Townsend, 1931	1	1	-	-	-	-	-
CHILOEPALPUS Townsend, 1927	2	1	-	-	-	-	-
CHIRICAHUIA Townsend, 1918	1	-	1	-	-	-	-
CHLOROGASTROPSIS Townsend, 1926	1	-	-	-	-	-	1
CHLOROHYSTRICIA Townsend, 1927	2	1	1	-	-	-	-
CHLOROLYDELLA Townsend, 1933	8	-	-	-	1	-	-
CHLOROPALES Mesnil, 1950	2	-	-	-	-	-	1
CHLOROTACHINA Townsend, 1915	3	-	-	-	-	-	1
CHOETEPROSOPA Macquart, 1851	5	1	-	-	-	-	-
CHOLOMYIA Bigot, 1884	5	1	1	-	-	-	-
CHROMATOCERA Townsend, 1915	3	-	1	-	-	-	-
CHROMATOPHANIA B. & B., 1889	5	-	-	-	1	-	-
CHROMOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
CHRYSELYCIA Mesnil, 1977	1	-	-	-	1	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CHRYSOCOSMIUS Bezzi, 1907 Synonym of GYMNOCHETA R.-D., 1830 (Crosskey 1976, Herting & Dely-Draskovits 1993); misused as valid genus in <i>Flies of China</i> (Chao <i>et al.</i> 1998) because of type species problem, but those species belong to CHRYSOSOMOPSIS Townsend, 1916.	0			x			
CHRYSOEXORISTA Townsend, 1915	12	1	1	-	-	-	-
CHRYSOHOUGHIA Townsend, 1935 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 10)	0	x					
CHRYSOMETOPIOPS Townsend, 1916	1	1	-	-	-	-	-
CHRYSOMIKIA Mesnil, 1970	2	-	-	1	-	1	-
CHRYSOMOPSIS Townsend, 1916 Misspelled reference to CHRYSOSOMOPSIS Townsend, 1916 in Herting & Dely-Draskovits (1993: 290).	0			x			
CHRYSOPASTA B. & B., 1889	1	-	-	-	-	-	1
CHRYSOPHRYNO Townsend, 1927	2	1	-	-	-	-	-
CHRYSOPHRYXE Sellers, 1943	1	1	-	-	-	-	-
CHRYSOPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
CHRYSOSOMOPSIS Townsend, 1916 Misspelled as CHRYSOMOPSIS in Herting & Dely-Draskovits (1993: 290); species of China (Chao <i>et al.</i> 1998) under CHRYSOCOSMIUS Bezzi, 1907 (with CHRYSOSOMOPSIS in synonymy) because of type species problem.	10	-	-	1	-	1	-
CHRYSOSTURMIA Townsend, 1916	1	1	-	-	-	-	-
CHRYSOTACHINA B. & B., 1889	29	1	1	-	-	-	-
CHRYSOTRYPHERA Townsend, 1935	1	1	-	-	-	-	-
CHYULUELLA van Emden, 1960	1	-	-	-	1	-	-
CIALA Richter, 1976	1	-	-	1	-	-	-
CINCHIRA Zetterstedt, 1844	2	-	1	1	-	-	-
CISTOGASTER Latreille, 1829	7	1	-	1	-	-	-
CLAIRVILLIA Robineau-Desvoidy, 1830	7	1	1	1	-	-	-
CLAIRVILLIOPS Mesnil, 1959	1	-	-	1	1	1	-
CLASTONEURA Aldrich, 1934	1	1	-	-	-	-	-
CLASTONEURIOPSIS Reinhard, 1939 Recorded from Neotropical Region by Cortés (1986).	2	1	1	-	-	-	-
CLAUSICELLA Rondani, 1856	17	1	1	1	1	1	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CLAUSICELLANA Curran, 1927 = CHAETOSTIGMOPTERA Townsend, 1916 (Wood 1985: 31)	0	x					
CLELIMYIA Herting, 1981 Recorded from Oriental Region by Wang <i>et al.</i> (2015).	1	-	-	1	-	1	-
CLEMELIS Robineau-Desvoidy, 1863	6	-	-	1	-	-	-
CLEONICE Robineau-Desvoidy, 1863	6	-	1	1	-	-	-
CLINOGASTER van der Wulp, 1892	1	1	-	-	-	-	-
CLYTHOXYNOPS Townsend, 1927 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)	0	x					
CLYTIOMYA Rondani, 1861 Also spelled CLYTIOMYIA, unjustified emendation.	4	-	-	1	-	-	-
CNEPHALODES Townsend, 1911	1	1	-	-	-	-	-
CNEPHAOTACHINA B. & B., 1894 = TACHINA Robineau-Desvoidy, 1830 (Cerretti 2010: 306; CNEPHAOTACHINA treated as a synonym of NOWICKIA Wachl, 1894, a genus-group name treated here as a subgenus of TACHINA Robineau-Desvoidy, 1830)	0			x			
COCKERELLIANA Townsend, 1915	1	-	1	-	-	-	-
COLOLESKIA Villeneuve, 1939	1	-	-	-	1	-	-
COLORADOMYIA Arnaud, 1963	1	-	1	-	-	-	-
COLURUS Reinhard, 1953 = PROPARCHAETOPSIS Blanchard, 1942 (Toma & Guimarães 2000b: 16)	0	x					
COMATACTA Coquillett, 1902	5	1	-	-	-	-	-
COMOPS Aldrich, 1934	1	1	-	-	-	-	-
COMOPSIS Cortés, 1986*	1	1	-	-	-	-	-
COMPSILURA Bouché, 1834	4	-	1	1	1	1	1
COMPSILUROIDES Mesnil, 1953	3	-	-	1	-	1	-
COMPSOPTESIS Villeneuve, 1915	3	-	-	-	-	1	-
COMYOPS van der Wulp, 1891	2	1	-	-	-	-	-
COMYOPSIS Townsend, 1919	1	1	-	-	-	-	-
CONACTIA Townsend, 1927	1	1	-	-	-	-	-
CONACTIODORIA Townsend, 1934	2	1	-	-	-	-	-
CONOGASTER B. & B., 1891	1	-	-	1	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CONOPOMIMA Mesnil, 1978	1	-	-	-	1	-	-
COPECRYPTA Townsend, 1908	3	1	1	1	-	-	-
CORACOMYIA Aldrich, 1934	2	1	-	-	-	-	-
CORDILLERODEXIA Townsend, 1927	2	1	-	-	-	-	-
CORDYLIGASTER Macquart, 1844	9	1	1	-	-	-	-
COROZALIA Curran, 1934 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
CORPULENTOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
CORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
CORYBANTIA Richter, 1986*	1	-	-	1	-	-	-
COSCARONIA Cortés, 1979*	3	1	-	-	-	-	-
COSSIDOPHAGA Baranov, 1934	1	-	-	-	-	1	-
COWANIA Reinhard, 1952	1	1	-	-	-	-	-
CRAPIVNICIA Richter, 1995a*	2	-	-	1	-	-	-
CRASSICORNIA Kugler, 1980	1	-	-	1	1	-	-
CROCINOSOMA Reinhard, 1947	1	1	1	-	-	-	-
CROESOACTIA Townsend, 1927	1	1	-	-	-	-	-
CROSSKEYA Shima & Chao, 1988	6	-	-	-	-	1	1
CRYPISINA B. & B., 1889 = WINTHEMIA Robineau-Desvoidy, 1830 (Inclán <i>et al.</i> 2016: 279)	0						x
CRYPTOCLADOCERA Bezzi, 1923	4	1	-	-	-	-	-
CRYPTOMEIGENIA B. & B., 1891	19	1	1	-	-	-	-
CRYPTOMEIGENIOIDEA Thompson, 1968 = CRYPTOMEIGENIA B. & B., 1891 (Wood 1985: 33)	0	x					
CRYPTOPALPUS Rondani, 1850	11	1	-	-	-	-	-
CRYPTOSOPHIA de Santis, 2018*	1	1	-	-	-	-	-
CTENOPHORINIA Mesnil, 1963	4	-	-	1	-	-	-
CUBAEMYIOPSIS Thompson, 1963	1	1	-	-	-	-	-
CUCUBA Richter, 2008*	1	-	-	1	-	-	-
CUPARYMYIA Townsend, 1934	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
CURRANA Özdikmen, 2007* Replacement name for DODDIANA Curran, 1927, preoccupied by DODDIANA Turner, 1902. = SEMISUTURIA Malloch, 1927 (Crosskey 1976: 186, as synonym of DODDIANA)	0					x	x
CYANOGYMNOMMA Townsend, 1927	1	1	-	-	-	-	-
CYANOLESKIA Mesnil, 1978	1	-	-	-	1	-	-
CYANOPSIS Townsend, 1917	2	1	-	-	-	-	-
CYLINDROMASICERA Townsend, 1915	1	1	-	-	-	-	-
CYLINDROMYIA Meigen, 1803	118	1	1	1	1	1	1
CYLINDROPHASIA Townsend, 1916	4	1	-	-	-	-	-
CYOSOPROCTA Reinhard, 1952	2	1	-	-	-	-	-
CYRTOCLADIA van Emden, 1947	1	-	-	-	1	-	-
CYRTOPHLOEBA Rondani, 1856 The spelling CYRTOPHLEBA is an incorrect original spelling (O'Hara <i>et al.</i> 2011: 69–70).	9	1	1	1	1	-	-
CYZENIS Robineau-Desvoidy, 1863	6	-	1	1	-	-	-
DAETALEUS Aldrich, 1928	2	1	-	-	-	-	-
DALLASIMYIA Blanchard, 1944	1	1	-	-	-	-	-
DASYUROMYIA Bigot, 1885	9	1	-	-	-	-	-
DATVIA Richter, 1972	1	-	-	1	-	-	-
DEGEERIOPSIS Mesnil, 1953	2	-	-	-	-	1	-
DEJEANIA Robineau-Desvoidy, 1830	4	-	-	-	1	-	-
DEJEANIOPS Townsend, 1913	3	1	-	-	-	-	-
DELOBLEPHARIS Aldrich, 1934	1	1	-	-	-	-	-
DELTOCEROMYIA Townsend, 1931	1	1	-	-	-	-	-
DELTOMYZA Malloch, 1931	1	-	-	-	-	-	1
DEMOTICOIDES Mesnil, 1953	1	-	-	1	-	1	1
DEMOTICUS Macquart, 1854	3	-	1	1	-	-	-
DEOPALPUS Townsend, 1908	28	1	1	-	-	-	-
DESANTISODES Cortés, 1973*	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
DESCAMPSINA Mesnil, 1956	1	-	-	-	1	-	-
DEXIA Meigen, 1826	50	-	1	1	1	1	-
DEXIOMERA Curran, 1933 = ESTHERIA Robineau-Desvoidy, 1830 (O'Hara & Cerretti, 2016: 43)	0				x		
DEXIOMIMOPS Townsend, 1926	8	-	-	1	-	1	-
DEXIOSOMA Rondani, 1856	5	-	-	1	-	1	-
DEXIOTRIX Villeneuve, 1936 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58)	0			x	x	x	x
DEXODIMYIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
DEXODIOIDEA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
DEXODIOPSIS Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
DEXODOMINTHO Townsend, 1935	1	1	-	-	-	-	-
DIAPHANOMYIA Townsend, 1917	2	1	-	-	-	-	-
DIAPHOROPEZA Townsend, 1908	3	1	-	-	-	-	-
DIAPROCHAETA Mesnil, 1970	1	-	-	-	1	-	-
DIATRAEOPHAGA Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)	0					x	
DIAUGIA Perty, 1833	1	1	-	-	-	-	-
DICARCA Richter, 1993*	1	-	-	1	-	-	-
DICHOCERA Williston, 1895	6	1	1	-	-	-	-
DIDYMA van der Wulp, 1890 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)	0	x					
DIDYMOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
DIGLOSSOCERA van der Wulp, 1895	1	-	-	-	-	1	-
DINERA Robineau-Desvoidy, 1830	28	-	1	1	1	1	-
DIONAEA Robineau-Desvoidy, 1830	4	-	-	1	-	-	-
DIONOMELIA Kugler, 1978	1	-	-	1	1	-	-
DIOTREPES Reinhard, 1964	2	1	1	-	-	-	-



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
DIPLOPOTA Bezzi, 1918 = IMITOMYIA Townsend, 1912 Treated as valid by Herting & Dely-Draskovits (1993: 415) but not by O'Hara & Cerretti (2016: 179).	0			x			
DIPLOSTICHUS B. & B., 1889 = CHETOGENA (DIPLOSTICHUS B. & B., 1889) (Wood <i>in</i> O'Hara & Wood 1998: 771, O'Hara & Wood 2004: 148)	0			x			
DISCHOTRICHIA Cortés, 1944	1	1	-	-	-	-	-
DISTICHONA van der Wulp, 1890	8	1	1	-	-	-	-
DODDIANA Curran, 1927 Junior homonym of DODDIANA Turner, 1902 and replaced by CURRANA Özdikmen, 2007.	0					x	
DOLESCHALLA Walker, 1861	11	-	-	-	-	1	1
DOLICHOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOCODIA Townsend, 1908	4	1	1	-	-	-	-
DOLICHOCOLON B. & B., 1889 Redefined by Cerretti (2009b: 55–56).	21	-	-	1	1	1	1
DOLICHOCOXYYS Townsend, 1927	7	-	-	1	-	1	-
DOLICHODEXIA B. & B., 1889 = ESTHERIA Robineau-Desvoidy, 1830 (Herting & Dely-Draskovits 1993: 363) Treated as valid genus by Crosskey (1976: 180).	0			x			
DOLICHODINERA Townsend, 1935	1	1	-	-	-	-	-
DOLICHOGONIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
DOLICHOPODOMINTHO Townsend, 1927	2	-	-	1	-	1	-
DOLICHOSTOMA Townsend, 1912	5	1	-	-	-	-	-
DOLICHOTARSINA Mesnil, 1977	1	-	-	-	1	-	-
DOLICHOTARSUS Brooks, 1945 Recorded from Neotropical Region by Wood (1985).	4	1	1	-	-	-	-
DOLIOLOMYIA Reinhard, 1975*	2	1	-	-	-	-	-
DORIELLA Townsend, 1931	1	1	-	-	-	-	-
DORYPHOROPHAGA Townsend, 1912 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
DREPANOGLOSSA Townsend, 1891	3	1	1	-	-	-	-
DRINO Robineau-Desvoidy, 1863	126	1	1	1	1	1	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
DRINOMYIA Mesnil, 1962 Recorded from Oriental Region (Guizhou, China) by O'Hara <i>et al.</i> (2009).	1	-	-	1	-	1	-
DUFOURIA Robineau-Desvoidy, 1830	6	-	1	1	-	-	-
DUMERILLIA Robineau-Desvoidy, 1830	2	1	-	-	-	-	-
DYSHYPOSTENA Villeneuve, 1939	2	-	-	-	1	-	-
EBENIA Macquart, 1846	3	1	-	-	-	-	-
ECHINEMORAEA Mesnil, 1971 = NEMORAEA Robineau-Desvoidy, 1830 (Crosskey 1976: 197) Treated as valid genus by Chao <i>et al.</i> (1998: 2028).	0					x	
ECHINODEXIA B. & B., 1893	2	1	-	-	-	-	-
ECHINOMASICERA Townsend, 1915 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)	0	x					
ECHINOPYRRHOSIA Townsend, 1914	10	1	-	-	-	-	-
ECHINOPYRRHOSIOPS Townsend, 1931	1	1	-	-	-	-	-
ECTOPHASIA Townsend, 1912	6	-	-	1	-	1	-
ECTOPHASIOPSIS Townsend, 1915	3	1	-	-	-	-	-
ECUADORANA Townsend, 1912	1	1	-	-	-	-	-
EDWYNIA Aldrich, 1930	1	1	-	-	-	-	-
EFFTAYLORIA Malloch, 1941 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0						x
EFFUSIMENTUM Barraclough, 1992*	2	-	-	-	-	-	1
EGAMEIGENIA Townsend, 1927	1	1	-	-	-	-	-
EGGONIA B. & B., 1893, <i>nomen dubium</i> Treated as valid in "Unplaced genera of Tachinidae" by Guimarães (1971: 216).	0	x					
ELEODIPHAGA Walton, 1918	3	-	1	-	-	-	-
ELEUTHROMYIA Reinhard, 1964	1	1	-	-	-	-	-
ELFIA Robineau-Desvoidy, 1850 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 754)	0	x		x	x		
ELFRIEDELLA Mesnil, 1957 Recorded from Oriental Region by Shima (1988).	2	-	-	1	-	1	-
ELIOZETA Rondani, 1856	2	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ELOCERIA Robineau-Desvoidy, 1863	6	-	1	1	-	1	-
ELODIA Robineau-Desvoidy, 1863	7	-	-	1	-	1	-
ELODIMYIA Mesnil, 1952	1	-	-	-	-	1	-
ELOMYA Robineau-Desvoidy, 1830 Also spelled ELOMYIA, unjustified emendation.	1	-	-	1	-	-	-
ELPE Robineau-Desvoidy, 1863 = CAMPYLOCHETA Rondani, 1859 (Herting 1974: 13)	0				x	x	
EMBIOMYIA Aldrich, 1934	1	1	-	-	-	-	-
EMPHEREMYIA Bischof, 1904	2	1	-	-	-	-	-
EMPHEREMYIOPS Townsend, 1927	1	1	-	-	-	-	-
EMPOROMYIA B. & B., 1891	2	-	-	1	-	-	-
ENCHOMYIA Aldrich, 1934	2	1	-	-	-	-	-
ENGEDDIA Kugler, 1977	2	-	-	1	-	-	-
ENGELOMYIA Townsend, 1931 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)	0	x					
ENROGALIA Reinhard, 1964	1	-	1	-	-	-	-
ENTOMOPHAGA Lioy, 1864	5	-	-	1	-	-	-
EOACEMYIA Townsend, 1926 Recorded from Palaearctic Region by O'Hara <i>et al.</i> (2009).	1	-	-	1	-	1	1
EOMEDINA Mesnil, 1960	2	-	-	-	1	-	-
EOMEIGENIELLOIDES Reinhard, 1975*	1	1	-	-	-	-	-
EOPHYLLOPHILA Townsend, 1926 Recorded from Palaearctic Region by O'Hara <i>et al.</i> (2009).	3	-	-	1	1	1	1
EOZENILLIA Townsend, 1926	3	-	-	-	-	1	1
EPALPELLUS Townsend, 1914	1	1	-	-	-	-	-
EPALPODES Townsend, 1912	5	1	-	-	-	-	-
EPALPUS Rondani, 1850	48	1	1	-	-	-	-
EPAULOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
EPICAMPOCERA Macquart, 1849 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	1	-	-	1	-	1	-
EPICORONIMYIA Blanchard, 1940	1	1	-	-	-	-	-
EPICUPHOCERA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
EPIDEXIA Townsend, 1912 = PROSPHERYSA van der Wulp, 1890 (Wood 1987: 1214, O'Hara & Wood 1998: 754)	0	x					
EPIGRIMYIA Townsend, 1891	2	-	1	-	-	-	-
EPIMEIGENIA Townsend, 1931 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
EIPHANOCERA Townsend, 1915	1	1	-	-	-	-	-
EIPLAGIOPS Blanchard, 1943 = CHETOGENA Rondani, 1856 (Nihei 2015: 1)	0	x					
EIPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
EREBIOMIMA Mesnil, 1953	2	-	-	1	-	-	-
ERGOLABUS Reinhard, 1964 Junior homonym of ERGOLABUS Gistel, 1848 and replaced by CESAMORELOSIA Koçak & Kemal, 2010.	0	x					
ERIBELLA Mesnil, 1960 Recorded from Neotropical Region by Wood (1985).	3	1	1	-	-	-	-
ERIOTHRIX Meigen, 1803	16	-	1	1	-	-	-
ERISTALIOMYIA Townsend, 1926	1	-	-	-	-	1	1
ERNESTIA Robineau-Desvoidy, 1830 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754, 769)	0			x			
ERNESTIOPSIS Townsend, 1931	1	1	-	-	-	-	-
ERVIA Robineau-Desvoidy, 1830 = ICELIA Robineau-Desvoidy, 1830 (Guimarães 1976b: 177)	0	x					
ERVIOPSIS Townsend, 1934	1	1	-	-	-	-	-
ERYCESTA Herting, 1967	2	-	-	1	-	-	-
ERYCIA Robineau-Desvoidy, 1830	4	-	-	1	-	-	-
ERYCILLA Mesnil, 1957 = ALLOPHOROCERA Hendel, 1901 (Mesnil & Pschorn-Walcher 1968: 155, Wood 1974: 667, Tschorsnig & Richter 1998: 820)	0			x			
ERYNNIA Robineau-Desvoidy, 1830	6	1	1	1	-	-	-
ERYNNIOLA Mesnil, 1977	2	-	-	-	1	-	-
ERYNNIOPSIS Townsend, 1926	1	-	1	1	-	-	-
ERYTHROARGYROPS Townsend, 1917	1	1	-	-	-	-	-
ERYTHROCERA Robineau-Desvoidy, 1849	11	-	-	1	1	1	1

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ERYTHROEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ERYTHROMELANA Townsend, 1919	17	1	-	-	-	-	-
ERYTHRONYCHIA B. & B., 1891	9	-	-	-	-	-	1
ESTHERIA Robineau-Desvoidy, 1830	35	-	1	1	1	1	-
ETHILLA Robineau-Desvoidy, 1863	4	-	-	1	1	-	1
ETHYLLOIDES Verbeke, 1970	1	-	-	-	1	-	-
ETROGA Richter, 1995a*	1	-	-	1	-	-	-
EUACAULONA Townsend, 1908	1	1	-	-	-	-	-
EUANISIA Blanchard, 1947	1	1	-	-	-	-	-
EUANTHA van der Wulp, 1885	3	1	1	-	-	-	-
EUANTHOIDES Townsend, 1931	1	1	-	-	-	-	-
EUBISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
EUBRACHYMERA Townsend, 1919 = PSEUDOPACHYSTYLUM Mik, 1891 (Wood 1987: 1257, O'Hara & Wood 1998: 754)	0			x			
EUCALODEXIA Townsend, 1908 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
EUCELATORIA Townsend, 1909	71	1	1	-	-	-	1
EUCELATORIOIDEA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
EUCELATORIOPSIS Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
EUCEROMASIA Townsend, 1912	5	-	1	-	-	-	-
EUCHAETOGYNE Townsend, 1908	1	1	1	-	-	-	-
EUCHEIROPHAGA James, 1945	1	1	-	-	-	-	-
EUCLAUSICELLA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)	0	x					
EUCLYTIA Townsend, 1908	1	-	1	-	-	-	-
EUCNEPHALIA Townsend, 1892	1	-	1	-	-	-	-
EUCORDYLIGASTER Townsend, 1917 = CORDYLIGASTER Macquart, 1844 (Wood 1987: 1249, O'Hara & Wood 1998: 754)	0	x					
EUCORONIMYIA Townsend, 1908	1	-	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
EUCORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
EUCYRTOPHLOEBA Townsend, 1916 = CYRTOPHLEBA Rondani, 1856 (Mesnil 1974: 1266)	0	x					
EUDEJEANIA Townsend, 1912	22	1	-	-	-	-	-
EUDEXIA B. & B., 1889	3	1	-	-	-	-	-
EUEMPHEREMYIA Townsend, 1927	5	1	-	-	-	-	-
EUEPALPODES Townsend, 1915	1	1	-	-	-	-	-
EUEPALPUS Townsend, 1908	2	1	-	-	-	-	-
EUEXORISTA Townsend, 1912	2	-	1	1	-	-	-
EUFABRICIOPSIS Townsend, 1915	1	1	-	-	-	-	-
EUGAEDIOPSIS Townsend, 1916 = GAEDIOPSIS B. & B., 1891 (O'Hara & Wood 2004: 176)	0	x					
EUGAEDIOXENIS Cerretti, O'Hara & Stireman, 2015	2	-	-	-	1	-	-
EUGYMNNOPEZA Townsend, 1933	2	-	-	1	-	-	-
EUHALIDAYA Walton, 1914	5	1	1	-	-	-	-
EUHELIOPROSOPA Reinhard, 1964 = CHILOEPALPUS Townsend, 1927 (Cortés 1992: 236)	0	x					
EUHUASCARAYA Townsend, 1927	4	1	-	-	-	-	-
EUHYGIA Mesnil, 1968	2	-	-	1	-	-	-
EUHYSTRICIA Townsend, 1914	2	1	-	-	-	-	-
EUJURINIODES Townsend, 1935	2	1	-	-	-	-	-
EULABIDOGASTER Belanovsky, 1951	1	-	-	1	-	-	-
EULASIONA Townsend, 1892	12	1	1	1	-	-	-
EULASIOPALPUS Townsend, 1913	10	1	-	-	-	-	-
EULOBOMYIA Woodley & Arnaud, 2008* Replacement name for LOBOMYIA Woodley & Arnaud, 2008, preoccupied by LOBOMYIA Niitsuma, 2007.	1	1	-	-	-	-	-
EULOEWIODORIA Townsend, 1927	1	1	-	-	-	-	-
EULOEWIOPSIS Townsend, 1917	1	1	-	-	-	-	-
EUMACHAERAEA Townsend, 1927	1	1	-	-	-	-	-
EUMACROHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
EUMASICERA Townsend, 1909 = HOUGHIA Coquillett, 1897 (Wood 1987: 1206, O'Hara & Wood 1998: 754)	0	x					
EUMEA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993).	3	-	1	1	-	1	-
EUMEELLA Mesnil, 1939	2	-	-	1	-	-	-
EUMEGAPARIA Townsend, 1908	1	-	1	-	-	-	-
EUMELANEPALPUS Townsend, 1915	1	1	-	-	-	-	-
EUMYOBIA Townsend, 1911 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 754)	0	x					
EUNEMORILLA Townsend, 1919	8	1	1	-	-	-	-
EUOESTROGASTER Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
EUOESTROGASTRODES Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
EUOESTROPHASIA Townsend, 1892	7	1	-	-	-	-	-
EUOESTROPSIS Townsend, 1913	1	1	-	-	-	-	-
EUPELECOTHECA Townsend, 1919 = NEOMINTHO B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 755)	0	x					
EUPHASIOPTERYX Townsend, 1915 = ORMIA Robineau-Desvoidy, 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 755)	0	x					
EUPHOROCERA Townsend, 1892 = CHETOGENA Rondani, 1856 (Wood 1987: 1221, O'Hara & Wood 1998: 755)	0	x					
EUPHOROCEROPSIS Townsend, 1917 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 755)	0	x					
EUPODODEXIA Villeneuve, 1915	5	-	-	-	1	-	-
EUPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
EUPTILODEGEERIA Townsend, 1931 = EUCELATORIA Townsend, 1909 (Inclán & Stireman 2014: 67)	0	x					
EUPTILOMYIA Townsend, 1939	1	1	-	-	-	-	-
EUPTILOPAREIA Townsend, 1916	2	-	1	-	-	-	-
EURITHIA Robineau-Desvoidy, 1844 Recorded from Oriental Region by Sun <i>et al.</i> (1992). = PANZERIA Robineau-Desvoidy, 1830 (Cerretti 2010: 326)	0			x		x	

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
EURYGASTROPSIS Townsend, 1916	1	-	-	-	-	-	1
EURYSTHAEA Robineau-Desvoidy, 1863 Removed from Afrotropical Region by O'Hara & Cerretti (2016).	4	-	-	1	-	1	1
EURYTHEMYIA Reinhard, 1967	1	1	-	-	-	-	-
EUSAUNDERSIOPS Townsend, 1915	1	1	-	-	-	-	-
EUSCOPOLIA Townsend, 1892	1	-	1	-	-	-	-
EUSCOPOLIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
EUSISYROPA Townsend, 1908 = HYPHANTROPHAGA Townsend, 1892 (Wood 1987: 1206, O'Hara & Wood 1998: 755)	0	x					
EUSTACOMYIA Malloch, 1927	2	-	-	-	-	-	1
EUTELOTHYRIA Townsend, 1931	2	1	-	-	-	-	-
EUTHELAIRA Townsend, 1912	2	1	-	-	-	-	-
EUTHELYCONYCHIA Townsend, 1927 Synonymized with OPSOMEIGENIA Townsend, 1919 by Wood (1985: 68) but reinstated as valid by Wood <i>in</i> O'Hara & Wood (1998: 771).	5	1	1	-	-	-	-
EUTHERA Loew, 1866	13	1	1	1	1	1	1
EUTHYPROSOPIELLA Blanchard, 1963	1	1	-	-	-	-	-
EUTRAPELUS Reinhard, 1975* = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
EUTRICHOPHORA Townsend, 1915	1	1	-	-	-	-	-
EUTRICHOPODA Townsend, 1908	7	1	-	-	-	-	-
EUTRICHOPODOPSIS Blanchard, 1966 =TRICHOPODA Berthold, 1827 (Liljesthröm 1992: 56)	0	x					
EUTRIXA Coquillett, 1897	2	1	1	-	-	-	-
EUTRIXOIDES Walton, 1913	1	1	-	-	-	-	-
EUTRIXOPSIS Townsend, 1919	8	-	-	1	1	1	-
EUVESPIVORA Baranov, 1942	2	-	-	-	-	1	1
EUWINTHEMIA Blanchard, 1963	1	1	-	-	-	-	-
EVERESTIOMYIA Townsend, 1933 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	-	1	-	1	-
EVIDOMYIA Reinhard, 1958	1	-	1	-	-	-	-
EXECHOPALPUS Macquart, 1847	5	-	-	-	-	-	1



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
EXODEXIA Townsend, 1927	1	1	-	-	-	-	-
EXOERNESTIA Townsend, 1927	2	1	-	-	-	-	-
EXOPALPUS Macquart, 1851	9	1	-	-	-	-	-
EXORISTA Meigen, 1803	109	-	1	1	1	1	1
EXORISTOIDES Coquillett, 1897	5	1	1	-	-	-	-
EXORISTOPSIS Townsend, 1915 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
FABRICIELLA Bezzi, 1906 = TACHINA Meigen, 1803 (Wood 1987: 1244, O'Hara & Wood 1998: 755)	0	x					
FABRICIOPSIS Townsend, 1914	2	1	-	-	-	-	-
FASSLOMYIA Townsend, 1931	1	1	-	-	-	-	-
FAUSTA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993). = PANZERIA Robineau-Desvoidy, 1830 (Cerretti 2010: 326)	0	x		x		x	
FERIOLA Mesnil, 1957 Recorded from Palaearctic Region by Richter (1986).	3	-	-	1	-	1	-
FILISTEA Cerretti & O'Hara <i>in</i> O'Hara & Cerretti, 2016	2	-	-	-	1	-	-
FISCHERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
FLAVICORNICULUM Chao & Shi, 1981 Recorded from both Palaearctic and Oriental regions by Chao & Shi (1981).	4	-	-	1	-	1	-
FLORADALIA Thompson, 1963	2	1	-	-	-	-	-
FORCIPOPHASIA Townsend, 1935 = ACAULONA van der Wulp, 1884 (Toma 2003: 269)	0	x					
FORMICOMYIA Townsend, 1916	1	1	-	-	-	-	-
FORMICOPHANIA Townsend, 1916	1	-	-	-	-	1	-
FORMODEXIA Crosskey, 1973	1	-	-	-	-	-	1
FORMOSIA Guérin-Méneville, 1843	24	-	-	-	-	1	1
FRERAEA Robineau-Desvoidy, 1830	2	-	1	1	-	-	-
FROGGATTIMYIA Townsend, 1916	11	-	-	-	-	-	1
FRONTINA Meigen, 1838	5	-	-	1	-	1	-
FRONTINIELLA Townsend, 1918	11	1	1	-	-	-	-
FRONTOCNEPHALIA Townsend, 1916	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
FRONTODEXIA Mesnil, 1976	1	-	-	-	1	-	-
GAEDIA Meigen, 1838	4	-	-	1	-	-	-
GAEDIOPHANA B. & B., 1893 = GAEDIOPSIS B. & B., 1891 (Wood 1987: 1210, O'Hara & Wood 1998: 755)	0	x					
GAEDIOPHANOPSIS Blanchard, 1954	1	1	-	-	-	-	-
GAEDIOPSIS B. & B., 1891	14	1	1	-	-	-	-
GAEDIOXENIS Townsend, 1943 = AGAEDIOXENIS Villeneuve, 1939 (Cerretti <i>et al.</i> 2015: 502)	0				x		
GAEDIOXENIS Villeneuve, 1937, <i>nomen nudum</i> See Evenhuis <i>et al.</i> (2008: 14) for authorship and dating.	0				x		
GALAPAGOSIA Curran, 1934	1	1	-	-	-	-	-
GALSANIA Richter, 1993* Synonymized with GONIOCERA B. & B., 1891 by Richter (1995a: 747) but reinstated as valid by Richter (2002: 238).	1	-	-	1	-	-	-
GANOPLEURON Aldrich, 1934	1	1	-	-	-	-	-
GANOPROCTUS Aldrich, 1934	2	1	-	-	-	-	-
GASTROLEPTA Rondani, 1862	1	-	-	1	-	-	-
GASTROPTILOPS Mesnil, 1957	1	-	-	1	-	-	-
GAUTENGICESA Koçak & Kemal, 2010* Replacement name for PRETORIANA Curran, 1938, preoccupied by PRETORIANA Uvarov, 1922. = MYXOGAEDIA Mesnil, 1956 (O'Hara 2011: 60–61).	0				x		
GEMURSA Barraclough, 1992*	2	-	-	-	-	-	1
GENEA Rondani, 1850	17	1	1	-	-	-	-
GENEODES Townsend, 1934	1	1	-	-	-	-	-
GENOTRICHIA Malloch, 1938	2	-	-	-	-	-	1
GERALDIA Malloch, 1930	14	-	-	-	-	-	1
GERMARIA Robineau-Desvoidy, 1830	15	-	1	1	-	-	-
GERMARIOCHAETA Villeneuve, 1937	1	-	-	1	-	1	-
GERMARIOPSIS Townsend, 1915	1	1	-	-	-	-	-
GEROCYPTERA Townsend, 1916 = CYLINDROMYIA (GEROCYPTERA Townsend, 1916) (Herting & Dely-Draskovits 1993: 431, O'Hara, Shima & Zhang 2009: 126)	0					x	x

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
GIBSONOMYIA Curran, 1925 = PHYLLOMYIA Robineau-Desvoidy, 1830 (Mesnil & Shima 1979: 486)	0					x	
GIGAMYIOPSIS Reinhard, 1964	1	1	-	-	-	-	-
GIGANTOEPALPUS Townsend, 1913	1	1	-	-	-	-	-
GINGLYMIA Townsend, 1892	5	1	1	-	-	-	-
GLAUROCARA Thomson, 1869 Recorded from Palearctic Region by Richter (1988).	16	-	-	1	1	1	-
GLOSSIDIONOPHORA Bigot, 1885 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)	0	x					
GNADOCHAETA Macquart, 1851	30	1	1	1	-	-	-
GONATORRHINA Röder, 1886	1	1	-	-	-	-	-
GONIA Meigen, 1803 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	65	1	1	1	1	1	1
GONIOCERA B. & B., 1891	4	-	1	1	-	-	-
GONIOCHAETA Townsend, 1891	2	-	1	-	-	-	-
GONIOPHTHALMUS Villeneuve, 1910	6	-	-	1	1	1	1
GONISTYLUM Macquart, 1851	1	1	-	-	-	-	-
GONITIMYA Chao & Liu <i>in</i> Liu, Chao <i>et al.</i> , 1998 Unavailable name, no included species or type species fixation (ICZN Article 13.3, 1999).	0			x			
GONZALEZODORIA Cortés, 1967	1	1	-	-	-	-	-
GOPAULIA Thompson, 1968 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)	0	x					
GRACILICERA Miller, 1945	3	-	-	-	-	-	1
GRAPHIA van der Wulp, 1885	1	-	-	-	-	-	1
GRAPHOGASTER Rondani, 1868	25	-	1	1	1	-	-
GRAPHOTACHINA Malloch, 1938	1	-	-	-	-	-	1
GUERINIOPSIS Reinhard, 1943	1	-	1	-	-	-	-
GWENDA Richter, 1977 = PHYTOMYPTERA Rondani, 1845 (Andersen 1988: 45)	0			x			
GYMNAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
GYMNOCARCELIA Townsend, 1919 = CARCELIA Robineau-Desvoidy, 1830 (O'Hara & Wood 2004: 116)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
<i>GYMNOCHAETOPSIS</i> Townsend, 1914 = <i>LINNAEMYA</i> Robineau-Desvoidy, 1830 (Mesnil 1971: 1018)	0	x					
<i>GYMNOCHETA</i> Robineau-Desvoidy, 1830 Also spelled <i>GYMNOCHAETA</i> , unjustified emendation.	12	-	1	1	-	1	-
<i>GYMNOCLYTIA</i> B. & B., 1893	14	1	1	-	-	-	-
<i>GYMNODORIA</i> Townsend, 1927 = <i>MYIOPHARUS</i> B. & B., 1889 (Wood 1985: 61)	0	x					
<i>GYMNOGLOSSA</i> Mik, 1898	2	-	-	1	1	-	-
<i>GYMNOMACQUARTIA</i> Mesnil & Shima, 1978	1	-	-	1	-	-	-
<i>GYMNOMMA</i> van der Wulp, 1888	3	1	-	-	-	-	-
<i>GYMNOMMOPSIS</i> Townsend, 1927	4	1	-	-	-	-	-
<i>GYMNOPALPUS</i> Townsend, 1919 = <i>SPATHIDEXIA</i> ( <i>GYMNOPALPUS</i> Townsend, 1919) (Wood 1987: 1265, O'Hara & Wood 1998: 755)	0	x					
<i>GYMNOPHRYXE</i> Villeneuve, 1922	6	-	1	1	-	-	-
<i>GYMNOSOMA</i> Meigen, 1803	32	1	1	1	1	1	-
<i>GYNANDROMYIA</i> Bezzi, 1923	14	-	-	-	1	1	-
<i>HALYDAIA</i> Egger, 1856 Also spelled <i>HALIDAYA</i> or <i>HALIDAIA</i> , unjustified emendations (O'Hara, Shima & Zhang 2009: 38).	5	-	-	1	-	1	1
<i>HAMAXIA</i> Walker, 1860 Removed from Afrotropical Region by O'Hara & Cerretti (2016).	2	-	-	1	-	1	-
<i>HAMAXIELLA</i> Mesnil, 1967	1	-	-	1	-	1	-
<i>HAPALIOLOEMUS</i> Baranov, 1934 Recorded from Palearctic Region by Shima (1999, as "HAPLIOLOEMUS").	2	-	-	1	-	1	-
<i>HARACCA</i> Richter, 1995a* Recorded from Oriental Region by Richter (1998c).	1	-	-	1	-	1	-
<i>HARRISIA</i> Robineau-Desvoidy, 1830	2	1	-	-	-	-	-
<i>HASMICA</i> Richter, 1972 = <i>CLAUSICELLA</i> Rondani, 1856 (Herting & Dely-Draskovits 1993: 345, O'Hara & Cerretti 2016).	0			x	x	x	
<i>HAYWARDIMYIA</i> Blanchard, 1955 Misspelled as <i>HAYWARDIAMYIA</i> by Guimarães (1971: 168).	1	1	-	-	-	-	-
<i>HEBIA</i> Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
<i>HEGESINUS</i> Reinhard, 1964	1	1	-	-	-	-	-
<i>HELIAEA</i> Curran, 1934	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
HELICONIOPHAGA Thompson, 1966	1	1	-	-	-	-	-
HELIODEXODES Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HELIODORUS Reinhard, 1964	2	-	1	-	-	-	-
HELIOLYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HELIOLYDELLOPS Townsend, 1934 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)	0	x					
HELIOPLAGIA Townsend, 1934 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
HELIOPROSOPA Townsend, 1927	6	1	-	-	-	-	-
HEMIARGYROPHYLAX Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
HEMIARGYROPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
HEMILYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HEMIMACQUARTIA B. & B., 1893	1	-	-	1	-	-	-
HEMISTURMIA Townsend, 1927	7	1	1	-	-	-	-
HEMISTURMIELLA Guimarães, 1983*	1	1	-	-	-	-	-
HEMIWINTHEMIA Villeneuve, 1938 = WINTHEMIA Robineau-Desvoidy, 1830 (Inclán <i>et al.</i> 2016: 279)	0				x		
HEMYDA Robineau-Desvoidy, 1830	9	1	1	1	-	1	-
HERAULTIA Villeneuve, 1920	1	-	-	1	-	-	-
HERMYA Robineau-Desvoidy, 1830	19	-	-	1	1	1	-
HESPEROMYIA B. & B., 1889	2	-	1	-	-	-	-
HESPEROPHASIA Townsend, 1915 = KIRBYA (HESPEROPHASIA Townsend, 1915) (Mesnil 1974: 1283, O'Hara & Wood 2004: 59)	0	x					
HETERIA Malloch, 1930	6	-	-	-	-	-	1
HETEROMETOPIA Macquart, 1846	4	-	-	-	-	-	1
HEYNEOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
HILLOMYIA Crosskey, 1973	1	-	-	-	-	-	1
HINEOMYIA Townsend, 1916	1	-	1	-	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
HOBARTIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)	0						x
HOMALACTIA Townsend, 1915	1	-	1	-	-	-	-
HOMOGENIA van der Wulp, 1892	8	1	-	-	-	-	-
HOMOHYPOCHAETA Townsend, 1927	2	1	-	-	-	-	-
HOMOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
HOMOSAUNDERSIOPS Townsend, 1931	1	1	-	-	-	-	-
HOMOTRIXA Villeneuve, 1914	3	-	-	-	-	1	1
HOUGHIA Coquillett, 1897	66	1	1	-	-	-	-
HUASCARAYOPSIS Townsend, 1927	1	1	-	-	-	-	-
HUASCARODEXIA Townsend, 1919	1	1	-	-	-	-	-
HUBNERIA Robineau-Desvoidy, 1848	2	-	1	1	-	-	-
HUTTONOBESSERIA Curran, 1927	1	-	-	-	-	-	1
HYADESIMYIA Bigot, 1888	1	1	-	-	-	-	-
HYALOMYA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 170, Sun & Marshall 2003: 18)	0	x					
HYALOMYODES Townsend, 1893 = STRONGYGASTER Macquart, 1834 (Wood 1987: 1260, O'Hara & Wood 1998: 755)	0	x					
HYALURGUS B. & B., 1893	16	-	1	1	-	1	-
HYGIELLA Mesnil, 1957	5	-	-	-	-	1	-
HYLEORUS Aldrich, 1926	7	-	-	1	1	1	1
HYOSOMA Aldrich, 1934	1	1	-	-	-	-	-
HYPERAEA Robineau-Desvoidy, 1863	4	-	-	1	-	-	-
HYPERSARA Villeneuve, 1935	3	-	-	-	1	1	-
HYPERTROPHOCERA Townsend, 1891	1	1	1	-	-	-	-
HYPERTROPHOMMA Townsend, 1915	2	1	1	-	-	-	-
HYPHANTROPHAGA Townsend, 1892	15	1	1	-	-	-	-
HYPOCHAETOPSIS Townsend, 1915	1	1	-	-	-	-	-
HYPODORIA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
HYPOHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
HYPOMYOTHYRIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HYPOPHYLAX Townsend, 1935 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)	0	x					
HYPOPROXYNOPS Townsend, 1927	1	1	-	-	-	-	-
HYPOTACHINA B. & B., 1891 Treated as a synonym of NEMORAEA Robineau-Desvoidy, 1830 by Crosskey (1980: 843) and Herting (1984: 95) but reinstated as valid by Wood & Zumbado (2010: 1405).	1	1	-	-	-	-	-
HYPOVORIA Villeneuve, 1913	5	1	1	1	-	-	-
HYPSOMYIA Cortés, 1983* Junior homonym of HYPSOMYIA McAlpine, 1965 and replaced by RCORTESIA Koçak & Kemal, 2010.	0	x					
HYSTRICEPHALA Macquart, 1846	1	-	-	-	1	-	-
HYSTRICHODEXIA Röder, 1886	7	1	-	-	-	-	-
HYSTRICIA Macquart, 1844	30	1	1	-	-	-	-
HYSTRICIELLA Townsend, 1915 = JURINELLA B. & B., 1889 (Woodley 2007: 857)	0	x					
HYSTRICIOPSIS Townsend, 1914 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)	0	x					
HYSTRICOVORIA Townsend, 1928 Treated as a synonym of VORIA Robineau-Desvoidy, 1830 by Fleming <i>et al.</i> (2017a: 7) but recognized as valid here following O'Hara & Cerretti (2016: 56).	1	-	-	-	1	1	1
HYSTRIONOMYIA Portschinsky, 1881 Recorded from Oriental Region by Chao (1974).	6	-	-	1	-	1	-
HYSTRISYPHONA Bigot, 1859	1	1	-	-	-	-	-
ICELIA Robineau-Desvoidy, 1830	5	1	1	-	-	-	-
ICELIOPSIS Guimarães, 1976*	1	1	-	-	-	-	-
ICONOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
ICTERICODEXIA Townsend, 1934	1	1	-	-	-	-	-
IGNEOMYIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating.	2	-	-	-	1	-	-
IGNOTOMYIA Reinhard, 1961 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 755)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ILLA Baranov, 1938 Junior homonym of ILLA Warren, 1914 and replaced by SOLOMONILLA Özdikmen, 2007.	0						x
IMAGUNCULA Reinhard, 1958 = SPALLANZANIA Robineau-Desvoidy, 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 755)	0	x					
IMITOMYIA Townsend, 1912	6	-	1	1	1	-	-
IMPECCANTIA Reinhard, 1961	1	-	1	-	-	-	-
INCAMYIA Townsend, 1912	12	1	-	-	-	-	-
INCAMYIOPSIS Townsend, 1919	1	1	-	-	-	-	-
INTRAPALES Villeneuve, 1938	3	-	-	-	1	-	-
IRENGIA Townsend, 1935	2	1	-	-	-	-	-
IRWINIA Cortés, 1967 = PHYTOMYPTERA Rondani, 1845 (Mesnil 1973: 1192, Andersen 1988: 45)	0	x					
ISAFARUS Richter, 1976	1	-	-	1	-	-	-
ISCHYROPHAGA Townsend, 1915	1	1	-	-	-	-	-
ISIDOTUS Reinhard, 1962	1	1	1	-	-	-	-
ISOCHAETINA Mesnil, 1950	1	-	-	-	-	1	-
ISOPEXOPSIS Sun & Chao, 1994 = TAKANOMYIA Mesnil, 1957 (O'Hara, Shima & Zhang 2009: 119)	0					x	
ISOSTURMIA Townsend, 1927	12	-	-	1	-	1	1
ISTOCHETA Rondani, 1859 Also spelled ISTOCHAETA, unjustified emendation. Recorded from Oriental Region by Chao & Zhou (1993) and from Afrotropical Region by O'Hara & Cerretti (2016).	48	-	1	1	1	1	-
ITABIOMYIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
ITACNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
ITACUPHOCERA Townsend, 1927	3	1	-	-	-	-	-
ITALISPIDEA Townsend, 1927	4	1	-	-	-	-	-
ITALYDELLA Townsend, 1927	2	1	-	-	-	-	-
ITAMINTHO Townsend, 1931	1	1	-	-	-	-	-
ITAPLECTOPS Townsend, 1927	10	1	-	-	-	-	-
ITASAUNDERSIA Townsend, 1927	1	1	-	-	-	-	-



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ITASTURMIA Townsend, 1927	1	1	-	-	-	-	-
ITAVORIA Townsend, 1931 = VORIA Robineau-Desvoidy, 1830 (Fleming & Wood <i>in</i> Fleming <i>et al.</i> 2017a: 7)	0	x					
ITAXANTHOMELANA Townsend, 1927	1	1	-	-	-	-	-
ITEUTHELAIIRA Townsend, 1927	2	1	-	-	-	-	-
JAENIMYIA Townsend, 1912 = PTEROTOPEZA Townsend, 1908 (Toma & Guimarães 2000a: 8)	0	x					
JALAPAMYIA Reinhard, 1964 = MAUROMYIA Coquillett, 1897 (O'Hara 2002: 56)	0	x					
JAMACARIA Curran, 1928	1	1	-	-	-	-	-
JANTHINOMYIA B. & B., 1893	2	-	-	1	-	1	-
JAYNESLESKIA Townsend, 1934 = GENEIA Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)	0	x					
JURINELLA B. & B., 1889	54	1	1	-	-	-	-
JURINIA Robineau-Desvoidy, 1830	13	1	1	-	-	-	-
JURINIOPSIS Townsend, 1916	9	1	1	-	-	-	-
JURINIOSOMA Townsend, 1927	1	1	-	-	-	-	-
JURINODEXIA Townsend, 1915	1	1	-	-	-	-	-
KAISERIOLA Mesnil, 1970	2	-	-	-	1	-	-
KALLISOMYIA Borisova-Zinovjeva, 1964	1	-	-	1	-	-	-
KAMBAITIMYIA Mesnil, 1953	2	-	-	-	-	1	-
KINANGOPANA van Emden, 1960 = DYSHYPOSTENA Villeneuve, 1939 (O'Hara & Cerretti, 2016: 214)	0				x		
KINIATILIOPS Mesnil, 1955	3	-	-	-	1	-	-
KINIATILLA Villeneuve, 1938	2	-	-	-	1	-	-
KIRBYA Robineau-Desvoidy, 1830	9	1	1	1	-	-	-
KLUGIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
KORALLIOMYIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating.	1	-	-	-	-	1	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
KUWANIMYIA Townsend, 1916 Recognized as valid by Herting & Dely-Draskovits (1993: 252), Shima (2006: 44, 106) and O'Hara, Shima & Zhang (2009: 110), but treated as a synonym of DOLICHOCOLON Brauer & Bergenstamm, 1889 by Tschorsnig & Richter (1998: 814); redefined by Cerretti (2009b).	5	-	-	1	1	1	-
LABIGASTERA Macquart, 1834	4	-	-	1	-	-	-
LAFUENTEMYIA Marnef, 1965	1	1	-	-	-	-	-
LAMBRUSCA Richter, 1998*	1	-	-	1	-	-	-
LASIONA van der Wulp, 1890	1	1	-	-	-	-	-
LASIONEURA Coquillett, 1895 = GINGLYMIA Townsend, 1892 (Wood 1987: 1239, O'Hara & Wood 1998: 755)	0	x					
LASIOPALES Villeneuve, 1922	1	-	-	1	-	-	-
LASIOPALPUS Macquart, 1847	1	1	-	-	-	-	-
LATIGINELLA Villeneuve, 1936	2	-	-	-	1	-	-
LAUFFERIELLA Villeneuve, 1929	3	-	-	1	-	-	-
LECANIPA Rondani, 1859	2	-	-	1	-	-	1
LEIOPHORA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	-	1	-	1	-
LEPTIDOSOPHIA Townsend, 1931	2	1	-	-	-	-	-
LEPTODEXIA Townsend, 1919	2	1	-	-	-	-	-
LEPTOMACQUARTIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOSTYLUM Macquart, 1851	8	1	-	-	-	-	-
LEPTOTHELAIIRA Mesnil & Shima, 1979	5	-	-	1	-	1	-
LESCHENAULTIA Robineau-Desvoidy, 1830	35	1	1	-	-	-	-
LESKIA Robineau-Desvoidy, 1830	39	1	1	1	1	1	1
LESKIOLA Mesnil, 1957	2	-	-	-	-	1	-
LESKIOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LESKIOMIMA B. & B., 1891 = GENEAL Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)	0	x					
LESKIOPSIS Townsend, 1916 = TELOTHYRIA van der Wulp, 1890 (Wood & Zumbado 2010: 1412)	0	x	x				
LESPESIA Robineau-Desvoidy, 1863	69	1	1	1	-	-	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
LEUCOCARCELIA Villeneuve, 1921	1	-	-	-	1	-	-
LEUCOSTOMA Meigen, 1803	28	1	1	1	1	-	1
LEVERELLA Baranov, 1934	2	-	-	-	-	-	1
LIGERIA Robineau-Desvoidy, 1863	3	-	1	1	-	-	-
LIGERIELLA Mesnil, 1961 Recorded from Oriental Region by Shima (1994).	2	-	-	1	-	1	-
LINDIGEPALPUS Townsend, 1931	2	1	-	-	-	-	-
LINDIGIA Townsend, 1931 = OHARAMYIA Evenhuis, Pont & Whitmore, 2015 (Evenhuis <i>et al.</i> 2015: 155)	0	x					
LINDNERIOLA Mesnil, 1959	1	-	-	-	1	-	-
LINNAEMYA Robineau-Desvoidy, 1830 Also spelled LINNAEMYIA, unjustified emendation.	151	1	1	1	1	1	1
LISPIDEOSOMA Reinhard, 1943 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 755)	0	x					
LISSOGLOSSA Villeneuve, 1913	2	-	-	1	-	-	-
LITOPHASIA Girschner, 1887	2	-	-	1	1	-	-
LIXADMONTIA Wood & Cave, 2006* Described from Neotropical Region and introduced into Florida in 2007.	1	1	1	-	-	-	-
LIXINIA Curran, 1926 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
LIXOPHAGA Townsend, 1908 Recorded from Oriental Region by Shima (1997).	79	1	1	1	-	1	1
LOBOMYIA Woodley & Arnaud, 2008* Junior homonym of LOBOMYIA Niitsuma, 2007 and replaced by EULOBOMYIA Woodley & Arnaud, 2008.	0	x					
LOEWIA Egger, 1856	17	-	1	1	-	-	-
LOMACHANTHA Rondani, 1859	2	-	-	1	-	-	-
LOPHOSIA Meigen, 1824	26	-	-	1	-	1	-
LOPHOSIOSOMA Mesnil, 1973	4	-	-	-	-	1	-
LUBUTANA Villeneuve, 1938	3	-	-	-	1	-	-
LYDELLA Robineau-Desvoidy, 1830	18	1	1	1	1	1	1
LYDELLINA Villeneuve, 1916	6	-	-	-	1	1	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
LYDELLOHOUGHIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
LYDELLOTHELIRA Townsend, 1919	1	1	-	-	-	-	-
LYDINA Robineau-Desvoidy, 1830	5	1	1	1	-	-	-
LYDINOLYDELLA Townsend, 1927	4	1	-	-	-	-	-
LYGAEOMYIA Aldrich, 1934	1	1	-	-	-	-	-
LYPHA Robineau-Desvoidy, 1830	20	1	1	1	-	-	-
LYPHOSIA Mesnil, 1957	1	-	-	1	-	-	-
MACHAIROMASICERA Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
MACQUARTIA Robineau-Desvoidy, 1830	25	-	1	1	1	1	-
MACROCHLORIA Malloch, 1929	1	-	-	-	-	-	1
MACROHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					
MACROHOUGHIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MACROJURINIA Townsend, 1916	1	1	-	-	-	-	-
MACROMETOPA B. & B., 1889	1	1	-	-	-	-	-
MACROMYIA Robineau-Desvoidy, 1830	6	1	1	-	-	-	-
MACROPATELLOA Townsend, 1931	1	1	-	-	-	-	-
MACROPODEXIA Townsend, 1933 = SENOSTOMA Macquart, 1847 (Barraclough 1992: 1309)	0						x
MACROPROSOPA B. & B., 1889	1	-	-	1	-	-	-
MACTOMYIA Reinhard, 1958	1	-	1	-	-	-	-
MACULOSALIA Mesnil, 1946	3	-	-	1	-	-	-
MADREMYIA Townsend, 1916 Recorded from Afrotropical Region by O'Hara & Cerretti (2016).	3	1	1	1	1	-	-
MAGRIPA Richter, 1988*	1	-	-	1	-	-	-
MAHAUIELLA Toma, 2003*	2	1	-	-	-	-	-
MALAYIA Malloch, 1926 Valid genus of RHINOPHORIDAE (Pape & Shima 1993: 81).	0					x	
MALLOCHOMACQUARTIA Townsend, 1934	3	-	-	-	-	-	1
MANOLA Richter, 1982	1	-	-	1	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
MANTEOMASIPHYA Guimarães, 1966	1	1	-	-	-	-	-
MARACASIMYIA Thompson, 1968 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)	0	x					
MARNEFIA Cortés, 1982*	1	1	-	-	-	-	-
MARSHALLOMYIA Fennah <i>in</i> van Emden, 1960 The author of this name is given in the literature as van Emden, but the author was Fennah as explained in a note on the first page of the paper.	1	-	-	-	1	-	-
MASICERA Macquart, 1834	3	-	-	1	-	-	-
MASIPHYA B. & B., 1891	13	1	1	-	-	-	-
MASIPHYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MASISTYLOIDES Mesnil, 1963	2	-	-	1	-	-	-
MASISTYLUM B. & B., 1893	2	-	1	1	-	-	-
MASTIGIOMYIA Reinhard, 1964	1	1	-	-	-	-	-
MATUCANIA Townsend, 1919	1	1	-	-	-	-	-
MAURITIODORIA Townsend, 1932	1	-	-	-	1	-	-
MAUROMYIA Coquillett, 1897	6	1	1	-	-	-	-
MAYODISTICHONA Townsend, 1928	1	1	-	-	-	-	-
MAYOPHORINIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
MAYOSCHIZOCERA Townsend, 1927	1	1	-	-	-	-	-
MEDINA Robineau-Desvoidy, 1830	35	1	1	1	1	1	-
MEDINELLA Dugdale, 1969	4	-	-	-	-	-	1
MEDINODEXIA Townsend, 1927	4	-	-	-	-	1	1
MEDINOMYIA Mesnil, 1957	1	-	-	-	-	1	-
MEDINOPHYTO Townsend, 1927	2	1	-	-	-	-	-
MEDINOSPILA Mesnil, 1977	1	-	-	-	1	-	-
MEDIOSSETIGER Barraclough, 1983	1	-	-	-	1	-	-
MEGAPARIA van der Wulp, 1891	1	1	1	-	-	-	-
MEGAPARIOPSIS Townsend, 1915	1	-	1	-	-	-	-
MEGAPROSOPUS Macquart, 1844	3	1	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
MEGISTOGASTROPSIS Townsend, 1916	2	-	-	-	-	1	1
MEHMETIA Özdikmen, 2007* Replacement name for RHAMPHOPTERYX Townsend, 1931, preoccupied by RHAMPHOPTERYX Bryk, 1913.	1	1	-	-	-	-	-
MEIGENIA Robineau-Desvoidy, 1830 Recorded from Afrotropical Region by Zeegers (2007, Yemen).	14	-	1	1	1	1	-
MEIGENIELLOIDES Townsend, 1919	1	1	1	-	-	-	-
MELANACTIA Townsend, 1927 = OXYNOPS Townsend, 1912 (Wood 1985: 71)	0	x					
MELANASOMYIA Malloch, 1935	2	-	-	-	-	1	-
MELANEPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
MELANEPALPUS Townsend, 1914	3	1	-	-	-	-	-
MELANESOMYIA Barraclough, 1998* MELANESOMYIA Barraclough, 1997 is a <i>nomen nudum</i> because a type species was not designated from three included species.	3	-	-	-	-	-	1
MELANODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
MELANOPHRYS Williston, 1886	2	-	1	-	-	-	-
MELANORLOPTERYX Townsend, 1927	1	1	-	-	-	-	-
MELANOROMINTHO Townsend, 1935	1	1	-	-	-	-	-
MELANOROPHASIA Townsend, 1934	1	1	-	-	-	-	-
MELASTRONGYGASTER Shima, 2015*	5	-	-	1	-	1	-
MELEDONUS Aldrich, 1926	5	-	1	-	-	-	-
MELETERUS Aldrich, 1926	2	1	1	-	-	-	-
MELISONEURA Rondani, 1861	1	-	-	1	-	-	-
MELLACHNUS Aldrich, 1934	1	1	-	-	-	-	-
MENDELSSOHNIA Kugler, 1971	1	-	-	1	-	-	-
MENETUS Aldrich, 1926 Junior homonym of MENETUS Adams & Adams, 1855 and replaced by ALDRICHOMYIA Özdikmen, 2006.	0		x				
MERICINA Curran, 1927 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
MESEMBRIERIGONE Townsend, 1931	1	1	-	-	-	-	-
MESEMBRINORMIA Townsend, 1931	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
MESNILANA van Emden, 1945	1	-	-	-	1	-	-
MESNILETTA Herting, 1979*	1	-	-	-	-	1	-
MESNILISCA Zimin, 1974	1	-	-	1	-	-	-
MESNILIUS Özdikmen, 2006* Replacement name for PARAGONIA Mesnil, 1950, preoccupied by PARAGONIA Hübner, 1923.	1	-	-	-	-	-	1
MESNILOTRIX Cerretti & O'Hara <i>in</i> O'Hara & Cerretti, 2016	1	-	-	-	1	-	-
MESNILUS Özdikmen, 2007* Replacement name for ZIMINIOLA Mesnil, 1978, preoccupied by ZIMINIOLA Gerasimov, 1930.	6	-	-	-	1	-	-
MESOCHAETA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)	0	x					
METACEMYIA Herting, 1969	4	-	-	1	1	-	-
METADEXIA Coquillett, 1899 = ZELIA Robineau-Desvoidy, 1830 (Wood 1987: 1249, O'Hara & Wood 1998: 755)	0	x					
METADORIA B. & B., 1893 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
METADRINOMYIA Shima, 1980 = CHARITELLA Mesnil, 1957 (O'Hara & Cerretti, 2016: 68)	0			x	x	x	
METAGONISTYLUM Townsend, 1927 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)	0	x					
METALLICOMYIA Röder, 1886	1	1	-	-	-	-	-
METAMYIOPHASIA Blanchard, 1966	1	1	-	-	-	-	-
METAMYOBIA Townsend, 1927	1	1	-	-	-	-	-
METAPHOROCERA Thompson, 1968	1	1	-	-	-	-	-
METAPHRYNO Crosskey, 1967	1	-	-	-	-	-	1
METAPLAGIA Coquillett, 1895	6	-	1	-	-	-	-
METARRHINOMYIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62; cited as a synonym of OPSOMEIGENIA Townsend, 1919, by Wood 1985: 68, in error)	0	x					
METOPIOPS Townsend, 1912 = PSEUDOCHAETA (METOPIOPS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 755, O'Hara & Wood 2004: 196)	0	x					
METOPIOPSIS Vimmer & Soukup, 1940 Treated as a <i>nomen dubium</i> by Guimarães (1971: 217).	1	1	-	-	-	-	-
METOPOACTIA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
METOPOMINTHO Townsend, 1927 = PHYLLOMYA Robineau-Desvoidy, 1830 (Mesnil 1975: 1351)	0					x	
METOPOMUSCOPTERYX Townsend, 1915	3	-	1	-	-	-	-
METOPOSISYROPS Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)	0				x	x	
MIAMIMYIA Townsend, 1916 Recorded from Neotropical Region by Guimarães (1982b).	3	1	1	-	-	-	-
MIAMIMYIOPS Townsend, 1939	1	1	-	-	-	-	-
MICROAPORIA Townsend, 1919	1	1	-	-	-	-	-
MICROCEROPHINA Kugler, 1977	1	-	-	1	-	-	-
MICROCHAETINA van der Wulp, 1891	9	1	1	-	-	-	-
MICROCHAETOGYNE Townsend, 1931	1	1	-	-	-	-	-
MICROCHAETONA Townsend, 1919 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
MICROGYMNOMMA Townsend, 1916	2	1	-	-	-	-	-
MICROHYSTRICIA Malloch, 1938	1	-	-	-	-	-	1
MICROLESKIA Thompson, 1968 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)	0	x					
MICROMASIPHYA Townsend, 1934	1	1	-	-	-	-	-
MICRONYCHIA B. & B., 1889 One described species in Palaearctic Region according to O'Hara 2002: 117.	4	-	1	1	-	-	-
MICRONYCHIOPS Townsend, 1915	1	1	-	-	-	-	-
MICROPHTHALMA Macquart, 1844	17	1	1	1	1	1	1
MICROPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MICROSILLUS Aldrich, 1926 = SIPHOSTURMIA Coquillett, 1897 (Wood 1987: 1215, O'Hara & Wood 1998: 756)	0	x	x				
MICROSOMA Macquart, 1855	2	-	-	1	-	-	-
MICROTOWNSENDIA Curran, 1934 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)	0	x					
MICROTROPESA Macquart, 1846	14	-	-	-	-	-	1
MIKIA Kowarz, 1885	5	-	-	1	-	1	-
MILADA Richter, 1973	1	-	-	1	-	-	-



---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
MILONIUS Reinhard, 1955 = MYSTACOMYIA Giglio-Tos, 1893 (Wood 1987: 1211, O'Hara & Wood 1998: 756)	0	x					
MIMOLOGUS Reinhard, 1955 = EUNEMORILLA Townsend, 1919 (Wood 1987: 1211, O'Hara & Wood 1998: 756)	0	x					
MINTHO Robineau-Desvoidy, 1830	5	-	-	1	1	-	-
MINTHODES B. & B., 1889	13	-	-	1	1	-	-
MINTHODEXIOPSIS Townsend, 1927 = SPATHIDEXIA Townsend, 1912 (Wood <i>in</i> Fleming <i>et al.</i> 2015a: 5)	0	x					
MINTHOLESKIA Townsend, 1934	1	1	-	-	-	-	-
MINTHOMYIA Townsend, 1919 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)	0	x					
MINTHOPLAGIA Townsend, 1915	3	1	-	-	-	-	-
MINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
MINTHOSOMA Zeegers, 2007	1	-	-	-	1	-	-
MINTHOTACHINA Townsend, 1935	1	1	-	-	-	-	-
MINTHOXIA Mesnil, 1968	1	-	-	-	-	-	1
MITANNIA Herting, 1987*	1	-	-	1	-	-	-
MOCHLOSOMA B. & B., 1889	18	1	1	-	-	-	-
MONGOLOMINTHO Richter, 1976	1	-	-	1	-	-	-
MONOESTROGASTER Townsend, 1939 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
MONOLEPTOPHAGA Baranov, 1938	1	-	-	-	-	-	1
MONTANARTURIA Miller, 1945	1	-	-	-	-	-	1
MONTANOTHALMA Barraclough, 1996	1	-	-	-	1	-	-
MONTSERRATIA Thompson, 1964	1	1	-	-	-	-	-
MONTUOSA Chao & Zhou, 1996*	1	-	-	1	-	-	-
MOREIRIA Townsend, 1932	2	1	-	-	-	-	-
MORPHODEXIA Townsend, 1931	6	1	-	-	-	-	-
MUNIRA Richter, 1974	1	-	-	1	-	-	-
MUSCINOTHELAIIRA Townsend, 1916 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
MUSCOPTERYX Townsend, 1892	10	1	1	-	-	-	-
MYATELEMUS Reinhard, 1967	1	-	1	-	-	-	-
MYCTEROMYIELLA Mesnil, 1966	7	-	-	1	1	1	1
MYERSIMYIA Townsend, 1935 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)	0	x					
MYIOCHAETA Cortés, 1967	1	1	-	-	-	-	-
MYIOCLURA Reinhard, 1975*	2	1	-	-	-	-	-
MYIODEXIA Cortés & Campos, 1971*	1	1	-	-	-	-	-
MYIODORIOPS Townsend, 1935 Synonymized with ERYTHROMELANA Townsend, 1919 by Wood (1985: 39) but reinstated as a valid genus by Inclán & Stireman (2013: 68).	1	1					
MYIOMIMA B. & B., 1889	2	1	-	-	-	-	-
MYIOMINTHO B. & B., 1889	1	1	-	-	-	-	-
MYIOPHARUS B. & B., 1889	85	1	1	-	-	-	-
MYIOPHASIA B. & B., 1891 = GNADOCHAETA Macquart, 1851 (Wood 1987: 1254, O'Hara & Wood 1998: 756)	0	x					
MYIOPHASIOMIMA Blanchard, 1966	1	1	-	-	-	-	-
MYIOPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MYIOSCOTIPTERA Giglio-Tos, 1893	1	1	-	-	-	-	-
MYIOSTURMIA Townsend, 1927 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14)	0	x					
MYIOSTURMIOPSIS Thompson, 1963	1	1	-	-	-	-	-
MYIOTRIXA B. & B., 1893	1	-	-	-	-	-	1
MYIOXYNOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
MYOBIOMIMA Townsend, 1926	1	-	-	-	-	1	-
MYOBIOPSIS Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 756)	0	x					
MYOSTOMA Robineau-Desvoidy, 1830 = ESTHERIA Robineau-Desvoidy, 1830 (Herting 1984: 141, Herting & Dely-Draskovits 1993: 363)	0					x	
MYOTHYRIOPSIS Townsend, 1919	1	1	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
MYSTACELLA van der Wulp, 1890	10	1	1	-	-	-	-
MYSTACOMYIA Giglio-Tos, 1893	2	1	1	-	-	-	-
MYSTACOMYOIDEA Thompson, 1963	2	1	-	-	-	-	-
MYXARCHICLOPS Villeneuve, 1916	2	-	-	-	1	-	-
MYXEXORISTOPS Townsend, 1911 Recorded from Oriental Region by Chao & Zhou (1993).	10	-	1	1	-	1	-
MYXOGAEDIA Mesnil, 1956 Valid name to replace PRETORIANA Curran, 1938 (O'Hara 2011: 60–61).	2				1		
MYXOPHRYXE Cerretti & O'Hara in O'Hara & Cerretti, 2016	4	-	-	-	1	-	-
NAIRA Richter, 1970	2	-	-	1	-	-	-
NANOPLAGIA Villeneuve, 1929 Removed from synonymy with PLAGIOMIMA B. & B., 1891 and reinstated as a valid genus by Cerretti (2009a: 108).	2	-	-	1	-	-	-
NARDIA Cerretti, 2009a	2	-	-	-	1	-	-
NEAERA Robineau-Desvoidy, 1830	9	1	1	1	-	-	-
NEALSOMYIA Mesnil, 1939	7	-	-	1	1	1	-
NEAPHRIA Townsend, 1914	1	1	-	-	-	-	-
NEARGYROPHYLAX Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
NEMORAEA Robineau-Desvoidy, 1830	39	-	-	1	1	1	1
NEMORILLA Rondani, 1856	14	1	1	1	1	1	1
NEMORILLOIDES B. & B., 1891	2	-	-	-	1	-	-
NEOBACHELIA Townsend, 1931	4	1	-	-	-	-	-
NEOCAMPYLOCHAETA Townsend, 1927 = PARAHYPOCHAETA B. & B., 1891 (Sabrosky 1975: 48)	0	x					
NEOCHAETOPLAGIA Blanchard, 1963	1	1	-	-	-	-	-
NEOCRASPEDOTHRIX Townsend, 1927	1	1	-	-	-	-	-
NEOCUPHOCERA Townsend, 1927	2	1	-	-	-	-	-
NEOCYRTOPHOEBA Vimmer & Soukup, 1940	1	1	-	-	-	-	-
NEOEMDENIA Mesnil, 1953	1	-	-	1	-	-	-
NEOERIGONE Townsend, 1919 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
NEOERYTHRONYCHIA Malloch, 1932	1	-	-	-	-	-	1
NEOETHILLA Cerretti, Wood & O'Hara, 2012*	1	1	1				
NEOEUANTHA Townsend, 1931 Listed as a synonym of EUANTHA van der Wulp, 1885 by Guimarães (1971) but treated as valid by Guimarães (1982a).	2	1	-	-	-	-	-
NEOGYMNOMMA Townsend, 1915	1	1	-	-	-	-	-
NEOLOPHOSIA Townsend, 1939	1	1	-	-	-	-	-
NEOLYDELLA Mesnil, 1939	1	-	-	-	1	-	-
NEOMASIPHYA Guimarães, 1966	2	1	-	-	-	-	-
NEOMEDINA Malloch, 1935	1	-	-	-	-	-	1
NEOMETACHAETA Townsend, 1915	1	1	-	-	-	-	-
NEOMINTHO B. & B., 1891	7	1	1	-	-	-	-
NEOMINTHOIDEA Thompson, 1968	1	1	-	-	-	-	-
NEOMINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
NEOMYOSTOMA Townsend, 1935	1	1	-	-	-	-	-
NEOPAEDARIUM Blanchard, 1943	1	1	-	-	-	-	-
NEOPHASMOPHAGA Guimarães, 1982*	1	1	-	-	-	-	-
NEOPHRYXE Townsend, 1916 Recorded from Oriental Region by Liang, & Chao (1992).	5	-	-	1	1	1	-
NEOPHYLLOPHILA Townsend, 1927 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
NEOPLECTOPS Malloch, 1930	3	-	-	1	1	1	-
NEOPODOMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOSARROMYIA Townsend, 1927	3	1	-	-	-	-	-
NEOSOLIERIA Townsend, 1927	2	1	1	-	-	-	-
NEOSOPHIA Guimarães, 1982*	1	1	-	-	-	-	-
NEOTACHINA Malloch, 1938	4	-	-	-	-	-	1
NEOTRAFOIOPSIS Townsend, 1931	1	1	-	-	-	-	-
NEOTRYPHERA Malloch, 1938	1	-	-	-	-	-	1
NEOXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
NEOXYNOPSOIDEA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
NEOZELIA Guimarães, 1975*	1	1	-	-	-	-	-
NEPHOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
NEPHOPLAGIA Townsend, 1919	1	1	-	-	-	-	-
NEPOCARCELIA Townsend, 1927	2	1	-	-	-	-	-
NEPOPHASMOPHAGA Townsend, 1927	1	1	-	-	-	-	-
NEXIMYIA Crosskey, 1967	1	-	-	-	-	-	1
NICEPHORUS Reinhard, 1944	1	-	1	-	-	-	-
NIGARA Richter, 1999*	1	-	-	1	-	-	-
NIGRILYPHA O'Hara, 2002	1	-	1	-	-	-	-
NILEA Robineau-Desvoidy, 1863	21	1	1	1	1	1	1
NIMIOGLOSSA Reinhard, 1945	2	1	1	-	-	-	-
NIPPONOCEROMYIA Mesnil & Shima, 1978 = PROCEROMYIA Mesnil, 1957 (O'Hara 1989: 44)	0			x			
NOTHOVORIA Cortés & González, 1989*	1	1	-	-	-	-	-
NOTODERUS Cortés, 1986*	1	1	-	-	-	-	-
NOTODYTES Aldrich, 1934	3	1	-	-	-	-	-
NOTOMANES Aldrich, 1934	1	1	-	-	-	-	-
NOWICKIA Wachtl, 1894 = TACHINA (NOWICKIA Wachtl, 1894) (Wood 1987: 1244, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 325)	0			x		x	
OBERONOMYIA Reinhard, 1964	1	1	-	-	-	-	-
OBLITONEURA Mesnil, 1975	1	-	-	1	-	-	-
OBSCUROMYIA Barraclough & O'Hara, 1998*	1	-	-	-	-	-	1
OCCISOR Hutton, 1901	3	-	-	-	-	-	1
OCHROCERA Townsend, 1916	1	-	1	-	-	-	-
OCHROEPALPUS Townsend, 1927	2	1	-	-	-	-	-
OCYPTEROMIMA Townsend, 1916	5	-	-	-	1	1	-
OCYRTOSOMA Townsend, 1912	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
OCYTATA Gistel, 1848	1	-	-	1	-	-	-
OEDEMAMEDINA Townsend, 1927	1	1	-	-	-	-	-
OEDEMATOCERA Townsend, 1916 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
OESTROHYSTRICIA Townsend, 1912	1	1	-	-	-	-	-
OESTROPHASIA B. & B., 1889	6	1	1	-	-	-	-
OESTROPHASIANA Townsend, 1931 = OESTROPHASIA B. & B., 1889 (Guimarães 1977a: 220)	0	x					
OHARAMYIA Evenhuis, Pont & Whitmore, 2015* Replacement name for LINDIGIA Townsend, 1931, preoccupied by Karsten, 1858	5	1	-	-	-	-	-
OLA Paramonov, 1968 = RUTILOTRIXA Townsend, 1933 (Barraclough 1992: 1258)	0						x
OLENOCHAETA Townsend, 1892 = DISTICHONA van der Wulp, 1890 (Wood 1987: 1203, O'Hara & Wood 1998: 756)	0	x					
OLIGOOESTRUS Townsend, 1932	1	1	-	-	-	-	-
OLINDA Robineau-Desvoidy, 1830 = URAMYA Robineau-Desvoidy, 1830 (Fleming <i>et al.</i> 2017b: 6)	0	x					
OLINDOPSIS Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)	0	x					
OLLACHACTIA Townsend, 1927	1	1	-	-	-	-	-
OLLACHEA Townsend, 1919	1	1	-	-	-	-	-
OLLACHERYPHE Townsend, 1927	2	1	-	-	-	-	-
OMMALESKIA Townsend, 1917 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
OMMASICERA Townsend, 1911	1	1	-	-	-	-	-
ONYCHOGONIA B. & B., 1889	7	-	1	1	-	-	-
OOMEIGENIA Townsend, 1915 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)	0	x					
OPEZIA Robineau-Desvoidy, 1863	4	-	1	1	-	-	-
OPHIRION Townsend, 1911	7	1	-	-	-	-	-
OPHIRIONOPSIS Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
OPHIRODEXIA Townsend, 1911	1	1	-	-	-	-	-
OPHIROSTURMIA Townsend, 1911	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
OPSOEMPHERIA Townsend, 1927	1	1	-	-	-	-	-
OPSOLESKIA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
OPSOMEIGENIA Townsend, 1919 Recorded from Neotropical Region by Wood (1985) and from Oriental Region by Chao <i>et al.</i> (1998).	4	-	1	-	-	1	-
OPSOPHAGUS Aldrich, 1926	3	1	-	-	-	-	-
OPSOPHASIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
OPSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
OPSOTHERESIA Townsend, 1919	2	-	1	-	-	-	-
OPSOZELIA Townsend, 1919	1	1	-	-	-	-	-
OPTICOPTERYX Townsend, 1931	1	1	-	-	-	-	-
ORAEOSOMA Cortés, 1976*	1	1	-	-	-	-	-
ORAPHASMOPHAGA Reinhard, 1958	1	-	1	-	-	-	-
ORASTURMIA Reinhard, 1947	1	-	1	-	-	-	-
ORESTILLA Reinhard, 1944	1	-	1	-	-	-	-
ORMIA Robineau-Desvoidy, 1830 Recorded from Hawaii by Evenhuis (2003: 34).	27	1	1	-	-	-	1
ORMIOPHASIA Townsend, 1919	9	1	-	-	-	-	-
OROHOUGHIA Townsend, 1934 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 10)	0	x					
OROMASIPHYA Townsend, 1927	2	1	-	-	-	-	-
OROPHOROCERA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
ORTHAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
ORTHOSIMYIA Reinhard, 1944	2	-	1	-	-	-	-
OSSIDINGIA Townsend, 1919	1	-	-	-	1	-	-
OSTRACOPHYTO Townsend, 1915	2	-	1	-	-	-	-
OSWALDIA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Shima (1991).	22	1	1	1	-	1	-
OTOMASICERA Townsend, 1912	1	-	1	-	-	-	-
OXYAPORIA Townsend, 1919	2	1	-	-	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
OXYEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OXYMEDORIA Villeneuve, 1916	1	-	-	-	1	-	-
OXYNOPS Townsend, 1912	2	1	1	-	-	-	-
OXYNOPSALIA Curran, 1934 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
OXYNOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
OXYOPHIRION Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
OXYPHYLLOMYIA Villeneuve, 1937	2	-	-	1	-	1	-
PACHYCHETA Portschinsky, 1881 Valid name for genus previously called BARYCHAETA Bezzi, 1906 (O'Hara 2009: 66).	2	-	-	1	-	-	-
PACHYMYIA Macquart, 1844	1	1	-	-	-	-	-
PACHYNOCERA Townsend, 1919	1	1	-	-	-	-	-
PACHYSTYLUM Macquart, 1848	1	-	-	1	-	-	-
PAEDARIUM Aldrich, 1926	3	1	-	-	-	-	-
PALES Robineau-Desvoidy, 1830	66	-	-	1	1	1	1
PALESISA Villeneuve, 1929	4	-	-	1	-	-	-
PALEXORISTA Townsend, 1921 = DRINO (PALEXORISTA Townsend, 1921) (O'Hara & Wood 2004: 121)	0				x	x	x
PALIA Curran, 1927	1	-	-	-	-	-	1
PALIANA Curran, 1927	3	-	-	-	-	-	1
PALMONIA Kugler, 1972	1	-	-	1	-	-	-
PALPEXORISTA Townsend, 1926 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 756)	0	x					
PALPOLINNAEMYIA Townsend, 1927	1	1	-	-	-	-	-
PALPOSTOMA Robineau-Desvoidy, 1830	13	-	-	-	1	1	1
PALPOTACHINA Townsend, 1915	1	1	-	-	-	-	-
PALPOZENILLIA Townsend, 1934	2	1	-	-	-	-	-
PAMMAERUS Aldrich, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PANACEMYIA Townsend, 1919 = TRIGONOSPILA Pokorný, 1886 (Wood 1985: 85)	0	x					
PANDELLEIA Villeneuve, 1907	8	-	-	1	1	-	-
PANZERIA Robineau-Desvoidy, 1830	83	-	1	1	-	1	-
PARABRACHYCOMA Blanchard, 1940	1	1	-	-	-	-	-
PARACHAETA Coquillett, 1897 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Wood 1987: 1213, O'Hara & Wood 1998: 756, Toma & Guimarães 2002: 35)	0	x					
PARACHAETOPSIS Blanchard, 1959 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)	0	x					
PARACHETOLYGA Bischof, 1904	1	1	-	-	-	-	-
PARACLARA Bezzi, 1908	2	-	-	-	1	-	-
PARACRASPEDOTHRIX Villeneuve, 1920 Synonymized with CHAETOSTIGMOPTERA Townsend, 1916 by Wood (1985: 31), but treated as valid by Herting & Dely-Draskovits (1993: 165) and O'Hara & Wood (2004: 104).	2	-	1	1	-	-	-
PARADEJEANIA B. & B., 1893	3	1	1	-	-	-	-
PARADIDYMA B. & B., 1891	31	1	1	-	-	-	-
PARADORIA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
PARADRINO Mesnil, 1949 See Evenhuis & O'Hara (2008: 66) for details about dating.	10	1	-	-	1	1	1
PARAGONIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating. Junior homonym of PARAGONIA Hübner, 1823 and replaced by MESNILIUS Özdiçmen, 2006.	0						x
PARAHYPOCHAETA B. & B., 1891	2	1	-	-	-	-	-
PARAJURINIA Townsend, 1928 = JURINELLA B. & B., 1889 (Woodley 2007: 857)	0	x					
PARALISPE B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)	0	x					
PARALYPHA Mesnil, 1963	1	-	-	1	-	-	-
PARAMESOCHAETA B. & B., 1891	1	1	-	-	-	-	-
PARANETIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
PARANOXYNOPS Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PARAPALES Mesnil, 1950 See Evenhuis & O'Hara (2008: 66–67) for details about dating. Not recorded from Oriental Region by Zeegers (2014).	6	-	-	-	1	-	-
PARAPEXOPSIS Mesnil, 1953	2	-	-	1	-	-	-
PARAPHASIANA Townsend, 1940 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
PARAPHASIOPSIS Townsend, 1917	2	1	-	-	-	-	-
PARAPHASMOPHAGA Townsend, 1915	2	-	1	-	-	-	-
PARAPHORANTHA Townsend, 1915 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756, Sun & Marshall 2003: 19)	0	x					
PARAPOLIOPS Blanchard, 1957	1	1	-	-	-	-	-
PARAPORIA Townsend, 1912 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
PARAPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
PARARCHYTAS B. & B., 1894	3	1	1	-	-	-	-
PARARONDANIA Villeneuve, 1916	1	-	-	-	1	-	-
PARARRHINACTIA Townsend, 1935 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 10)	0	x					
PARASETIGENA B. & B., 1891	5	1	1	1	-	1	-
PARATACHINA B. & B., 1891	2	-	-	-	1	-	-
PARATHELAIIRA Townsend, 1919 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
PARATHERESIA Townsend, 1915 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 756)	0	x					
PARATRIXA B. & B., 1891 Recorded from Afrotropical Region by O'Hara & Cerretti (2016).	6	-	-	1	1	-	-
PARATROPEZA Paramonov, 1964	6	-	-	-	-	-	1
PARATRYPHERA B. & B., 1891	9	-	-	1	1	1	-
PARAVIBRISSINA Shima, 1979	8	-	-	-	-	1	1
PARAXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PARAZELIA Townsend, 1919 Junior homonym of PARAZELIA Bigot, 1882 and replaced by CESAPANAMA Koçak & Kemal, 2010.	0	x					
PARECHINOTACHINA Townsend, 1931	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PAREPALPUS Coquillett, 1902	6	1	1	-	-	-	-
PARERIGONE Brauer, 1898	15	-	-	1	-	1	-
PARERIGONESIS Chao & Sun <i>in</i> Chao, Sun & Zhou, 1990* = PARERIGONE Brauer, 1898 (Tschorsnig & Richter 1998: 758)	0			x			
PAREUPOGONA Townsend, 1916	1	-	-	-	-	-	1
PARHAMAXIA Mesnil, 1967	3	-	-	1	-	-	-
PARKERELLA Townsend, 1942 = TRIARTHRIA Stephens, 1829 (O'Hara 1996a: 16)	0	x					
PARODOMYIOPS Townsend, 1935	1	1	-	-	-	-	-
PAROPESIA Mesnil, 1970 Recorded from Palaearctic Region by Shima (2014).	4	-	-	1	-	1	-
PAROPSIVORA Malloch, 1934 Recorded from Oriental Region by Shima (1994).	5	-	-	-	-	1	1
PARTHENOLESKIA Townsend, 1941	1	1	-	-	-	-	-
PATELLOA Townsend, 1916	21	1	1	-	-	-	-
PATILLALIA Curran, 1934	1	1	-	-	-	-	-
PATULIFRONS Barraclough, 1992*	1	-	-	-	-	-	1
PAULIPALPUS Barraclough, 1992*	2	-	-	-	-	-	1
PAXIXIMYIA Toma & Olivier, 2018*	1	1	-	-	-	-	-
PELAMERA Herting, 1969	1	-	-	1	-	-	-
PELASHYRIA Villeneuve, 1935	1	-	-	-	1	-	-
PELATACHINA Meade, 1894	4	-	1	1	-	-	-
PELECOTHECA Townsend, 1919	8	1	-	-	-	-	-
PELETERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993).	124	1	1	1	1	1	1
PELYCOPS Aldrich, 1934	1	1	-	-	-	-	-
PENNAPODA Townsend, 1897	1	1	-	-	-	-	-
PENTATOMOPHAGA de Meijere, 1917	2	-	-	1	-	1	1
PENTHOSIA van der Wulp, 1892	1	1	1	-	-	-	-
PENTHOSIOSOMA Townsend, 1926	1	-	-	-	-	1	-
PERACROGLOSSA Townsend, 1931	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PEREMPTOR Hutton, 1901	3	-	-	-	-	-	1
PERIARCHICLOPS Villeneuve, 1924	1	-	-	1	-	-	-
PERIBAEA Robineau-Desvoidy, 1863	51	-	-	1	1	1	1
PERICHETA Rondani, 1859 Unnecessary <i>nomen novum</i> for POLICHETA Rondani, 1856.	0			x			
PERIGYMNOSOMA Villeneuve, 1929	2	-	-	-	-	1	-
PERIOPTICOCHAETA Townsend, 1927	1	1	-	-	-	-	-
PERIOSTOMA Cortés, 1986*	1	1	-	-	-	-	-
PERISCEPSIA Gistel, 1848	44	1	1	1	1	1	-
PERISTASISEA Villeneuve, 1934	1	-	-	-	1	-	-
PERLUCIDINA Mesnil, 1952 Treated as a synonym of CALOZENILLIA Townsend, 1927 by Crosskey (1980b: 869, 1984: 199) but recognized as valid by O'Hara & Cerretti (2016).	2	-	-	-	1	-	-
PERRISSINA Malloch, 1938	5	-	-	-	-	-	1
PERRISSINOIDES Dugdale, 1962	1	-	-	-	-	-	1
PERSEDEA Richter, 2001* = ROSSIMIYIOPS Mesnil, 1953 (Cerretti <i>et al.</i> 2009: 32)	0			x			
PERUMYIA Arnaud, 1963	1	1	-	-	-	-	-
PETAGNIA Rondani, 1856	1	-	-	1	-	-	-
PETEINA Meigen, 1838	2	-	-	1	-	1	-
PETINARCTIA Villeneuve, 1928 = PERISCEPSIA (PETINARCTIA Villeneuve, 1928) (Wood 1987: 1253, O'Hara & Wood 1998: 756)	0			x			
PETRARGYROPS Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					
PEXOPSIS B. & B., 1889	23	-	-	1	1	1	-
PHAENOPSIS Townsend, 1912 = PSEUDOCCHAETA (PHAENOPSIS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 197)	0	x					
PHAEODEMA Aldrich, 1934	1	1	-	-	-	-	-
PHALACROPHYTO Townsend, 1915	1	-	1	-	-	-	-
PHANIA Meigen, 1824	7	-	-	1	-	-	-
PHANTASIOMYIA Townsend, 1915	2	-	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PHANTASIOSIPHONA Townsend, 1915 = SIPHONA Meigen, 1803 (O'Hara 1983: 275)	0	x					
PHAONIELLA Malloch, 1938	1	-	-	-	-	-	1
PHASIA Latreille, 1804	118	1	1	1	1	1	1
PHASIATACTA Townsend, 1911	1	1	-	-	-	-	-
PHASIOCYPTERA Townsend, 1927	1	1	-	-	-	-	-
PHASIOORMIA Townsend, 1933	3	-	-	-	-	1	1
PHASIOPHYTO Townsend, 1919	1	1	-	-	-	-	-
PHASIOPS Coquillett, 1899	1	-	1	-	-	-	-
PHASIOPSIS Townsend, 1912 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 756)	0	x					
PHASIOSTOMA Townsend, 1915 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, O'Hara & Wood 1998: 756)	0	x					
PHASMOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
PHASMOPHAGA Townsend, 1909	5	1	1	-	-	-	-
PHASMOVORA Cortés, 1968 = PHASMOPHAGA Townsend, 1909 (Wood 1985: 72)	0	x					
PHEBELLIA Robineau-Desvoidy, 1846	27	-	1	1	-	1	-
PHILIPPODEXIA Townsend, 1926	4	-	-	-	-	1	-
PHILOCORUS Cortés, 1976*	1	1	-	-	-	-	-
PHOBETROMYIA Reinhard, 1964	1	1	-	-	-	-	-
PHONOMYIA B. & B., 1893	2	-	-	1	-	-	-
PHORANTHELLA Brooks, 1945 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756)	0	x					
PHORCIDELLA Mesnil, 1946	1	-	-	-	-	1	-
PHORINIA Robineau-Desvoidy, 1830	25	-	-	1	1	1	1
PHOROCERA Robineau-Desvoidy, 1830	14	-	1	1	-	1	-
PHOROCEROSOMA Townsend, 1927	11	-	-	1	1	1	1
PHOROCEROSTOMA Malloch, 1930	1	-	-	-	-	-	1
PHOSOCEPHALA Townsend, 1908	2	1	-	-	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PHRYNO Robineau-Desvoidy, 1830	9	-	-	1	-	1	-
PHRYNOTACHINA Townsend, 1927	1	1	-	-	-	-	-
PHRYXE Robineau-Desvoidy, 1830	15	1	1	1	1	1	-
PHYLLARISTOMYIA Townsend, 1931	1	1	-	-	-	-	-
PHYLLOMYA Robineau-Desvoidy, 1830 Also spelled PHYLLOMYIA, unjustified emendation.	24	1	1	1	-	1	-
PHYLLOPHILOPSIS Townsend, 1915	17	1	1	-	-	-	-
PHYLLOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
PHYTOMYPTERA Rondani, 1845	62	1	1	1	1	1	-
PHYTOMYPTERINA van Emden, 1960	1	-	-	-	1	-	-
PHYTOROPHAGA Bezzi, 1923	3	-	-	1	-	1	?
PICCONIA Robineau-Desvoidy, 1863	5	-	1	1	-	-	-
PICTOEPALPUS Townsend, 1915	1	1	-	-	-	-	-
PILIGENA van Emden, 1947	1	-	-	-	1	-	-
PILIGENOIDES Barraclough, 1985	1	-	-	-	1	-	-
PILIMYIA Malloch, 1930	2	-	-	-	-	-	1
PIMELIMYIA Mesnil, 1949 See Evenhuis & O'Hara (2008: 67) for details about dating.	7	-	-	-	1	-	-
PIRIONA Aldrich, 1928	1	1	-	-	-	-	-
PIRIONIMYIA Townsend, 1931	1	1	-	-	-	-	-
PIXIMACTIA Townsend, 1927	1	1	-	-	-	-	-
PLAGIMASICERA Townsend, 1915	1	1	-	-	-	-	-
PLAGIOCOMA Villeneuve, 1916	1	-	-	-	1	-	-
PLAGIOMIMA B. & B., 1891 Recorded from Afrotropical Region by Crosskey (1984), but restricted to New World by Cerretti (2009a).	13	1	1	-	-	-	-
PLAGIOMYIA Curran, 1927	5	-	-	-	-	-	1
PLANOMYIA Aldrich, 1934	1	1	-	-	-	-	-
PLATYDEXIA van Emden, 1954	1	-	-	-	1	-	-
PLATYMYA Robineau-Desvoidy, 1830 Also spelled PLATYMYIA, unjustified emendation.	4	-	1	1	-	1	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PLATYPHASIA Townsend, 1935 Junior homonym of PLATYPHASIA Skuse, 1890 and replaced by BRASILOMYIA Özdikmen, 2010.	0	x					
PLATYRRHINODEXIA Townsend, 1927	2	1	-	-	-	-	-
PLATYSCHINERIA Villeneuve, 1942	1	-	-	-	1	-	-
PLATYTACHINA Malloch, 1938	5	-	-	-	-	-	1
PLATYTAINIA Macquart, 1851	2	-	-	-	-	-	1
PLAXACTIA Townsend, 1931 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
PLECTOPSIS Townsend, 1927	1	1	-	-	-	-	-
PLESINA Meigen, 1838	9	-	-	1	1	-	-
PLESIODEXILLA Blanchard, 1966	1	1	-	-	-	-	-
PLETHOCHAETIGERA Malloch, 1938	3	-	-	-	-	-	1
PODODEXIA B. & B., 1889	3	-	-	-	1	-	-
PODOSTURMIA Townsend, 1928	1	1	-	-	-	-	-
POLICHETA Rondani, 1856	2	-	1	1	-	-	-
POLIOPS Aldrich, 1934	2	1	-	-	-	-	-
POLISTIOPSIS Townsend, 1915	2	1	-	-	-	-	-
POLYBIOCYPTERA Guimarães, 1979*	1	1	-	-	-	-	-
POLYBIOPHILA Curran, 1937 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
POLYCHAETA Macquart, 1851	1	-	-	-	-	-	1
POLYGASTER van der Wulp, 1890	3	1	-	-	-	-	-
POLYGASTROPTERYX Mesnil, 1953	1	-	-	-	-	1	-
PORPHYROMUS van Emden, 1960	1	-	-	-	1	-	-
PRADOCANIA Tschorsnig, 1997*	1	-	-	1	-	-	-
PRETORIAMYIA Curran, 1927	6	-	-	-	1	-	-
PRETORIANA Curran, 1938 Junior homonym of PRETORIANA Uvarov, 1922 and replaced by junior synonym MYXOGAEDIA Mesnil, 1956 (O'Hara 2011: 60–61).	0				x		
PROCARCELIA Townsend, 1927	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PROCEROMYIA Mesnil, 1957	2	-	-	1	-	-	-
PROCLEONICE Townsend, 1935 = URAMYA Robineau-Desvoidy, 1830 (Fleming <i>et al.</i> 2017b: 7)	0	x					
PRODEGEERIA B. & B., 1894	11	-	1	1	1	1	1
PRODEMOTICUS Villeneuve, 1919	2	-	-	1	-	-	-
PRODEXODES Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)	0	x					
PRODIAPHANIA Townsend, 1927	19	-	-	-	-	-	1
PROLESKIA Townsend, 1927	1	1	-	-	-	-	-
PROLESKIOMIMA Townsend, 1934	1	1	-	-	-	-	-
PROLOPHOSIA Townsend, 1933	2	-	-	-	1	-	-
PROLYPHA Townsend, 1934	1	1	-	-	-	-	-
PROMASIPHYA Townsend, 1927 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 757)	0	x					
PROMEGAPARIA Townsend, 1931	1	1	-	-	-	-	-
PROMETOPIOPS Townsend, 1927	1	1	-	-	-	-	-
PROMINTHO Townsend, 1926	1	-	-	-	-	1	-
PRONEMORILLA Townsend, 1935 = WINTHEMIA Robineau-Desvoidy, 1830 (Cortés & Campos 1971: 101)	0	x					
PROOPPIA Townsend, 1926	5	-	1	1	-	1	-
PROPARACHAETA Townsend, 1928	1	1	-	-	-	-	-
PROPARACHAETOPSIS Blanchard, 1942 Recognized as valid by Toma & Guimarães (2000b: 16).	6	1	-	-	-	-	-
PROPHAENOPSIS Townsend, 1927 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)	0	x					
PROPHASIOPSIS Townsend, 1927	2	1	-	-	-	-	-
PROPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
PROPHOROSTOMA Townsend, 1927	2	1	-	-	-	-	-
PRORHYNCHOPS B. & B., 1891	2	1	-	-	-	-	-
PRORIEDELIA Mesnil, 1953	1	-	-	-	-	1	-
PROROGLUTEA Townsend, 1919	1	1	-	-	-	-	-



---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PROSCISSIO Hutton, 1901	5	-	-	-	-	-	1
PROSENA Lepeletier & Serville, 1828	28	-	1	1	1	1	1
PROSENACTIA Blanchard, 1940	1	1	-	-	-	-	-
PROSENINA Malloch, 1930	2	-	-	-	-	-	1
PROSENOIDES B. & B., 1891	12	1	1	-	1	-	-
PROSENO SOMA Malloch, 1938	1	-	-	-	-	-	1
PROSETHILLA Herting, 1984	1	-	-	1	-	-	-
PROSHELIOMYIA B. & B., 1891	6	-	-	-	1	1	-
PROSOPEA Rondani, 1861	1	-	-	1	-	-	-
PROSOPOCHAETA Macquart, 1851	5	1	-	-	-	-	-
PROSOPODOPSIS Townsend, 1926 Redefined by Cerretti (2009b: 51–52).	6	-	-	-	1	1	-
PROSPALAEA Aldrich, 1925	1	1	-	-	-	-	-
PROSPANIPALPUS Townsend, 1931	1	1	-	-	-	-	-
PROSPHERYSA van der Wulp, 1890	6	1	1	-	-	-	-
PROSPHERYSODORIA Townsend, 1928	1	1	-	-	-	-	-
PROSUCCINGULUM Mesnil, 1959	1	-	-	-	1	-	-
PROTAPORIA Townsend, 1919	1	-	-	-	-	-	1
PROTODEJEANIA Townsend, 1915	7	1	1	-	-	-	-
PROTOGONIOPS Townsend, 1913	1	1	-	-	-	-	-
PROTOGONIOPSIS Townsend, 1915	1	1	-	-	-	-	-
PROTOHYSTRICIA Malloch, 1929	4	-	-	-	-	-	1
PROTONOTODYTES Blanchard, 1966	1	1	-	-	-	-	-
PROTRICHOPROSOPIS Blanchard, 1966	1	1	-	-	-	-	-
PROTYPOPHAEMYIA Blanchard, 1963	2	1	-	-	-	-	-
PROXANTHOBASIS Blanchard, 1966 = XANTHOBASIS Aldrich, 1934 (Cortés 1973: 101)	0	x					
PSALIDOXENA Villeneuve, 1941	1	-	-	1	-	-	-
PSECACERA Bigot, 1880	7	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PSEUDALSOMYIA Mesnil, 1968	4	-	-	1	1	1	1
PSEUDEBENIA Shima, Han & Tachi, 2010*	6	-	-	1	-	1	1
PSEUDEUANTHA Townsend, 1915 = URAMYA Robineau-Desvoidy, 1830 (Wood 1987: 1262, O'Hara & Wood 1998: 757)	0	x					
PSEUDOBOMBYLIOMYIA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOBRULLAEA Mesnil, 1957	1	-	-	-	-	1	-
PSEUDOCELATORIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
PSEUDOCHAETA Coquillett, 1895	21	1	1	-	-	-	-
PSEUDOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
PSEUDODEXIA B. & B., 1891	4	1	-	-	-	-	-
PSEUDODEXILLA O'Hara, Shima & Zhang, 2009 Replacement name for PSEUDODEXIA Chao, 2002, preoccupied by PSEUDODEXIA Brauer & Bergenstamm, 1891.	1	-	-	1	-	1	-
PSEUDODINERA B. & B., 1891	2	-	-	-	1	-	-
PSEUDOEPALPODES Vimmer & Soukup, 1940 Genus missing from Guimarães (1971).	1	1	-	-	-	-	-
PSEUDOGONIA B. & B., 1889	7	-	-	1	1	1	1
PSEUDOMASIPHYA Thompson, 1963	1	1	-	-	-	-	-
PSEUDOMINTHO B. & B., 1889 = MINTHODES B. & B., 1889 (Tschorsnig & Richter 1998: 781)	0			x			
PSEUDOMINTHODES Townsend, 1933	1	-	-	-	1	-	-
PSEUDOMORINIA van der Wulp, 1891 = PHYLLOMYIA Robineau-Desvoidy, 1830 (Wood 1987: 1257, O'Hara & Wood 1998: 757)	0	x					
PSEUDOMYOTHYRIA Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
PSEUDOPACHYSTYLUM Mik, 1891	3	-	1	1	-	-	-
PSEUDOPERICHAETA B. & B., 1889 Synonymized with NILEA Robineau-Desvoidy, 1863 by Wood (1987: 1210) and synonymy followed by O'Hara & Wood (2004: 132); treated as valid by O'Hara, Shima & Zhang (2009: 77).	12	-	-	1	1	1	1
PSEUDOPROSPHERYSA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
PSEUDORED TENBACHERIA B. & B., 1889	3	1	-	-	-	-	-
PSEUDORRHINACTIA Thompson, 1968	1	1	-	-	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
PSEUDOSIPHOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOVIIVIANIA B. & B., 1891	1	1	-	-	-	-	-
PSEUDOXANTHOZONA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOXANTHOZONELLA Townsend, 1931	1	1	-	-	-	-	-
PSILOPLEURA Reinhard, 1943 Junior homonym of PSILOPLEURA Druce, 1898 and replaced by BAHRETTINIA Özdikmen, 2007.	0		x				
PTEROTOPEZA Townsend, 1908 As "PTEROPEZA" in Guimarães (1971), in error.	3	1	-	-	-	-	-
PTESIOMYIA B. & B., 1893	3	-	-	1	-	-	-
PTILOCATAGONIA Mesnil, 1956	1	-	-	-	1	-	-
PTILODEGEERIA B. & B., 1891	2	1	-	-	-	-	-
PTILODEXIA B. & B., 1889	46	1	1	-	-	-	-
PTILOGONIA Bischof, 1904	1	1	-	-	-	-	-
PTILOMYIOPSIS Townsend, 1933	1	1	-	-	-	-	-
PTILOMYOIDES Curran, 1928	1	1	-	-	-	-	-
PUNAMYIA Townsend, 1915	1	1	-	-	-	-	-
PUNAMYOCERA Townsend, 1919	1	1	-	-	-	-	-
PYGIDIMYIA Crosskey, 1967	1	-	-	-	-	-	1
PYGOCALCAGER Townsend, 1935	1	-	-	-	-	-	1
PYGOPHORINIA Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)	0	x					
PYRRHODEXIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOERNESTIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOTACHINA Townsend, 1931	1	1	-	-	-	-	-
QUADRA Malloch, 1929	1	-	-	-	-	-	1
QUADRATOSOMA Townsend, 1914	1	1	-	-	-	-	-
RAMONDA Robineau-Desvoidy, 1863 = PERISCEPSIA (RAMONDA R.-D., 1863) (O'Hara & Wood 2004: 65)	0			x			

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
RAMONELLA Kugler, 1980	1	-	-	1	1	-	-
RASILIVERPA Barraclough, 1992*	2	-	-	-	-	-	1
RCORTESIA Koçak & Kemal, 2010* Replacement name for HYPSONOMYIA Cortés, 1983, preoccupied by HYPSONOMYIA McAlpine, 1965.	1	1	-	-	-	-	-
REDTENBACHERIA Schiner, 1861	1	-	-	1	-	-	-
REICHARDIA Karsch, 1886	1	-	-	-	1	-	-
REINHARDIANA Arnaud, 1952 = MICROCHAETINA van der Wulp, 1891 (Wood 1987: 1220, O'Hara & Wood 1998: 757)	0	x					
RHACHOEPALPUS Townsend, 1908	19	1	1	-	-	-	-
RHACHOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
RHACODINELLA Mesnil, 1968	2	-	-	1	-	-	-
RHAMPHINA Macquart, 1835	2	-	-	1	-	-	-
RHAMPHININA Bigot, 1885	2	1	-	-	-	-	-
RHAMPHOPTERYX Townsend, 1931 Junior homonym of RHAMPHOPTERYX Bryk, 1913 and replaced by MEHMETIA Özdikmen, 2007.	0	x					
RHAPHIOCHAETA B. & B., 1889	1	-	-	1	-	-	-
RHINAPLOMYIA Mesnil, 1955	2	-	-	1	-	1	-
RHINOMACQUARTIA B. & B., 1891	1	1	-	-	-	-	-
RHINOMYOBIA B. & B., 1893	1	-	-	-	-	-	1
RHINOMYODES Townsend, 1933	1	-	-	1	-	1	-
RHINOPHOROIDES Barraclough, 2005	1	-	-	-	1	-	-
RHOMBOTHYRIA van der Wulp, 1891	1	1	-	-	-	-	-
RHOMBOTHYRIOPS Townsend, 1915	1	1	-	-	-	-	-
RHYNCHOGONIA B. & B., 1893	1	-	-	1	1	-	-
RICHTERIOLA Mesnil, 1963	2	-	-	1	-	-	-
RICOSIA Curran, 1927	1	1	-	-	-	-	-
RIEDELIA Mesnil, 1942	1	-	-	1	-	1	-
RIOTERIA Herting, 1973	3	-	-	1	1	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ROBINALDIA Herting, 1983	1	-	-	1	-	-	-
RONDANIA Robineau-Desvoidy, 1850 Recorded from Australasian Region by Cantrell & Burwell (2010).	10	-	1	1	-	-	1
RONDANIOOESTRUS Villeneuve, 1916	1	-	-	-	1	-	-
ROSSIMYIOPS Mesnil, 1953 Redefined and recorded from Palaearctic Region by Cerretti <i>et al.</i> (2009).	8	-	-	1	1	-	-
RUIZIELLA Cortés, 1951	2	1	-	-	-	-	-
RUTILIA Robineau-Desvoidy, 1830	57	-	-	-	-	1	1
RUTILODEXIA Townsend, 1915	3	-	-	-	-	-	1
RUTILOTRIXA Townsend, 1933	8	-	-	-	-	-	1
SANTACRUZIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
SANTACRUZIOPSIS Thompson, 1968 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
SARALBA Walker, 1865	1	-	-	-	-	-	1
SARCOCALIRRHOE Townsend, 1928	2	1	-	-	-	-	-
SARCOPROSENA Townsend, 1927	3	1	-	-	-	-	-
SARROMYIA Pokorny, 1893	1	-	-	1	-	-	-
SARRORHINA Villeneuve, 1936	1	-	-	-	1	-	-
SAUNDERSIOPS Townsend, 1914	17	1	-	-	-	-	-
SCAPHIMYIA Mesnil, 1955	3	-	-	1	-	1	-
SCHEMBRIA Rondani, 1861	2	-	-	1	1	-	-
SCHINERIA Rondani, 1857	4	-	-	1	-	1	-
SCHISTOSTEPHANA Townsend, 1919	1	1	-	-	-	-	-
SCHIZOCEROPHAGA Townsend, 1916 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)	0	x					
SCHIZOLINNAEA van Emden, 1960	1	-	-	-	1	-	-
SCHIZOTACHINA Walker, 1852 = PHYTOMYPTERA Rondani, 1844 (Wood 1987: 1220, O'Hara & Wood 1998: 757)	0	x					
SCHLINGERMYIA Cortés, 1967	1	1	-	-	-	-	-
SCHWARZALIA Curran, 1934	1	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
SCOMMA Richter, 1972	1	-	-	1	-	-	-
SCOTIPTERA Macquart, 1835	6	1	-	-	-	-	-
SEMISUTURIA Malloch, 1927	9	-	-	-	-	1	1
SENOMETOPIA Macquart, 1834	62	-	-	1	1	1	1
SENOSTOMA Macquart, 1847	29	-	-	-	-	-	1
SEPSEOCARA Richter, 1986*	1	-	-	1	-	-	-
SERICODORIA Townsend, 1928	1	1	-	-	-	-	-
SERICOTACHINA Townsend, 1916	1	-	-	-	-	1	-
SERICOZENILLIA Mesnil, 1957	1	-	-	1	-	-	-
SERVILLIA Robineau-Desvoidy, 1830 = TACHINA (SERVILLIA R.-D., 1830) (Herting 1984: 86, Herting & Dely-Draskovits 1993: 267)	0					x	
SETALUNULA Chao & Yang, 1990* Recorded from Palaearctic Region by Shima & Tachi (2009).	2	-	-	1	-	1	-
SETOLESTES Aldrich, 1934	1	1	-	-	-	-	-
SHANNONIELLA Townsend, 1939 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257).	0	x					
SHANNONOMYIELLA Townsend, 1939	1	1	-	-	-	-	-
SIGNOSOMA Townsend, 1914	1	1	-	-	-	-	-
SIGNOSOMOPSIS Townsend, 1914	3	1	-	-	-	-	-
SIMOMA Aldrich, 1926 Recorded from Afrotropical Region by O'Hara & Cerretti (2016).	1	-	-	1	1	1	-
SIPHRACTIA Townsend, 1927	2	1	-	-	-	-	-
SIPHOCROCUTA Townsend, 1935	1	1	-	-	-	-	-
SIPHOLESKIA Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 757)	0	x					x
SIPHONA Meigen, 1803	141	1	1	1	1	1	1
SIPHOSTURMIA Coquillett, 1897	11	1	1	-	-	-	-
SISYPHOMYIA Townsend, 1927	1	1	-	-	-	-	-
SISYROHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9) (as synonym of PETRARGYROPS Townsend, 1927 in Guimarães 1971: 212)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
SISYROPA B. & B., 1889	20	1	1	1	1	1	1
SITELLITERGUS Reinhard, 1964	2	1	-	-	-	-	-
SITOPHAGA Gistel, 1848 = ZAIRA Robineau-Desvoidy, 1830 (Herting 1974: 25, as "SITOPHILA")	0	x					
SMIDTIA Robineau-Desvoidy, 1830	26	-	1	1	1	1	-
SMIDTIOLA Mesnil, 1957 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)	0					x	
SOLIERIA Robineau-Desvoidy, 1849	13	-	1	1	-	1	-
SOLOMONILLA Özdikmen, 2007* Replacement name for ILLA Baranov, 1938, preoccupied by ILLA Warren, 1914.	1	-	-	-	-	-	1
SONACA Richter, 1981	1	-	-	1	-	-	-
SOPHIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
SOPHIELLA Guimarães, 1982*	1	1	-	-	-	-	-
SOROCHEMYIA Townsend, 1915	1	1	-	-	-	-	-
SPALLANZANIA Robineau-Desvoidy, 1830	15	1	1	1	-	1	-
SPATHIDEXIA Townsend, 1912	25	1	1	-	-	-	-
SPATHIMEIGENIA Townsend, 1915 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)	0	x					
SPATHIMYIA Townsend, 1912 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
SPATHIPALPUS Rondani, 1863	1	1	-	-	-	-	-
SPHAERINA van der Wulp, 1890	4	1	1	-	-	-	-
SPILOCHAETOSOMA Smith, 1917	1	-	1	-	-	-	-
SPIROGLOSSA Doleschall, 1858	1	-	-	-	-	-	1
SQUAMOMEDINA Townsend, 1934	1	1	-	-	-	-	-
STACKELBERGOMYIA Rohdendorf, 1948	1	-	-	1	-	-	-
STAUROCHAETA B. & B., 1889	2	-	-	1	-	-	-
STEATOSOMA Aldrich, 1934	2	1	-	-	-	-	-
STELEONEURA Stein, 1924 Recorded from Oriental Region by Chao <i>et al.</i> (1998).	3	-	1	1	-	1	-
STENOCHAETA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
STENODEXIA van der Wulp, 1891	2	1	-	-	-	-	-
STENOSTURMIA Townsend, 1927	2	1	-	-	-	-	-
STIREMANIA Cerretti & O'Hara <i>in</i> O'Hara & Cerretti, 2016	2	-	-	-	1	-	-
STOLATOSOMA Reinhard, 1953	1	1	-	-	-	-	-
STOMATODEXIA B. & B., 1889 Recorded from Nearctic Region by O'Hara (2014).	7	1	1	-	-	-	-
STOMATOMYIA B. & B., 1889 = CHETOGENA (STOMATOMYIA B. & B., 1889) (Herting 1984: 13, O'Hara & Wood 2004: 148)	0	x			x	x	x
STOMATOTACHINA Townsend, 1931	1	1	-	-	-	-	-
STOMINA Robineau-Desvoidy, 1830 Recorded from Oriental Region (Fujian, China) by Zhang <i>et al.</i> (2013).	6	-	-	1	1	1	-
STRONGYGASTER Macquart, 1834	7	1	1	1	-	-	-
STUARDOMYIA Cortés, 1945	1	1	-	-	-	-	-
STURMIA Robineau-Desvoidy, 1830	14	1	-	1	1	1	1
STURMIELLINA Thompson, 1963	1	1	-	-	-	-	-
STURMIMASIPHYA Townsend, 1935	1	1	-	-	-	-	-
STURMIOACTIA Townsend, 1926	1	1	-	-	-	-	-
STURMIODEXIA Townsend, 1919	2	1	-	-	-	-	-
STURMIOMIMA Townsend, 1934	1	1	-	-	-	-	-
STURMIOPSIS Townsend, 1916	4	-	-	1	1	1	-
STURMIOPSOIDEA Thompson, 1966	1	1	-	-	-	-	-
STYLOCARCELIA Zeegers, 2007	1	-	-	-	1	-	-
SUBCLYTIA Pandellé, 1894	1	-	-	1	-	-	-
SUBFISCHERIA Villeneuve, 1937	1	-	-	-	1	-	-
SUCCINGULODES Townsend, 1935	1	1	-	-	-	-	-
SUENSONOMYIA Mesnil, 1953	2	-	-	1	-	1	-
SUMICHRASTIA Townsend, 1916	1	1	-	-	-	-	-
SUMPIGASTER Macquart, 1855	11	-	-	1	1	1	1
SYMMORPHOMYIA Mesnil & Shima, 1977	1	-	-	1	-	-	-



---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
SYNACTIA Villeneuve, 1915	2	-	-	1	-	-	-
SYNAMPHICHAETA Villeneuve, 1936	1	-	-	1	-	-	-
SYNORBITALIA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
SYRINGOSOMA Townsend, 1917	1	1	-	-	-	-	-
TACHINA Meigen, 1803	138	1	1	1	-	1	-
TACHINEO Malloch, 1938	1	-	-	-	-	-	1
TACHINOESTRUS Portschinsky, 1887	1	-	-	1	-	-	-
TACHINOMYIA Townsend, 1892	10	1	1	-	-	-	-
TACHINOPHASIA Townsend, 1931	1	1	-	-	-	-	-
TACHINOPHYTO Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
TAKANOELLA Baranov, 1935	2	-	-	1	-	1	-
TAKANOMYIA Mesnil, 1957	7	-	-	1	-	1	-
TALAROCERA Williston, 1888	1	1	-	-	-	-	-
TALPAROMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
TAMANAMYIA Thompson, 1963 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
TAPAJOHOUGHIA Townsend, 1934 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 10)	0	x					
TAPAJOLESKIA Townsend, 1934	1	1	-	-	-	-	-
TAPAJOSIA Townsend, 1934	1	1	-	-	-	-	-
TAPERAMYIA Townsend, 1935	1	1	-	-	-	-	-
TARASSUS Aldrich, 1933	1	1	-	-	-	-	-
TARPESSITA Reinhard, 1967	1	1	-	-	-	-	-
TASMANIOMYIA Townsend, 1916	1	-	-	-	-	-	1
TECHNAMYIA Reinhard, 1975*	1	1	-	-	-	-	-
TELODYTES Aldrich, 1934	1	1	-	-	-	-	-
TELONOTOMYIA Cortés, 1986*	1	1	-	-	-	-	-
TELOTHYRIA van der Wulp, 1890 Recorded from Nearctic Region by Wood & Zumbado (2010: 1412).	9	1	1	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
TELOTHYRIOSOMA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
TERETROPHORA Macquart, 1851	1	-	-	-	-	-	1
TESSERACEPHALUS Reinhard, 1955	1	1	-	-	-	-	-
TETRAGRAPHIA Brauer and Bergenstamm, 1891 = CHETOGENA Rondani, 1856 (Nihei 2015: 2)	0	x					
TETRIGIMYIA Shima & Takahashi, 2011*	1	-	-	1	-	-	-
TETTIGONIOPHAGA Guimarães, 1978*	1	1	-	-	-	-	-
THECOCARCELIA Townsend, 1933	20	-	-	1	1	1	1
THELAIRA Robineau-Desvoidy, 1830	19	1	1	1	1	1	1
THELAIRALIA Curran, 1934 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
THELAIRAPORIA Guimarães, 1980*	2	1	-	-	-	-	-
THELAIROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
THELAIRODES van der Wulp, 1891	4	1	-	-	-	-	-
THELAIRODORIA Townsend, 1927	4	1	1	-	-	-	-
THELAIRODORIOPSIS Thompson, 1968	2	1	-	-	-	-	-
THELAIRODRINO Mesnil, 1954	4	-	-	-	1	1	-
THELAIROLESKIA Townsend, 1926	3	-	-	-	-	1	-
THELAIROMIMA Townsend, 1935 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
THELAIROPHASIA Townsend, 1919	1	1	-	-	-	-	-
THELAIROSONA Villeneuve, 1916	24	-	-	-	1	-	-
THELYCONYCHIA B. & B., 1889	6	-	-	1	1	1	1
THELYMORPHA B. & B., 1889	1	-	-	1	-	-	-
THELYMYIA B. & B., 1891	1	-	-	1	-	-	-
THELYMYIOPS Mesnil, 1950	1	-	-	-	1	-	-
THELYOXYNOPS Townsend, 1927	3	1	-	-	-	-	-
THELYPHAENOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
THEMATHECA Reinhard, 1961 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
THERESIA Robineau-Desvoidy, 1830 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 757)	0	x					
THEROBIA Brauer, 1862	19	-	-	1	1	1	1
THRIXION B. & B., 1889	2	-	-	1	1	-	-
THRYPTODEXIA Malloch, 1926	1	-	-	-	-	1	-
THYSANOMYIA B. & B., 1891 = BLEPHARIPA Rondani, 1856 (Wood 1987: 1213, O'Hara & Wood 1998: 757)	0	x					
THYSANOPSIS Townsend, 1917	2	1	-	-	-	-	-
THYSANOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
TIMAVIA Robineau-Desvoidy, 1863 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)	0			x	x	x	
TINALYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
TIPULIDOMIMA Townsend, 1933	1	-	-	-	1	-	-
TIPULOLESKIA Townsend, 1931	1	1	-	-	-	-	-
TLEPHUSA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
TOPOMEIGENIA Townsend, 1919	3	1	-	-	-	-	-
TOROCCA Walker, 1859	5	-	-	1	-	1	1
TOROSOMYIA Reinhard, 1935	1	-	1	-	-	-	-
TOTHILLIA Crosskey, 1976	2	-	-	-	-	1	-
TOWNSENDIELLOMYIA Baranov, 1932	1	-	1	1	-	-	-
TOXOCNEMIS Macquart, 1855	1	-	-	-	-	-	1
TRAFOIA B. & B., 1893	9	1	1	1	-	-	-
TREPOPHRYS Townsend, 1908 As "TREPOPHRYX" in Guimarães (1971), in error.	1	1	-	-	-	-	-
TRIACHORA Townsend, 1908 = BELVOSIA Robineau-Desvoidy, 1830 (Wood 1987: 1214, O'Hara & Wood 1998: 757)	0	x					
TRIARTHRIA Stephens, 1829	4	1	1	1	-	-	-
TRICHACTIA Stein, 1924	3	-	-	1	1	1	-
TRICHINOCHAETA Townsend, 1917	1	1	-	-	-	-	-
TRICHOCERONIA Cortés, 1945	2	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
TRICHODISCHIA Bigot, 1885	2	1	-	-	-	-	-
TRICHODURA Macquart, 1844	10	1	-	-	-	-	-
TRICHOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
TRICHOFORMOSOMYIA Baranov, 1934	3	-	-	1	-	1	-
TRICHOPAREIA B. & B., 1889 = ADMONTIA B. & B., 1889 (Wood 1985: 17)	0					x	
TRICHOPHASIA Townsend, 1939 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
TRICHOPHORA Macquart, 1847	8	1	-	-	-	-	-
TRICHOPHOROPSIS Townsend, 1914 Junior homonym of TRICHOPHOROPSIS Bonaparte, 1854 and replaced by ANDICESA Koçak & Kemal, 2010.	0	x					
TRICHOPODA Berthold, 1827 Introduced and established in Palaearctic Region (Colazza, Giangiuliani & Bin 1996) and Australasian Region (Coombs & Sands 2000).	25	1	1	1	?	-	1
TRICHOPROSOPUS Macquart, 1844	1	1	-	-	-	-	-
TRICHOPYRRHOSIA Townsend, 1927	1	1	-	-	-	-	-
TRICHORAEA Cortés, 1975 = TRICHODISCHIA Bigot, 1885 (e.g., Guimaraes 1977b: 76, Henry 1987: 195)	0	x					
TRICHOSAUNDERSIA Townsend, 1914	6	1	-	-	-	-	-
TRICHOSTYLUM Macquart, 1851	13	-	-	-	-	-	1
TRICHOTOPTERYX Townsend, 1919	1	1	-	-	-	-	-
TRICHSCHIZOTACHINA Townsend, 1935	1	1	-	-	-	-	-
TRIGONOSPILA Pokorny, 1886	22	1	1	1	1	1	1
TRINITODEXIA Townsend, 1935	1	1	-	-	-	-	-
TRINITODORIA Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
TRIODONTOPYGA Townsend, 1927	9	1	-	-	-	-	-
TRISCHIDOCERA Villeneuve, 1915	2	-	-	1	-	1	-
TRISMEGISTOMYIA Reinhard, 1967	1	-	1	-	-	-	-
TRITAXYS Macquart, 1847 Recorded from Palaearctic Region by Richter (1995b).	7	-	-	1	-	1	1

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
TRIXA Meigen, 1824 Recorded from Afrotropical and Oriental regions by Zhang & Shima (2005) but removed from Afrotropical Region by O'Hara & Cerretti (2016).	12	-	-	1	-	1	-
TRIXELLA Mesnil, 1980 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58) Recorded from Oriental Region by Shima (1988).	0			x		x	
TRIXICEPS Villeneuve, 1936	2	-	-	1	-	-	-
TRIXOCLEA Villeneuve, 1916	1	-	-	-	1	-	-
TRIXODES Coquillett, 1902	1	1	1	-	-	-	-
TRIXODOPSIS Townsend, 1933 = PSECACERA Bigot, 1880 (Cortés 1986: 141)	0	x					
TRIXOMORPHA B. & B., 1889	3	-	-	-	-	1	-
TROCHILOCHAETA Townsend, 1940	1	1	-	-	-	-	-
TROCHILODES Coquillett, 1903	2	-	1	-	-	-	-
TROCHILOGLOSSA Townsend, 1919	2	1	-	-	-	-	-
TROCHILOLESKIA Townsend, 1917	2	1	1	-	-	-	-
TROMODESIANA Townsend, 1931	1	1	-	-	-	-	-
TROMODESIOPSIS Townsend, 1927	1	1	-	-	-	-	-
TROPIDODEXIA Townsend, 1915	2	1	-	-	-	-	-
TROPIDOPSIOMORPHA Townsend, 1927	1	1	-	-	-	-	-
TRUPHIA Malloch, 1930	1	-	-	-	-	-	1
TRYPETIDOMIMA Townsend, 1935 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257).	0	x					
TRYPHERA Meigen, 1838	1	-	1	1	-	-	-
TRYPHERINA Malloch, 1938	1	-	-	-	-	-	1
TRYPHEROMYIA Reinhard, 1945 = ANGUSTIA Sellers, 1943 (Wood 1985: 19)	0	x					
TSUGAEA Hall, 1939	1	1	1	-	-	-	-
TUNAPUNIA Thompson, 1963	1	1	-	-	-	-	-
TYLODEXIA Townsend, 1926	1	-	-	-	-	1	-
TYREOMMA B. & B., 1891	2	1	-	-	-	-	-

---

**WORLD GENERA OF THE TACHINIDAE**

---

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
UCAYALIMYIA Townsend, 1927	1	1	-	-	-	-	-
UCLESIA Girschner, 1901	11	-	1	1	-	-	-
UCLESIELLA Malloch, 1938	1	-	-	-	-	-	1
UGIMEIGENIA Townsend, 1916	1	-	-	-	-	-	1
URAMYA Robineau-Desvoidy, 1830	35	1	1	-	-	-	-
URAPORIA Townsend, 1919	1	1	-	-	-	-	-
UROCHAETONA Townsend, 1919 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
URODEXIA Osten Sacken, 1882	2	-	-	1	-	1	-
URODEXIOMIMA Townsend, 1927	1	-	-	-	-	1	-
URODEXODES Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
UROEUANTHA Townsend, 1927	1	-	-	-	-	1	-
UROHYPOMYIA Townsend, 1939 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)	0	x					
UROMEDINA Townsend, 1926	4	-	-	-	-	1	-
URSOPHYTO Aldrich, 1926	1	-	1	-	-	-	-
URUCURYMYIA Townsend, 1934	1	1	-	-	-	-	-
URUHUASIA Townsend, 1914	2	1	-	-	-	-	-
URUHUASIOPSIS Townsend, 1915	1	1	-	-	-	-	-
URULESKIA Townsend, 1934	5	1	-	-	-	-	-
URUMYOBIA Townsend, 1934	1	1	-	-	-	-	-
USHPAYACUA Townsend, 1928	1	1	-	-	-	-	-
VANDERWULPELLA Townsend, 1919	1	1	-	-	-	-	-
VANDERWULPIA Townsend, 1891	3	1	1	-	-	-	-
VELARDEMYIA Valencia, 1972*	1	1	-	-	-	-	-
VELOCIA Robineau-Desvoidy, 1863 = MEDINA Robineau-Desvoidy, 1830 (Mesnil 1962: 726)	0	x					
VELUTA Malloch, 1938	1	-	-	-	-	-	1
VENTOPLAGIA Richter, 2009*	1	-	-	1	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
VERRUGOMYIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 9)	0	x					
VERRUGOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
VERTEPALPUS Curran, 1947	1	1	-	-	-	-	-
VIBRISSINA Rondani, 1861 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	43	1	1	1	-	1	-
VIBRISSEPALPUS Townsend, 1915	1	1	-	-	-	-	-
VIBRISSOMYIA Townsend, 1912	7	1	-	-	-	-	-
VIBRISSEVORIA Townsend, 1919	2	1	-	-	-	-	-
VILLANOVIA Strobl, 1910	1	-	-	1	-	-	-
VISAYALYDINA Townsend, 1926	1	1	-	-	-	-	-
VIVIANOIDEA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
VORIA Robineau-Desvoidy, 1830	11	1	1	1	1	1	1
VORIELLA Malloch, 1930	3	-	-	-	-	-	1
WAGNERIA Robineau-Desvoidy, 1830	19	-	1	1	-	-	-
WARDARINA Mesnil, 1953	2	-	-	1	-	-	-
WATTIA Malloch, 1938	3	-	-	-	-	-	1
WEBERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
WEINGAERTNERIELLA Baranov, 1932	1	-	-	1	-	1	-
WINHELLIA Crosskey, 1967	1	-	-	-	-	-	1
WINTHEMIA Robineau-Desvoidy, 1830	126	1	1	1	1	1	1
XANTHOBASIS Aldrich, 1934	7	1	-	-	-	-	-
XANTHOCHAETONA Townsend, 1934 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)	0	x					
XANTHODEXIA van der Wulp, 1891	2	1	-	-	-	-	-
XANTHOEPALPODES Townsend, 1931	1	1	-	-	-	-	-
XANTHOEPALPUS Townsend, 1914	4	1	1	-	-	-	-
XANTHOMELANODES Townsend, 1893	14	1	1	-	-	-	-
XANTHOMELANOPSIS Townsend, 1917	3	1	-	-	-	-	-

**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
XANTHOOESTRUS Villeneuve, 1914	2	-	-	-	-	1	-
XANTHOPELTA Aldrich, 1934	1	1	-	-	-	-	-
XANTHOPHYLLOPHILA Townsend, 1927 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
XANTHOPHYTO Townsend, 1916	4	1	1	-	-	-	-
XANTHOPTEROMYIA Townsend, 1926	2	-	-	-	-	1	-
XANTHOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
XANTHOTRICHIVUS Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
XANTHOZONA Townsend, 1908	2	1	-	-	-	-	-
XENOPHASIA Townsend, 1934 Junior homonym of XENOPHASIA Strickland, 1841 and replaced by CESAPERUA Koçak & Kemal, 2010.	0	x					
XENOPLAGIA Townsend, 1914 = VORIA Robineau-Desvoidy, 1830 (Fleming & Wood <i>in</i> Fleming <i>et al.</i> 2017a: 7)	0	x					
XENORHYNCHIA Malloch, 1938	2	-	-	-	-	-	1
XEOPROSOPA Townsend, 1919	1	1	-	-	-	-	-
XIPHOCHAETA Mesnil, 1968	9	-	-	-	1	-	-
XIPHOMYIA Townsend, 1917 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
XIPHOPHASIA Townsend, 1937 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
XYLOCAMPTOMIMA Townsend, 1927	1	1	-	-	-	-	-
XYLOTACHINA B. & B., 1891	2	-	-	1	-	1	-
XYSTA Meigen, 1824	1	-	-	1	-	-	-
YAHUARMAYOIA Townsend, 1927	1	1	-	-	-	-	-
YPOPHAEMYIOPS Townsend, 1935	1	1	-	-	-	-	-
ZAIRA Robineau-Desvoidy, 1830	23	1	1	1	-	-	-
ZAMBESA Walker, 1856	3	-	-	-	-	1	1
ZAMBESOMIMA Mesnil, 1967	2	-	-	1	-	-	-
ZAMIMUS Malloch, 1932	1	-	-	-	-	1	-
ZEALANDOTACHINA Malloch, 1938	10	-	-	-	-	-	1



**WORLD GENERA OF THE TACHINIDAE**

GENUS	Species	Neo	Nea	Pal	Afr	Ori	Aus
ZEBROMYIA Malloch, 1929	1	-	-	-	-	-	1
ZELIA Robineau-Desvoidy, 1830	19	1	1	-	-	-	-
ZELINDOPSIS Anonymous, 1946 See Evenhuis <i>et al.</i> (2008: 34) for authorship and dating.	12	-	-	-	1	-	-
ZELINDOPSIS Villeneuve, 1943, <i>nomen nudum</i> See Evenhuis <i>et al.</i> (2008: 34) for authorship and dating.	0				x		
ZELIOMIMA Mesnil, 1976	2	-	-	-	1	-	-
ZENARGOMYIA Crosskey, 1964	1	-	-	-	-	-	1
ZENILLIA Robineau-Desvoidy, 1830	7	1	-	1	-	1	-
ZEUXIA Meigen, 1826	18	-	-	1	-	-	-
ZEUXIOTRIX Mesnil, 1976	2	-	-	-	1	-	-
ZIMINIA Mesnil, 1963	1	-	-	1	-	-	-
ZIMINIOLA Mesnil, 1978 Junior homonym of ZIMINIOLA Gerasimov, 1930 and replaced by MESNILUS Özdikmen, 2007.	0				x		
ZITA Curran, 1927	2	-	-	-	-	-	1
ZIZYPHOMYIA Townsend, 1916	4	1	1	-	-	-	-
ZONALIA Curran, 1934	1	1	-	-	-	-	-
ZONOEALPUS Townsend, 1927	2	1	-	-	-	-	-
ZOPHOMYIA Macquart, 1835	2	-	-	1	-	-	-
ZOSTEROMEIGENIA Townsend, 1919	1	-	-	-	-	-	1
ZYGOFRONTINOPSIS Blanchard, 1959 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14, as "ZYGOFRONTINIOPSIS"). Genus overlooked by Guimarães (1971).	0	x					
ZYGOZENILLIA Townsend, 1927	1	1	-	-	-	-	-
Species unplaced to genus	110						
<b>TOTALS</b> (species for first column, genera for other columns)	<b>8552</b>	<b>795</b>	<b>307</b>	<b>411</b>	<b>235</b>	<b>260</b>	<b>229</b>

## REFERENCES

- Andersen, S. 1988. Revision of European species of *Phytomyptera* Rondani (Diptera: Tachinidae). *Entomologica Scandinavica* **19**: 43–80.
- Barracough, D.A. 1983. *Mediosetiger microcephala*, a new genus and species of Ormiini from the Natal Drakensberg (Diptera: Tachinidae). *Annals of the Natal Museum* **25**: 431–435.
- Barracough, D.A. 1985. *Piligenoides*, a new genus near to *Piligena* van Emden, 1947 (Diptera: Tachinidae: Dexiini). *Journal of the Entomological Society of Southern Africa* **48**: 267–271.
- Barracough, D.A. 1992. The systematics of the Australasian Dexiini (Diptera: Tachinidae: Dexiinae) with revisions of endemic genera. *Invertebrate Taxonomy* **6**: 1127–1371.
- Barracough, D.A. 1996. *Montanotalma natalensis*, a new high altitude genus and species of Microphthalmini (Diptera: Tachinidae: Tachininae) from the Natal Drakensberg of South Africa. *Annals of the Natal Museum* **37**: 123–129.
- Barracough, D.A. 1997. *Melanesomyia*, a tribally unplaced new genus of Dexiinae (Diptera: Tachinidae) from Indonesia (Maluku) and Papua New Guinea, with description of two new species. *Australian Journal of Entomology* **36**: 345–350.
- Barracough, D.A. 1998. Type-species designation for “*Melanesomyia* Barracough” (Diptera: Tachinidae). *Australian Journal of Entomology* **37**: 22.
- Barracough, D.A. 2005. *Rhinophoroides minutus*, a new genus and species of rare nocturnal Dufouriini (Diptera: Tachinidae: Dexiinae) from South Africa. *African Entomology* **13**: 380–384.
- Barracough, D.A. and O’Hara, J.E. 1998. *Obscuromyia*, a remarkable new genus of the endemic Australian tribe Myiotrixini (Diptera: Tachinidae: Tachininae). *Invertebrate Taxonomy* **12**: 825–832.
- Blanchard, E.E. 1959. Dípteros parásitos de orugas de Arctiidae (“gatas peludas”). *Revista de Investigaciones Agrícolas* **13**: 157–182.
- Cantrell, B.K. and Burwell, C.J. 2010. The tribe Dufouriini (Diptera: Tachinidae: Dexiinae) recorded from Australia with the description of two new species. *Memoirs of the Queensland Museum – Nature* **55**: 119–133.
- Cantrell, B.K. and Crosskey, R.W. 1989. Family Tachinidae. Pp. 733–784. In: Evenhuis, N.L., ed., *Catalog of the Diptera of the Australasian and Oceanian Regions*. Bishop Museum Special Publication 86. Bishop Museum Press and E.J. Brill. 1155 pp.
- Cerretti, P. 2005. World revision of the genus *Nealsomyia* Mesnil (Diptera, Tachinidae). *Revue Suisse de Zoologie* **112**: 121–144.
- Cerretti, P. 2009a. A new Afrotropical genus of Voriini, with remarks on related genera (Diptera: Tachinidae: Dexiinae). *Insect Systematics and Evolution* **40**: 105–120.
- Cerretti, P. 2009b. A review of the genus *Kuwanimyia* Townsend (Diptera: Tachinidae), with taxonomic remarks on related genera. *African Entomology* **17**: 51–63.
- Cerretti, P. 2010. *I tachinidi della fauna italiana (Diptera Tachinidae) con chiave interattiva dei generi ovest-paleartici. Volumes I & II*. Centro Nazionale Biodiversità Forestale, Verona. 573 pp. (Vol. I) + 339 pp. (Vol. II) + CD ROM.
- Cerretti, P. 2012. New Afrotropical species belonging to genera never recorded before for the Afrotropical fauna (Diptera: Tachinidae). *Zoologischer Anzeiger* **251**: 317–330.
- Cerretti, P. and Barracough, D.A. 2007. *Anomalostomyia namibica*, a new genus and species of Afrotropical Tachinidae (Diptera). *Italian Journal of Zoology* **74**: 101–106.
- Cerretti, P., Biase, A. de and Freidberg, A. 2009. Systematic study of the genus *Rossimyriops* Mesnil (Diptera: Tachinidae). *Zootaxa* **1984**: 31–56.
- Cerretti, P., O’Hara, J.E., Stireman, J.O. III, Winkler, I.S. and Kirk-Spriggs, A.H. 2013. To ‘Die Hel’ and back. Expeditions of the Phylogeny of World Tachinidae Project. Part I: Western Cape, South Africa. *The Tachinid Times* **26**: 20–29.
- Cerretti, P., O’Hara, J.E., Winkler, I.S., Lo Giudice, G. and Stireman, J.O. III. 2015. Two tribes hidden in one genus: the case of *Agaedioxenis* Villeneuve (Diptera: Tachinidae: Exoristinae). *Organisms Diversity & Evolution* **15**: 489–512.
- Cerretti, P., Stireman, J.O. III, Pape, T., O’Hara, J.E., Marinho, M.A.T., Rognes, K. and Grimaldi, D.A. 2017. First fossil of an oestroid fly (Diptera: Calyptratae: Oestroidea) and the dating of oestroid divergences. *PLoS ONE* **12** (8): e0182101.
- Cerretti, P., Wood, D.M. and O’Hara, J.E. 2012. *Neoethilla*, a new genus for the first record of the Ethillini from the New World (Diptera, Tachinidae, Exoristinae). *ZooKeys* **242**: 25–41.

- Chao, C.-m. 1974. Notes on the Chinese Larvaevoridae. IX. *Hystriomyia* Portschinsky. [In Chinese with English summary.] *Acta Entomologica Sinica* **17**: 474–478.
- Chao, C.-m. 1999. Tachinidae. Pp. 1661–2206. In Xue, W. and Chao, C.-m., chief eds., *Flies of China. Volume 2*. [In Chinese with English summary.] Liaoning Science and Technology Press, Shenyang. 1–17 + 1366–2425 pp. + 32 plates. [Dated 1996 but published in 1999.]
- Chao, C.-m. et al. (1998) Tachinidae. Pp. 1661–2206 + pls. 1–30. In: Xue, W.-q. and Chao, C.-m., eds., *Flies of China. Vol. 2*. [In Chinese with English summary.] Liaoning Science and Technology Press, Shenyang. 17 pp. + 1366–2425 + 32 pls.
- Note: The authors of the Tachinidae chapter were not cited in the chapter and can only be determined from the section “Authors and their addresses” at the beginning of Vol. 1. Chao was the principal author, but in addition the following contributors to the Tachinidae chapter can be considered as co-authors: Liang, E.-y., Shi, Y.-s., Zhou, S.-x., Sun, X.-k. and Chen, R.-j. (colored plates). The order of co-authors cannot be determined.
- Chao, C.-m. and Liang, E.-y. 2002. Review of the Chinese *Carcelia* Robineau-Desvoidy (Diptera: Tachinidae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **27**: 807–848.
- Chao, C.-m., Liang, E.-y. and Zhou, S.-x. 2002. Diptera: Tachinidae. Pp. 814–834. In: Huang, F., ed., *Forest Insects of Hainan*. [In Chinese with English summary]. Science Press, Beijing. xi + 1064 pp.
- Chao, C.-m. and Shi, Y.-s. 1981. Notes on new genus *Flavicorniculum* Chao et Shi of Tachinidae from China. [In Chinese with English summary.] *Acta Entomologica Sinica* **24**: 203–208.
- Chao, C.-m., Sun, X.-k. and Zhou, S.-x. 1990. Studies on the tribe Parerigonini from China (Diptera: Phasiinae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **15**: 230–241.
- Chao, C.-m. and Yang, L.-l. 1990. Notes on a new genus and species of Tachinidae from China. [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **15**: 77–82.
- Chao, C.-m. and Zhou, S.-x. 1993. Diptera: Tachinidae. Pp. 1271–1347. In: Chen, S., ed., *Insects of the Hengduan Mountains Region, Volume 2*. [In Chinese with English summary.] Science Press, Beijing. i–xvi + 867–1547 (1992).
- Chao, C.-m. and Zhou, S.-x. 1996. Diptera Tachinidae. Pp. 217–224. In: Wu, S.-g. and Feng, Z.-j., chief eds., *The Biology and Human Physiology in the Hoh Xil Region*. [In: The Series of the Comprehensive Scientific Expedition to the Hoh Xil Region.] [In Chinese with English summary.] Science Press, Beijing. 357 pp.
- Coelho, S.M.P., Carvalho, C.J.B. de and Guimarães, J.H. 1989. Chave e sinonimias para as espécies sul-americanas de *Winthemia* Robineau-Desvoidy (Diptera, Tachinidae) com descrição de três espécies novas. *Revista Brasileira de Zoologia* **6**: 271–296.
- Colazza, S., Giangiuliani, G. and Bin, F. 1996. Fortuitous introduction and successful establishment of *Trichopoda pennipes* F.: adult parasitoid of *Nezara viridula* (L.). *Biological Control* **6**: 409–411.
- Coombs, M. and Sands, D.P.A. 2000. Establishment in Australia of *Trichopoda giacomellii* (Blanchard) (Diptera: Tachinidae), a biological control agent for *Nezara viridula* (L.) (Hemiptera: Pentatomidae). *Australian Journal of Entomology* **39**: 219–222.
- Cortés, R. 1973. Taquíidos chilenos nuevos o poco conocidos III. (Diptera, Tachinidae). *Revista Chilena de Entomología* **7**: 97–105.
- Cortés, R. 1975. Sobre cuatro géneros de Dexiinos chilenos (Diptera, Tachinidae) con los fémures posteriores de los machos modificados. *Revista Chilena de Entomología* **8** (1974): 35–38.
- Cortés, R. 1976. Taquíidos chilenos nuevos o poco conocidos, IV – (Diptera, Tachinidae). *Facultad de Agronomía, Universidad de Chile, Boletín Técnico* **40** (1975): 3–14.
- Cortés, R. 1979. Taquíidos chilenos – Argentinos (Diptera, Tachinidae). *Inv. Agrícola (Chile)* **5**: 75–82.
- Cortés, R. 1982. *Marnefta mirifica* n. gen. et sp. – con insólita venación alar. *Phegea* **10**: 137–144.
- Cortés, R. 1983. Tachinid flies (Diptera: Tachinidae) from Tarapacá and Antofagasta provinces, Chile III. Addendum. *Florida Entomologist* **66**: 377–389.
- Cortés, R. 1986. Taquíidos de Aysen (XI region) y Magallanes (XII region) Chile (Diptera: Tachinidae). *Acta Entomológica Chilena* **13**: 133–160.
- Cortés, R. 1992. Nuevas sinonimias de taquíidos chilenos (Diptera: Tachinidae). *Acta Entomológica Chilena* **17**: 235–236.
- Cortés, R. and Campos, L. 1971. Taquíidos de Tarapacá y Antofagasta (Diptera: Tachinidae). *Anales de la Universidad del Norte* **8** (1970): 104 pp.
- Cortés, R. and Campos, L. 1974. Taquíidos de Tarapacá y Antofagasta. Addenda 1. (Diptera: Tachinidae). *Idesia (Chile)* **3**: 111–125.
- Cortés, R. and González, C.R. 1989. Géneros Voriinos de taquíidos chilenos (Diptera: Tachinidae, Voriini). *Memórias do Instituto Oswaldo Cruz (Rio de Janeiro)* **84**, Supl. IV: 115–123.

- Crosskey, R.W. 1973. A conspectus of the Tachinidae (Diptera) of Australia, including keys to the supraspecific taxa and taxonomic and host catalogues. *Bulletin of the British Museum (Natural History). Entomology Supplement* **21**: 221 pp.
- Crosskey, R.W. 1976. A taxonomic conspectus of the Tachinidae (Diptera) of the Oriental Region. *Bulletin of the British Museum (Natural History). Entomology Supplement* **26**: 357 pp.
- Crosskey, R.W. 1977. Family Tachinidae. Pp. 586–697. In: Delfinado, M.D. and Hardy, D.E., eds., *A catalog of the Diptera of the Oriental Region. Volume III. Suborder Cyclorrhapha (excluding Division Aschiza)*. University Press of Hawaii, Honolulu. 854 pp.
- Crosskey, R.W., ed. 1980a. *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1980b. Family Tachinidae. Pp. 822–882. In: Crosskey, R.W., ed., *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1984. Annotated keys to the genera of Tachinidae (Diptera) found in tropical and southern Africa. *Annals of the Natal Museum* **26**: 189–337.
- Dear, J.P. 1981. A remarkable new leucostomatine (Diptera: Tachinidae) from Madagascar. *Annals of the Natal Museum* **24**: 501–505.
- Evenhuis, N.L. 1996. Revised online version of Cantrell and Crosskey (1989). Website address: <http://hbs.bishopmuseum.org/aocat/tachinidae.html>. (Web page dated 11 November 1996, accessed 19 January 2005.)
- Evenhuis, N.L. 2003. The status of the cricket parasites *Ormia ochracea* and *Phasioormia pallida* in the Hawaiian Islands (Diptera: Tachinidae). *Bishop Museum Occasional Papers* **74**: 34–35.
- Evenhuis, N.L. 2014. Publication and dating of Parts IV–VII of Brauer & Bergenstamm's *Die Zweiflügler des Kaiserlichen Museums zu Wien* (1889–1894). *Zootaxa* **3790**: 495–499.
- Evenhuis, N.L. and O'Hara, J.E. 2008. The status of Mesnil's 1949 *Die Fliegen* genus-group names (Diptera: Tachinidae). *Zootaxa* **1827**: 65–68.
- Evenhuis, N.L., Pape, T. and Pont, A.C. 2008. The problems of subsequent typification in genus-group names and use of the *Zoological Record*: a study of selected post-1930 Diptera genus-group names without type species designations. *Zootaxa* **1912**: 1–44.
- Evenhuis, N.L., Pont, A.C. and Whitmore, D. 2015. Nomenclatural studies toward a world list of Diptera genus-group names. Part IV: Charles Henry Tyler Townsend. *Zootaxa* **3978**: 1–362.
- Fleming, A.J., Wood, D.M., Janzen, D.H., Hallwachs, W. and Smith, M.A. 2015a. Seven new species of *Spathidexia* Townsend (Diptera: Tachinidae) reared from caterpillars in Area de Conservación Guanacaste, Costa Rica. *Biodiversity Data Journal* **3** (e4597): 1–97.
- Fleming, A.J., Wood, D.M., Smith, M.A., Dapkey, T., Hallwachs, W. and Janzen, D.H. 2017a. A new species of *Voria* Robineau-Desvoidy (Diptera: Tachinidae) from Area de Conservación Guanacaste in northwestern Costa Rica. *Biodiversity Data Journal* **5** (e20123): 1–19.
- Fleming, A.J., Wood, D.M., Smith, M.A., Hallwachs, W. and Janzen, D.H. 2014. Revision of the New World species of *Houghia* Coquillett (Diptera, Tachinidae) reared from caterpillars in Area de Conservación Guanacaste, Costa Rica. *Zootaxa* **3858**: 1–90.
- Fleming, A.J., Wood, D.M., Smith, M.A., Hallwachs, W. and Janzen, D. 2015b. Three new species of *Ametadoria* Townsend (Diptera: Tachinidae) from Area de Conservación Guanacaste, Costa Rica. *Biodiversity Data Journal* **3** (e5039): 1–38.
- Fleming, A.J., Wood, D.M., Smith, M.A., Hallwachs, W., Janzen, D. and Dapkey, T. 2017b. Nine new species of *Uramya* Robineau-Desvoidy (Diptera: Tachinidae) from Area de Conservación Guanacaste in northwestern Costa Rica, with a key to their identification. *Biodiversity Data Journal* **5** (e9649): 1–63.
- González, C.R. 1992. Géneros Cuphocerinos de taquínidos chilenos (Diptera: Tachinidae: Cuphocerini). *Acta Entomológica Chilena* **17**: 53–68.
- Griffiths, G.C.D. 1980. Preface. Pp. V–XIII. In: Griffiths, G.C.D., ed., *Flies of the Nearctic Region. Volume 1. Handbook, Part 1. History of Nearctic dipterology*. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Guimarães, J.H. 1971. *Family Tachinidae (Larvaevoridae). A catalogue of the Diptera of the Americas south of the United States*. São Paulo. Vol. **104**, 333 pp.
- Guimarães, J.H. 1975. *Neozelia alini*, gen. et sp. n. (Diptera: Tachinidae), a parasite of cerambycids (Coleoptera), with a listing of Tachinidae parasite [sic] of Cerambycidae. *Papéis Avulsos de Zoologia (São Paulo)* **29**: 37–44.
- Guimarães, J.H. 1976a. A revision of the genus *Cylindromyia* Meigen in the Americas south of the United States (Diptera, Tachinidae). *Arquivos de Zoologia* **27**: 1–50.
- Guimarães, J.H. 1976b. A review of the tribe Iceliini (Diptera, Tachinidae) with descriptions of one new genus and two new species from Brazil. *Studia Entomologica* **19**: 173–186.

- Guimarães, J.H. 1977a. A review of the tribe Oestrophasini Brauer & Bergenstamm (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **30**: 215–238.
- Guimarães, J.H. 1977b. Host-parasite and parasite-host catalogue of South American Tachinidae (Diptera). *Arquivos de Zoologia* **28**: 1–131.
- Guimarães, J.H. 1978. Note on Neotropical Oedematocerini, with a new genus and species from Brazil (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **31**: 299–305.
- Guimarães, J.H. 1979. *Polybiocyptera plaumanni*, gen. et sp. nov. and *Hemyda conopoides*, sp. n., two new wasp-like Tachinidae (Diptera). *Papéis Avulsos de Zoologia (São Paulo)* **32**: 217–221.
- Guimarães, J.H. 1980. Revision of the South American Uramyini (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **33**: 191–219.
- Guimarães, J.H. 1982a. A study of the South American Sophiini, with the description of new genera and species from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 163–171.
- Guimarães, J.H. 1982b. Three new Oedematocerini from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 213–217.
- Guimarães, J.H. 1983a. Taxonomy of Brazilian flies of the genus *Lespesia* Robineau-Desvoidy (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **35**: 11–30.
- Guimarães, J.H. 1983b. Contribution to the knowledge of the South American Winthemiini (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **27**: 225–242.
- Henry, A. 1987. Los taquinidos (Diptera: Tachinidae) de la colección del Instituto de Entomología de la Universidad Metropolitana de Ciencias de la Educación. *Acta Entomológica Chilena* **14**: 189–207.
- Herting, B. 1974. Revision der von Robineau-Desvoidy beschriebenen europäischen Tachiniden und Rhinophorinen (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **264**: 1–46.
- Herting, B. 1979. Revision einiger nicht-paläarktischer Arten aus der Tribus Cylindromyini (Dipt. Tachinidae, Phasiinae). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **326**: 1–15.
- Herting, B. 1984. Catalogue of Palearctic Tachinidae (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **369**: 1–228.
- Herting, B. 1987. Beiträge zur Kenntnis der paläarktischen Raupenfliegen (Dipt. Tachinidae), XVII. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **408**: 1–14.
- Herting, B. and Dely-Draskovits, Á. 1993. Family Tachinidae. Pp. 118–458. In: Soós, Á. and Papp, L., eds., *Catalogue of Palearctic Diptera. Volume 13. Anthomyiidae – Tachinidae*. Hungarian Natural History Museum, Budapest. 624 pp.
- Inclán, D.J., Stireman, J.O. III and Cerretti, P. 2016. Redefining the generic limits of *Winthemia* (Diptera: Tachinidae). *Invertebrate Systematics* **30**: 274–289.
- Inclán, D.J. and Stireman, J.O. III. 2014. A new species and synonymy of the Neotropical *Eucelatoria* Townsend and redescription of *Myiodoriops* Townsend. *ZooKeys* **464**: 63–97.
- Irwin, M.E., Schlinger, E.I. and Thompson, F.C. 2003. Diptera, true flies. Pp. 692–702. In: Goodman, S.M. and Benstead, J.P., *The Natural History of Madagascar*. University of Chicago Press, Chicago and London. 1728 pp.
- Koçak, A.Ö. and Kemal, M. 2010. Nomenclatural notes on the genus group names of some families (Diptera). *Priamus* **12**: 156–160.
- Liang, E.-y. and Chao, C.-m. 1992. On the genus *Neophryxe* Townsend from China (Diptera: Tachinidae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **17**: 224–226.
- Liljeström, G. 1992. Revision de las especies de los generos *Trichopoda* Berthold, *Trichopodopsis* Townsend y *Eutrichopodopsis* Blanchard descriptas para la República Argentina. *Revista de la Sociedad Entomológica Argentina* **50** [1991]: 51–71.
- Liu, Y.-z., Chao, C.-m., Li, L.-f., Zhou, S.-x., Wang, H.-x. and Zhang, W.-j. 1998. *Fauna of Tachinidae from Shanxi Province, China*. [In Chinese.] Science Press, Beijing. x + 378 pp. + 11 pls.
- Mesnil, L.P. 1962. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 705–752 (Lieferung 221).
- Mesnil, L.P. 1971. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 977–1024 (Lieferung 286).
- Mesnil, L.P. 1973. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1169–1232 (Lieferung 299).
- Mesnil, L.P. 1974. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1233–1304 (Lieferung 304).
- Mesnil, L.P. 1975. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1305–1384 (Lieferung 309).

- Mesnil, L.P. 1977. Nouveaux Tachinaires de Madagascar. 2e partie (Dipt. Tachinidae). *Verhandlungen der Naturforschenden Gesellschaft in Basel* **86**: 171–192.
- Mesnil, L.P. 1978. Nouveaux Tachinaires de Madagascar (Dipt. Tachinidae) – 8e partie. *Bulletin de la Société Entomologique Suisse* **51**: 279–290.
- Mesnil, L.P. and Pschorn-Walcher, H. 1968. A preliminary list of Tachinidae (Diptera) from Japan. *Mushi* **41**: 149–174.
- Mesnil, L.P. and Shima, H. 1979. New tribe, genera and species of Japanese and Oriental Tachinidae (Diptera), with note on synonymy. *Kontyû* **47**: 476–486.
- Nihei, S.S. 2015. Revision of the Neotropical Exoristini (Diptera, Tachinidae): The status of the genera *Epiplagiops* and *Tetragrapha*. *Journal of Insect Science* **15** (35): 9 pp.
- O’Hara, J.E. 1983. Classification, phylogeny and zoogeography of the North American species of *Siphona* Meigen (Diptera: Tachinidae). *Quaestiones Entomologicae* **18** (1982): 261–380.
- O’Hara, J.E. 1989. Systematics of the genus group taxa of the Siphonini (Diptera: Tachinidae). *Quaestiones Entomologicae* **25**: 1–229.
- O’Hara, J.E. 1996a. Earwig parasitoids of the genus *Triarthria* Stephens (Diptera: Tachinidae) in the New World. *Canadian Entomologist* **128**: 15–26.
- O’Hara, J.E. 1996b. The tachinid taxa of Louis P. Mesnil, with notes on nomenclature (Insecta: Diptera). *Canadian Entomologist* **128**: 115–165.
- O’Hara, J.E. 2002. Revision of the Polideini (Tachinidae) of America north of Mexico. *Studia dipterologica. Supplement* **10**: 170 pp.
- O’Hara, J.E. 2005. World genera of the Tachinidae (Diptera) and their regional occurrence. Version 1.0. PDF document published online on 23 February 2005. 69 pp.
- O’Hara, J.E. 2009. Resurrection of the name *Pachycheta* Portschinsky for a genus of Tachinidae (Diptera). *Zootaxa* **1989**: 66–68.
- O’Hara, J.E. 2011. Cyber nomenclaturalists and the “CESA itch”. *Zootaxa* **2933**: 57–64.
- O’Hara, J.E. 2013a. Where in the world are all the tachinid genera? *The Tachinid Times* **26**: 10–16.
- O’Hara, J.E. 2013b. History of tachinid classification (Diptera, Tachinidae). *ZooKeys* **316**: 1–34.
- O’Hara, J.E. 2014. New tachinid records for the United States and Canada. *The Tachinid Times* **27**: 34–40.
- O’Hara, J.E. and Cerretti, P. 2016. Annotated catalogue of the parasitoid fly family Tachinidae (Insecta: Diptera) of the Afrotropical Region, with the description of seven new genera. *ZooKeys* **575**: 1–344.
- O’Hara, J.E., Cerretti, P., Pape, T. and Evenhuis, N. L. 2011. Nomenclatural studies toward a world list of Diptera genus-group names. Part II: Camillo Rondani. *Zootaxa* **3141**: 1–268.
- O’Hara, J.E., Cerretti, P., Stireman, J.O. III and Winkler, I.S. 2014. Chasing tachinids ‘Down Under’. Expeditions of the Phylogeny of World Tachinidae Project. Part II. Eastern Australia. *The Tachinid Times* **27**: 20–31.
- O’Hara, J.E., Shima, H. and Zhang, C.-t. 2009. Annotated catalogue of the Tachinidae (Insecta: Diptera) of China. *Zootaxa* **2190**: 1–236.
- O’Hara, J.E. and Wood, D.M. 1998. Tachinidae (Diptera): nomenclatural review and changes, primarily for America north of Mexico. *Canadian Entomologist* **130**: 751–774.
- O’Hara, J.E. and Wood, D.M. 2004. Catalogue of the Tachinidae (Diptera) of America north of Mexico. *Memoirs on Entomology, International* **18**. 410 pp.
- Özdikmen, H. 2006. New substitute names for two preoccupied tachinid genera *Paragonia* Mesnil, 1950 and *Menetus* Aldrich, 1926 (Diptera). *Munis Entomology & Zoology* **1**: 270–272.
- Özdikmen, H. 2007. A nomenclatural act: replacement names for homonymous tachinid genera with lepidopteran genera (Diptera: Tachinidae). *Munis Entomology & Zoology* **2**: 163–168.
- Özdikmen, H. 2010. *Brasilomyia* nom. nov., a new name for the preoccupied tachinid genus *Platyphasmia* Townsend, 1935 (Diptera: Tachinidae). *Munis Entomology & Zoology* **5**: 293–294.  
Note: “*Platyphasmia*” in title is a misspelling of “*Platyphasia*”.
- Pape, T. 1998. Family Rhinophoridae. Pp. 679–689. In: Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera*. Science Herald, Budapest. 880 pp.
- Pape, T. and Arnaud, P.H. Jr. 2001. *Bezzimyia* — a genus of native New World Rhinophoridae (Insecta, Diptera). *Zoologica Scripta* **30**: 257–297.
- Pape, T., Blagoderov, V. and Mostovski, M.B. 2011. Order Diptera Linnaeus, 1758. Pp. 222–229. In: Zhang, Z.Q., ed., *Animal biodiversity: an outline of higher-level classification and survey of taxonomic richness*. *Zootaxa* **3148**, 237 pp.
- Pape, T. and Shima, H. 1993. A new genus of Tachinidae from the Philippines (Diptera). *Tijdschrift voor Entomologie* **136**: 77–81.

- Reinhard, H.J. 1974. New genera and species of American Tachinidae (Diptera). *Canadian Entomologist* **106**: 1155–1170.
- Rice, A.D. 2005. The parasitoid guild of larvae of *Chrysophtharta agricola* Chapuis (Coleoptera: Chrysomelidae) in Tasmania, with notes on biology and a description of a new genus and species of tachinid fly. *Australian Journal of Entomology* **44**: 400–408.
- Richter, V.A. 1986. On the fauna of tachinids (Diptera, Tachinidae) of the Far East. [In Russian.] *USSR Academy of Sciences, Proceedings of the Zoological Institute, Leningrad* **146**: 87–116. [In volume entitled “Flies (Diptera) in ecosystems of South Siberia and Far East”, ed. Nartshuk, E.P.]
- Richter, V.A. 1988. New Palearctic genera and species of tachinids (Diptera, Tachinidae). [In Russian.] *Systematika Nasekomikh i Kleshchei* **70**: 202–212.
- Richter, V.A. 1993. New and little known tachinids (Diptera, Tachinidae) of Transbaikalia and Far East. [In Russian.] *Entomologicheskoe Obozrenie* **72**: 422–440. [English translation in *Entomological Review* **74**(6): 64–83, 1995.]
- Richter, V.A. 1995a. New data on the systematics and biology of Palearctic tachinids (Diptera, Tachinidae). [In Russian.] *Entomologicheskoe Obozrenie* **73** (1994): 739–752. [English translation in *Entomological Review* **75**(1): 75–87, 1996.]
- Richter, V.A. 1995b. New subgenus and new species of Palearctic tachinids (Diptera, Tachinidae). [In Russian.] *Entomologicheskoe Obozrenie* **74**: 913–922. [English translation in *Entomological Review* **75**(9): 244–254, 1996.]
- Richter, V.A. 1998a. The tachinid genus *Hasmica* new to the fauna of Pakistan (Diptera: Tachinidae). *Zoosystematica Rossica* **7**: 162.
- Richter, V.A. 1998b. New and little known species of tachinids (Diptera, Tachinidae) of the fauna of Russia and neighbouring countries. [In Russian.] *Entomologicheskoe Obozrenie* **77**: 704–712. [English translation in *Entomological Review* **78**(5): 620–626, 1998.]
- Richter, V.A. 1998c. On a remarkable distribution of two pairs of related species in Palearctic tachinids (Tachinidae). Pp. 183–184. In: Ismay, J.W., ed., *Abstracts Volume, Fourth International Congress of Dipterology*. Oxford. 275 pp.
- Richter, V.A. 1999. New and little known tachinids (Diptera, Tachinidae) from the Russian Far East. [In Russian.] *Entomologicheskoe Obozrenie* **78**: 719–731. [English translation in *Entomological Review* **79**(5): 576–584, 1999.]
- Richter, V.A. 2001. A new genus and species of tachinid flies (Diptera: Tachinidae) from Iran. *International Journal of Dipterological Research* **12**: 25–28.
- Richter, V.A. 2002. *Galsania* Richter, 1993, a distinct genus of tachinids (Diptera: Tachinidae). *Zoosystematica Rossica* **11**: 238.
- Richter, V.A. 2004. [Fam. Tachinidae – tachinids], pp. 148–398. In: Sidorenko, V.S. ed., *Key to the insects of Russian Far East*. Vol. VI. Diptera and Siphonaptera. Part 3. Dal’nauka, Vladivostok. 659 pp. [In Russian.]
- Richter, V.A. 2008. A new genus and a new species of tachinids (Diptera, Tachinidae) from deserts of Middle Asia. [In Russian.] *Entomologicheskoe Obozrenie* **87**: 663–667. [English translation in *Entomological Review* **88**: 727–729, 2008.]
- Richter, V.A. 2009. A new genus and a new species of tachinids (Diptera, Tachinidae) from the south of Middle Asia. [In Russian.] *Entomologicheskoe Obozrenie* **88**: 689–692. [English translation in *Entomological Review* **89**: 1154–1156, 2009.]
- Richter, V.A. 2011. A new genus and a new species of tachinids (Diptera, Tachinidae) from Wrangel Island. [In Russian.] *Entomologicheskoe Obozrenie* **90**: 913–916. [English translation in *Entomological Review* **92**: 357–360, 2012.]
- Sabrosky, C.W. 1975. *Chaetophlepsis plathypenae*, a new parasite of the green cloverworm, with a key to *Chaetophlepsis* and *Parahypochaeta* (Diptera, Tachinidae). *Annals of the Entomological Society of America* **68**: 43–50.
- Sabrosky, C.W. 1981. A partial revision of the genus *Eucelatoria* (Diptera, Tachinidae), including important parasites of *Heliothis*. *United States Department of Agriculture. Technical Bulletin* **1635**: i–iv, 1–18.
- Santis, M.D. de. 2018. A new genus and species of Sophiini Townsend, 1936 (Diptera: Tachinidae) from Brazil, with an updated key to the genera of the tribe. *Zootaxa* **4500**: 433–442.
- Shi, Y.-s. 1991. Notes on *Spiniabdomina* gen. nov. and a new species of *Lixophaga* Townsend of the tribe Blondelini [sic] (Diptera, Tachinidae) from China. [In Chinese with English summary.] *Entomotaxonomia* **13**: 127–132.
- Shima, H. 1979. New genera, species and subspecies of Oriental Tachinidae (Diptera). *Bulletin of the National Science Museum, Series A (Zoology)* **5**: 135–152.

- Shima, H. 1988. Some remarkable new species of Tachinidae (Diptera) from Japan and the Indo-Australian Region. *Bulletin of the Kiakyushu Museum of Natural History* **8**: 1–37.
- Shima, H. 1991. Study on the tribe Blondeliini from Japan (Diptera, Tachinidae). VII. Genus *Oswaldia* Robineau-Desvoidy. *Japanese Journal of Entomology* **59**: 67–86.
- Shima, H. 1994. Three remarkable new species of Tachinidae (Diptera) from South Asia. *Japanese Journal of Sanitary Zoology* **45**, Suppl.: 277–286.
- Shima, H. 1996a. A systematic study of the tribe Winthemiini from Japan (Diptera, Tachinidae). *Beiträge zur Entomologie* **46**: 169–235.
- Shima, H. 1996b. A systematic study of the genus *Cavillatrix* Richter (Diptera, Tachinidae). *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **2**: 133–148.
- Shima, H. 1997. Taxonomic notes on Oriental Tachinidae (Insecta, Diptera) I: Blondeliini. *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **3**: 169–186.
- Shima, H. 1999. Host-parasite catalog of Japanese Tachinidae (Diptera). *Makunagi/ Acta Dipterologica. Supplement 1*: 1–108.
- Shima, H. 2005. Tachinidae (Insecta, Diptera) of the Akasaka Imperial Gardens and the Tokiwamatsu Imperial Villa, Tokyo. [In Japanese.] *Memoirs of the National Science Museum (Tokyo)* **39**: 387–395.
- Shima, H. 2006. A host-parasite catalog of Tachinidae (Diptera) of Japan. *Makunagi/ Acta Dipterologica. Supplement 2*: 171 pp.
- Shima, H. 2014. The parerigonine genus *Paropesia* Mesnil (Diptera, Tachinidae), with descriptions of three new species from East Asia. *Zootaxa* **3827**: 576–590.
- Shima, H. 2015. *Melastrongygaster*, a new genus of the tribe Strongygastrini (Diptera: Tachinidae), with five new species from Asia. *Zootaxa* **3904**: 427–445.
- Shima, H., Han, H.-y. and Tachi, T. 2010. Description of a new genus and six new species of Tachinidae (Diptera) from Asia and New Guinea. *Zootaxa* **2516**: 49–67.
- Shima, H. and Tachi, T. 2009. Description of a new species of the genus *Setalunula* Chao & Yang (Diptera, Tachinidae) from Japan. *Bulletin of the National Science Museum. Series A (Zoology)* **35**: 233–242.
- Shima, H. and Takahashi, H. 2011. *Tetrigimya minor*, a new genus and species of Tachinidae (Diptera) parasitic on *Formosatettix larvatus* (Orthoptera: Tettigidae) in Japan. *Zootaxa* **2921**: 39–46.
- Sun, X.-k. and Chao, C.-m. 1994. A new genus and species of the tribe Sturmiini from China (Diptera: Tachinidae) *Acta Zootaxonomica Sinica* **19**: 480–483.
- Sun, X.-k., Liang, E.-y., Qiao, Y., Chao, C.-m. and Zhou, S.-x. 1992. Diptera, Tachinidae. [In Chinese with English summary.] *Iconography of forest insects in Hunan China* **1992**: 1163–1207.
- Sun, X.-k. and Marshall, S.A. 2003. Systematics of *Phasia* Latreille (Diptera: Tachinidae). *Zootaxa* **276**: 1–320.
- Toma, R. 2003. Estudo das espécies do “complexo *Acaulona*” sensu Sabrosky (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **47**: 267–282.
- Toma, R. and Guimarães, J.H. 2000a. Revisão do gênero *Pterotopeza* (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 7–14.
- Toma, R. and Guimarães, J.H. 2000b. Revisão do gênero *Proparachaetopsis* revalidado (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 15–24.
- Toma, R. and Guimarães, J.H. 2002. Estudo taxonômico de *Leschenaultia* Robineau-Desvoidy (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **46**: 33–70.
- Toma, R. and Olivier, R.S. 2018. *Paxiximya sulmatogrossensis*, a new genus and species of Tachinidae (Diptera) reared from *Urucumania borellii* (Giglio-Tos, 1897) (Phasmatodea: Pseudophasmatidae) collected in the state of Mato Grosso do Sul, Brazil. *Revista Brasileira de Entomologia* **62**: 71–76.
- Tschorsnig, H.-P. 1997. A new genus and four new species of Palearctic Tachinidae. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **555**: 1–9.
- Tschorsnig, H.-P. and Richter, V.A. 1998. Family Tachinidae. Pp. 691–827. In: Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera*. Science Herald, Budapest. 880 pp.
- Valencia, L.A. 1972. *Velardemyia*, nuevo genero de Tachinidae – Voriini (Diptera) del Peru. *Revista Peruana de Entomologia* **15**: 363–365.
- Vimmer, A. and Soukup, J. 1940. Los dípteros de los alrededores de Puno. (Conclusión.) *Boletín del Museo de Historia Natural “Javier Prado”* **4**: 360–372.
- Wang, Q., Wang, X.-h. and Zhang, C.-t. 2015. *Clelimyia paradoxa* (Diptera), a newly recorded genus and species of Tachinidae from China. *Entomotaxonomia* **37**: 1–6.



- Winkler, I.S., Blaschke, J.D., Davis, D.J., Stireman, J.O. III, O'Hara, J.E., Cerretti, P. and Moulton, J.K. 2015. Explosive radiation or uninformative genes? Origin and early diversification of tachinid flies (Diptera: Tachinidae). *Molecular Phylogenetics and Evolution* **88**: 38–54.
- Wood, D.M. 1974. Notes on *Allophorocera* with a description of a new species (Diptera: Tachinidae) from Finland. *Canadian Entomologist* **106**: 667–671.
- Wood, D.M. 1985. A taxonomic conspectus of the Blondeliini of North and Central America and the West Indies (Diptera: Tachinidae). *Memoirs of the Entomological Society of Canada* **132**: 1–130.
- Wood, D.M. 1987. Tachinidae. Pp. 1193–1269. In: McAlpine, J.F., Peterson, B.V., Shewell, G.E., Teskey, H.J., Vockeroth, J.R. and Wood, D.M., eds., *Manual of Nearctic Diptera. Volume 2. Agriculture Canada Monograph* **28**: i–vi, 675–1332.
- Wood, D.M. and Cave, R.D. 2006. Description of a new genus and species of weevil parasitoid from Honduras (Diptera: Tachinidae). *Florida Entomologist* **89**: 239–244.
- Wood, D.M. and Zumbado, M.A. 2010. Tachinidae (tachinid flies, parasitic flies). Pp. 1343–1417. In: Brown, B.V., Borkent, A., Cumming, J.M., Wood, D.M., Woodley, N.E. and Zumbado, M.A., eds., *Manual of Central American Diptera. Volume 2. NRC Research Press, Ottawa.* xvi + 715–1442 pp.
- Woodley, N.E. 1994. A new species of *Lydella* (Diptera: Tachinidae) from Mexico with a discussion of the definition of the genus. *Bulletin of Entomological Research* **84**: 131–136.
- Woodley, N.E. 2007. A new species of *Jurinella* (Diptera: Tachinidae) from the Dominican Republic with a key to the genera of the tribe Tachinini from the Caribbean. *Proceedings of the Entomological Society of Washington* **109**: 856–862.
- Woodley, N.E. and Arnaud, P.H., Jr. 2008a. *Lobomyia neotropica*, a new genus and species of Tachinidae (Diptera) from the Neotropical Region. *Zootaxa* **1783**: 31–39.
- Woodley, N.E. and Arnaud, P.H., Jr. 2008b. *Eulobomyia*, a new replacement name for *Lobomyia* Woodley & Arnaud (Diptera: Tachinidae). *Zootaxa* **1856**: 67.
- Zeegers, T. 2007. A first account of the Tachinidae (Insecta: Diptera) of Yemen. *Fauna of Arabia* **23**: 369–419.
- Zeegers, T. 2010. Order Diptera, family Tachinidae. Pp. 673–686. In: Harten, A. van, ed., *Arthropod fauna of the UAE. Vol. 3. Dar Al Ummah, Abu Dhabi.* 700 pp.
- Zeegers, T. 2014. Tachinidae (Diptera) reared from *Ropalidia* nests (Hymenoptera: Vespidae) from Madagascar, with two new species of *Anacamptomyia*. *Tijdschrift voor Entomologie* **157**: 95–103.
- Zhang, C.-t., Fan, H.-y., Wang, X.-l., Zheng, G. and Wang, Q. 2013. Checklist of subfamily Dexiinae (Diptera, Tachinidae) from National Zoological Museum of China, Part 2. *Journal of Shenyang Normal University (Natural Science)* **31**: 305–310. [In Chinese with English abstract.]
- Zhang, C.-t. and Shima, H. 2005. A revision of the genus *Trixa* Meigen (Diptera: Tachinidae). *Insect Science* **12**: 57–71.
- Ziegler, J. and Shima, H. 1996. Tachinid flies of the Ussuri area (Diptera: Tachinidae). *Beiträge zur Entomologie* **46**: 379–478.