## **OAHN Swine Small Scale Herd Postmortem Project**

Neurologic Disease in Grower-Finisher Pigs (>20 kg)

If <40 kg each, may include up to 3 pigs per case

**Fresh tissues**: 1 sample per Whirl-Pak bag, per pig – label with stickers provided.

Formalin-fixed tissues: 1 sample jar per pig

# TISSUE SAMPLING LIST- Collect the following samples from **EACH** pig:

Tissue	Fresh (include lesions)	In Formalin (include lesions)
Tonsil	X	Х
Thyroid gland		X
Trachea		X
Thymus		X
Lung	X 2	X
Heart		X
Liver	X	X
Cilia	<u>,                                     </u>	<u> </u>
Spleen	X	X
Kida a	V	V
Kidney	X	X
Adrenal gland		X
Adrenai giand		^
Pancreas		X
FallCleas		^
Mesenteric lymph node	X	X
iviesentene tymph node		^
Gastrohepatic lymph	X	X
node		
Stomach		X
Duodenum		Х
Jejunum		X
Ileum		X
Spiral colon		X
Diaphragm		X
Skeletal muscle		X
Duraite	Vhalf sastall south	Vhalf and the University of
Brain	X half, sagitally sectioned	X half, sagitally sectioned
(OR submit head intact)	AND meningeal swab	X
Spinal cord (OR vertebral column	^	^
removed <i>en bloc</i> )		
· cinioted en bioej	1	L





### Neurologic Disease in Grower-Finisher Pigs (>20 kg)

### If <40 kg each, may include up to 3 pigs per case

Fresh tissues: Use a separate Whirl-Pak bag for each sample – label bags with the stickers provided (tissue name), and add a pig designation (A, B, C – if >1 pig).

**Formalin-fixed tissues**: Use 1 sample jar per pig and label with appropriate pig designation (A, B, C). For solid organs, samples should be approximately 1-2 cm<sup>2</sup>. For intestine, take approximately 3 cm long segments and partially open longitudinally with scissors (to allow formalin to contact the mucosal surface).

### Test list (for AHL use - included on submission form):

Virology: PRRSV PCR prtqn, influenza A virus PCR inflpcr: lung (pool)

Bacterial culture bsetup, cults: meningeal swab(s) (culture individually)

Histopathology hist

Freeze and hold: tonsil / spleen, lung, kidney / liver, lymph nodes, brain, spinal cord.



