

WORLD GENERA OF THE TACHINIDAE (DIPTERA) AND THEIR REGIONAL OCCURRENCE

by

James E. O'Hara¹

20 July 2006

Version 2.0



¹ Invertebrate Biodiversity, Agriculture and Agri-Food Canada, 960 Carling Avenue, Ottawa, Ontario, Canada, K1A 0C6. E-mail: oharaj@agr.gc.ca.

TABLE OF CONTENTS

Click on a page number to go to the page indicated

Foreword	2
Biogeographic summary	3
Acknowledgements	4
Table of genera and their regional occurrence	4
References	67

Select a letter to go directly to the corresponding genus in the list of world genera

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

FOREWORD

The following table is a listing of the tachinid genera of the world with their regional occurrence. It was compiled from the generic names and distributions given in the most recent regional catalogues, as listed here, and brought up-to-date using information from subsequently published papers.

Regional catalogues

Nearctic Region	O'Hara & Wood (2004)
Neotropical Region	Guimarães (1971)
Palearctic Region	Herting & Dely-Draskovits (1993)
Afrotropical Region	Crosskey (1980)
Oriental Region	Crosskey (1976, 1977)
Australasian Region	Cantrell & Crosskey (1989)

All names that appear as valid genera in the regional catalogues are included in the table below. A name that is now a synonym of another genus is shown in light brown and a reference to the synonymy (usually the original source of the synonymy but rarely a later listing) is given. Publications cited in this manner are listed after the table in the References section. Synonyms are denoted with an "x" in the table to indicate the catalogue in which the name occurred. New records for regional distributions are also referenced. Some tachinid names that are treated as valid in this list and in the literature are preoccupied by older names from outside the Tachinidae (F.C. Thompson, pers. comm.). These preoccupied names are not indicated as such here to avoid the opportunistic publication of replacement names (although this is already happening, see Özdikmen 2006). There is one preoccupied name listed here that is preoccupied by another tachinid name: *Pseudodexia* Chao (2002) is preoccupied by *Pseudodexia* Brauer and Bergenstamm (1891).

Currently recognized genera are coded with a "1" for regions in which they occur. The sum of each column is given in the summary table on the next page and at the end of the table of genera; these sums represent the number of valid genera recognized in each region. For the purposes of this document, the boundary between the Nearctic and Neotropical regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O'Hara and Wood (2004). The true boundary between these regions is in southern Mexico (Griffiths 1980).

Title page image: Male of *Trioxodes obesus* Coquillett, in characteristic pose facing downward on the trunk of a large sunlit tree at about head height. Picture by author, Cherry Creek campground, 22 kilometers north of Silver City, New Mexico, USA (32°54.8'N 108°13.6'W), 15 August 1999. Fly length = 19 mm.

An asterisk (*) preceding a generic name denotes a genus described after publication of the corresponding regional catalogue(s). Papers containing these generic names are cited in the References.

This second version of the World Genera of the Tachinidae replaces Version 1 that was dated 23 February 2005 and published on the Internet on that date. Version 2 includes some corrections to the first version and new information published since Version 1.

BIOGEOGRAPHIC SUMMARY

The following table provides a summary of the number of tachinid species and genera per biogeographic region along with the number and percent of genera endemic to each region.

Number	World	Neotropical¹	Nearctic¹	Palaearctic	Afrotropical	Oriental	Australasian²
Species	9899 ³	2864 ⁴	1345 ⁵	>1600 ⁶	1006 ⁷	725 ⁸	808 ⁹
Genera	1523	822	304	405	213	264	230
Endemic genera	1123 ¹⁰	643	61	149	93	52	125
% Endemic genera	—	78%	20%	37%	44%	20%	54%

¹ The boundary between the Nearctic and Neotropical regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O'Hara and Wood (2004).

² Australasian and Oceanian regions.

³ Irwin et al (2003).

⁴ Guimarães (1971).

⁵ O'Hara & Wood (2004).

⁶ Tschorsnig & Richter (1998).

⁷ Irwin et al. (2003).

⁸ Crosskey (1976).

⁹ Cantrell & Crosskey (1989).

¹⁰ Total number of genera found in only one region.

There are nearly 10,000 described species of Tachinidae in the world (Irwin et al. 2003), but the actual size of the family is much larger because the Neotropical, Afrotropical, Oriental and Australasian regions contain large numbers of undescribed species. The number of tachinid genera recognized on a world basis is currently 1528, as enumerated here. This number may possibly fluctuate both up and down in the coming decades as over-split genera are combined into larger and more meaningful genera, and new genera are described to accommodate the many new species that await description.

Radiation of the Tachinidae is thought to have taken place during the Cenozoic Era after the breakup of Gondwanaland. Hence, there was not an opportunity for the dispersal of ancient tachinid lineages between the southern continents of South America, Africa and Australia. This is possibly reflected in the present-day pattern of generic endemism. The biogeographic regions with the lowest number of endemic genera are the Nearctic and Oriental regions, which functioned in part as corridors for the movement of species between regions during the Tertiary and Quaternary periods. The Palaearctic Region also served as a dispersal route between the Nearctic, Afrotropical and Oriental regions, but its huge size and diverse physiography and climate permitted the development of a sizable endemic fauna at both the generic and species levels. The highest levels of generic endemism are found in the Neotropical, Afrotropical and Australasian regions, which functioned as cul-de-sac's during the Cenozoic and were therefore ideally suited for the evolution of endemic faunas. However, the 78% generic endemism in the Neotropical Region is due in part to the over-split nature of the genera.

ACKNOWLEDGEMENTS

I am grateful for the assistance of the following people during the preparation of this document: D.M. Wood, J.M. Cumming and B.E. Cooper (Invertebrate Biodiversity, Agriculture and Agri-Food Canada, Ottawa, Canada), V.A. Richter (Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia), C.-t. Zhang (Institute of Entomology, Sun Yat-sen University, Haizhu District, China), H. Shima (Biosystematics Laboratory, Kyushu University, Fukuoka, Japan), and F.C. Thompson (Systematic Entomology Laboratory, United States Department of Agriculture, Washington, USA). A few errors in Version 1 of this document are corrected in Version 2 as a result of helpful comments by H-P. Tschorsnig (Staatliches Museum für Naturkunde, Stuttgart, Germany).

TABLE OF GENERA AND THEIR REGIONAL OCCURRENCE

Abbreviations: Wor, World; Nea, Nearctic; Neo, Neotropical; Pal, Palearctic; Afr, Afrotropical; Ori, Oriental; Aus, Australasian.

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ABEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ABOLODORIA Townsend, 1934	1	1	-	-	-	-	-
ACANTHOLESPESIA Wood, 1987	1	-	1	-	-	-	-
ACAULONA van der Wulp, 1884	1	1	-	-	-	-	-
ACEMEIGENIA Townsend, 1927 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)		x					
ACEMYA Robineau-Desvoidy, 1830 Also spelled ACEMYIA, unjustified emendation	1	-	1	1	-	1	-
ACROCERONIA Cortés, 1951	1	1	-	-	-	-	-
ACROGLOSSA Williston, 1889 = SPALLANZANIA R.-D., 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 753)		x					
ACRONACANTHA van der Wulp, 1891	1	1	-	-	-	-	-
ACRONARISTA Townsend, 1908 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)		x					
ACRONARISTOPSIS Townsend, 1919 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)		x					
ACTIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
ACTINACTIA Townsend, 1927 = CEROMYA R.-D., 1830 (O'Hara 1989: 53)		x					
ACTINOAETHA B. & B., 1889	1	1	-	-	-	-	-
ACTINOCHAETOPTERYX Townsend, 1927 Recorded from Australasian Region by Evenhuis (1996)	1	-	-	1	-	1	1
ACTINOCROCUTA Townsend, 1935 = SIPHONA (ACTINOCROCUTA Townsend, 1935) (O'Hara 1989: 87)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ACTINODORIA Townsend, 1927	1	1	-	-	-	-	-
ACTINOMINTHELLA Townsend, 1928	1	1	-	-	-	-	-
ACTINOPLAGIA Blanchard, 1940	1	1	-	-	-	-	-
ACTINOPROSOPA Townsend, 1927	1	1	-	-	-	-	-
ACTINOTACHINA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
ACUCERA Malloch, 1930 = GERALDIA Malloch, 1930 (Barraclough 1992: 1229)							x
ACUPHOCEROPSIS Blanchard, 1943	1	1	-	-	-	-	-
ADEJEANIA Townsend, 1913	1	1	1	-	-	-	-
ADIDYMA Townsend, 1935	1	1	-	-	-	-	-
ADMONTIA B. & B., 1889	1	1	1	1	-	1	-
ADORYPHOROPHAGA Townsend, 1931 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
AFROLIXA Curran, 1939	1	-	-	-	1	-	-
AFROSTURMIA Curran, 1927	1	-	-	-	1	-	-
AGICUPHOCERA Townsend, 1915	1	1	-	-	-	-	-
AGLUMMYIA Townsend, 1912	1	1	-	-	-	-	-
AGRARIALIA Curran, 1934	1	1	-	-	-	-	-
ALASKOPHYTO Townsend, 1915 = MACQUARTIA R.-D., 1830 (Wood 1987: 1258, O'Hara & Wood 1998: 753)				x			
ALDRICHIOPA Guimarães, 1971	1	1	-	-	-	-	-
*ALDRICHOMYIA Özdikmen, 2006 Replacement name for MENETUS Aldrich, 1926, preoccupied by MENETUS Adams & Adams, 1855	1	-	1	-	-	-	-
ALEXOGLOBLINIA Cortés, 1945	1	1	-	-	-	-	-
*ALLELOMYIA González, 1992	1	1	-	-	-	-	-
ALLOPHOROCERA Hendel, 1901	1	-	1	1	-	-	-
ALLOPROSOPAEA Villeneuve, 1923	1	-	-	1	-	-	-
ALLOSTURMIA Blanchard, 1958	1	1	-	-	-	-	-
ALLOTHELAIIRA Villeneuve, 1915	1	-	-	-	1	1	1
ALOPHORA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)					x	x	x
ALOPHORELLA Townsend, 1912 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ALOPHOROPHASIA Townsend, 1927 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)				x		x	
ALPINOPLAGIA Townsend, 1931	1	1	-	-	-	-	-
ALSOMYIA B. & B., 1891 Recorded from Afrotropical Region (Madagascar) by Mesnil (1977)	1	-	-	1	1	-	-
ALSOPSYCHE B. & B., 1891	1	1	-	-	-	-	-
ALTAIA Malloch, 1938	1	-	-	-	-	-	1
AMAZOHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
AMBLYCHAETA Aldrich, 1934	1	1	-	-	-	-	-
AMELIBAEA Mesnil, 1955	1	-	-	1	-	-	-
AMESIOMIMA Mesnil, 1950	1	-	-	-	1	-	-
AMETADORIA Townsend, 1927	1	1	1	-	-	-	-
AMICROTRICHOMMA Townsend, 1927	1	1	-	-	-	-	-
AMNONIA Kugler, 1971	1	-	-	1	-	-	-
AMPHIBOLIA Macquart, 1843	1	-	-	-	-	-	1
AMPHICESTONIA Villeneuve, 1939	1	-	-	1	-	-	-
AMPHITROPESA Townsend, 1933	1	-	-	-	-	-	1
ANACAMPTOMYIA Bischof, 1904	1	-	-	-	1	-	1
ANADISCALIA Curran, 1934	1	1	-	-	-	-	-
ANADISTICHONA Townsend, 1934	1	1	-	-	-	-	-
ANAEUDORA Townsend, 1933 Recorded from Oriental Region by Sun et al. (1992)	1	-	-	1	-	1	-
ANAGONIA B. & B., 1891	1	-	-	-	-	-	1
ANAMASTAX B. & B., 1891	1	-	-	-	-	-	1
ANAMERIANIA Zimin, 1960 = BOTHRIA Rondani, 1856 (Ziegler & Shima 1996: 407)				x			
ANAMETOPOCHAETA Townsend, 1919	1	1	-	-	-	-	-
ANAPHORINIA Townsend, 1927 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
ANATROPOMYIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barracclough 1992: 1190)							x
ANCISTROPHORA Schiner, 1865	1	-	-	1	-	-	-
ANDESIMYIA Brèthes, 1909	1	1	-	-	-	-	-
ANDINOMYIA Townsend, 1912	1	1	-	-	-	-	-
ANDROEURYOPS Beneway, 1961 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
*ANDROSOMA Cortés & Campos, 1971	1	1	-	-	-	-	-
ANECUROMYIA Mesnil & Shima, 1979	1	-	-	1	-	-	-
ANEMORILLA Townsend, 1915	1	1	-	-	-	-	-
ANEOGMENA B. & B., 1891	1	-	-	1	-	1	1
ANEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ANGIORHINA B. & B., 1889 = GNADOCHAETA Macquart, 1851 (Wood <i>in</i> O'Hara & Wood 1998: 770)		x		x			
ANGUSTIA Sellers, 1943	1	1	1	-	-	-	-
ANHANGABAHUIA Townsend, 1931	1	1	-	-	-	-	-
ANISIA van der Wulp, 1890	1	1	1	-	-	-	-
ANOXYNOPS Townsend, 1927	1	1	1	-	-	-	-
ANOXYNOPSELLA Townsend, 1935 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
ANOXYNOPSOIDEA Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
ANTHOMYIOPSIS Townsend, 1916	1	-	1	1	-	1	-
ANTISTASEA Bischof, 1904	1	-	-	-	1	-	-
ANTISTASEOPSIS Townsend, 1934	1	1	-	-	-	-	-
ANUROPHYLLA Villeneuve, 1938	1	-	-	1	-	-	-
APALPOSTOMA Malloch, 1930	1	-	-	-	-	-	1
APATEMYIA Macquart, 1846	1	-	-	-	-	-	1
APHRIA Robineau-Desvoidy, 1830	1	-	1	1	-	1	-
APLOMYA Robineau-Desvoidy, 1830 Also spelled APLOMYIA, unjustified emendation	1	1	1	1	1	1	1
APLOMYIOPSIS Villeneuve, 1933 = EUTHELYCONYCHIA Townsend, 1927 (Wood <i>in</i> O'Hara & Wood 1998: 771) Recorded from Australasian Region by Evenhuis (1996), as an introduction		x					x
APLOMYODORIA Townsend, 1928	1	1	-	-	-	-	-
APLOMYOPSIS Townsend, 1927	1	1	1	-	-	-	-
*APOMORPHOMYIA Crosskey, 1984	1	-	-	-	1	-	-
*APOREOMYIA Pape & Shima, 1993	1	-	-	-	-	1	-
APPENDICIA Stein, 1924 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754)				x			
APROTHECA Macquart, 1851	1	-	-	-	-	-	1
ARAMA Richter, 1972	1	-	-	1	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
*ARAUCOGONIA Cortés, 1976	1	1	-	-	-	-	-
ARAUCOSIMUS Aldrich, 1934	1	1	-	-	-	-	-
ARCHIPHANIA van Emden, 1945 = CATHAROSIA Rondani, 1868 (Crosskey 1984: 200)					x		
ARCHYTAS Jaennicke, 1867	1	1	1	1	-	-	1
ARCHYTOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
*ARCONA Richter, 1988	1	-	-	1	-	-	-
ARCTOSOMA Aldrich, 1934	1	1	-	-	-	-	-
ARGYROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
ARGYRODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
ARGYROMIMA B. & B., 1889	1	1	-	-	-	-	-
ARGYROPHYLAX B. & B., 1889 Recorded from Palearctic Region by Shima (1999)	1	1	1	1	-	1	1
ARGYROTHELAIRA Townsend, 1916	1	-	-	-	-	1	1
ARIDALIA Curran, 1934	1	1	-	-	-	-	-
ARRHENOMYZA Malloch, 1929	1	-	-	-	-	-	1
ARRHINACTIA Townsend, 1927	1	1	1	-	-	-	-
ASETULIA Malloch, 1938	1	-	-	-	-	-	1
ASILIDOTACHINA Townsend, 1931	1	1	-	-	-	-	-
ASIPHONA Mesnil, 1954 = SIPHONA (APHANTORHAPHOPSIS Townsend, 1926) (O'Hara 1989: 92)					x		
ASSECLAMYIA Reinhard, 1956	1	-	1	-	-	-	-
ATACTA Schiner, 1868	1	1	1	-	-	-	-
ATACTOPSIS Townsend, 1917	1	1	1	-	-	-	-
ATACTOSTURMIA Townsend, 1915	1	1	-	-	-	-	-
ATELOGLOSSA Coquillett, 1899	1	-	1	-	-	-	-
ATELOGLUTUS Aldrich, 1934	1	1	-	-	-	-	-
ATHRYCIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	1	1	1	-	1	-
ATLANTOMYIA Crosskey, 1977	1	-	-	-	1	-	-
ATRACTOCEROPS Townsend, 1916	1	-	-	-	-	1	-
ATRICHIOPODA Townsend, 1931	1	1	-	-	-	-	-
ATROPHOPALPUS Townsend, 1892 = PARADIDYMA B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ATYLOMYIA Brauer, 1898	1	-	-	1	-	-	-
ATYLOSTOMA B. & B., 1889	1	-	-	1	-	1	-
AULACEPHALA Macquart, 1851	1	-	-	1	1	1	-
AUSTENIOPS Townsend, 1915	1	1	-	-	-	-	-
AUSTRALOTACHINA Curran, 1938	1	-	-	-	-	-	1
AUSTROMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
AUSTRONILEA Crosskey, 1967	1	-	-	-	-	-	1
AUSTROPHASIOPSIS Townsend, 1933	1	-	-	-	-	1	-
AUSTROPHOROCERA Townsend, 1916	1	1	1	1	-	1	1
AUSTROPHRYNO Townsend, 1916	1	-	-	-	-	-	1
AUSTROPHYTOMYPTERA Blanchard, 1962	1	1	-	-	-	-	-
AUSTROSTAUROCHAETA Townsend, 1931 = ADMONTIA B. & B., 1889 (Wood 1985: 17)		x					
AVIBRISSIA Malloch, 1932	1	-	-	-	-	-	1
AVIBRISSINA Malloch, 1932	1	-	-	-	-	-	1
AVIBRISSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
AZYGOBOTHRIA Townsend, 1911	1	1	-	-	-	-	-
BACTROMYIA B. & B., 1891	1	-	-	1	-	1	-
BACTROMYIELLA Mesnil, 1952	1	-	-	-	-	1	1
BACULOCAPTUS Cortés, 1968 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)		x					
*BALDE Rice, 2005	1	-	-	-	-	-	1
BAMPURA Tschorsnig, 1983	1	-	-	1	-	-	-
BARYCHAETA Bezzi, 1906	1	-	-	1	-	-	-
BATHYDEXIA van der Wulp, 1891	1	1	-	-	-	-	-
BAUMHAUERIA Meigen, 1838	1	-	-	1	-	-	-
BELIDA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
BELLINA Robineau-Desvoidy, 1863	1	-	-	-	-	1	-
BELVOSIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
BELVOSIELLA Curran, 1934	1	1	-	-	-	-	-
BELVOSIOMIMOPS Townsend, 1935	1	1	-	-	-	-	-
BESKIA B. & B., 1889	1	1	1	-	-	-	-
BESKIOCEPHALA Townsend, 1916	1	1	-	-	-	-	-
BESKIOLESKIA Townsend, 1919	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
BESSA Robineau-Desvoidy, 1863	1	-	1	1	1	1	1
BESSERIA Robineau-Desvoidy, 1830	1	-	1	1	1	-	-
BESSERIOIDES Curran, 1938 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)						x	x
BEZZIMYIA Townsend, 1919 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)		x					
BEZZIOMYIOBIA Baranov, 1938	1	-	-	-	-	-	1
BIBIOMIMA B. & B., 1889	1	1	-	-	-	-	-
BICRUCIOSTURMIA Townsend, 1932 = WINTHEMIA R.-D., 1830 (Coelho 1989: 274)		x					
BILLAEA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
BINGHAMIMYIA Townsend, 1919	1	1	-	-	-	-	-
BIOMEIGENIA Mesnil, 1961	1	-	-	1	-	1	-
BISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
BITHIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
BLEPHARELLA Macquart, 1851	1	-	-	1	1	1	1
BLEPHARELLINA Mesnil, 1952	1	-	-	-	1	-	-
BLEPHARIATACTA Townsend, 1931	1	1	-	-	-	-	-
BLEPHARIPA Rondani, 1856	1	1	1	1	-	1	1
BLEPHAROMYIA B. & B., 1889	1	-	1	1	-	-	-
BLEPHAROPODA Rondani, 1850	1	1	-	-	-	-	-
BLONDELIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun et al. (1992) and Shima (1997)	1	1	1	1	1	1	-
BOGOSIA Rondani, 1873	1	-	-	-	1	-	-
BOGOSIELLA Villeneuve, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)					x		
BOLBOCHAETA Bigot, 1885	1	1	-	-	-	-	-
BOLODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
BOLOHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
BOLOMYIA B. & B., 1891 = MYSTACELLA van der Wulp, 1890 (Wood 1987: 1210, O'Hara & Wood 1998: 754)		x					
BOMBYLIOMYIA B. & B., 1889	1	1	1	-	-	-	-
BOMBYLIOPSIS Townsend, 1915 = HYSTRICIA Macquart, 1844 (Wood 1987: 1202, O'Hara & Wood 1998: 754, O'Hara 2002: 97)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
BONNANIOPS Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
BONNETIA Robineau-Desvoidy, 1830 = LINNAEMYA Robineau-Desvoidy, 1830 (Mesnil 1971: 1006)		x					
BORGMEIERMYIA Townsend, 1935	1	1	-	-	-	-	-
BOTHRIA Rondani, 1856	1	-	-	1	-	-	-
BOTHROPHORA Schiner, 1868	1	-	-	-	-	-	1
BOTRIOPSIS Townsend, 1928	1	-	-	-	-	1	-
BOURQUINIA Blanchard, 1935	1	1	-	-	-	-	-
BRACHELIA Robineau-Desvoidy, 1830	1	-	-	-	1	-	-
BRACHELIOPSIS van Emden, 1960	1	-	-	-	1	-	-
BRACHYBELVOSIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYCHAETA Rondani, 1861	1	-	-	1	-	-	-
BRACHYCHAETOIDES Mesnil, 1970 Recognized as valid by Crosskey (1984: 201)	1	-	-	-	1	-	-
BRACHYCNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYMASICERA Townsend, 1911	1	1	-	-	-	-	-
BRACHYMERIA B. & B., 1889	1	-	-	1	-	-	-
BRACTEOLA Richter, 1972	1	-	-	1	-	-	-
BRAZILIOMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
BRULLAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
BUQUETIA Robineau-Desvoidy, 1847	1	-	1	1	-	1	-
CADURCIA Villeneuve, 1926	1	-	-	1	1	1	-
CADURCIELLA Villeneuve, 1927	1	-	-	1	1	-	-
CAENIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CAENISOMA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)		x					
CAENISOMOPSIS Townsend, 1934	1	1	-	-	-	-	-
CAHENIA Verbeke, 1960	1	-	-	-	1	-	-
CALCAGER Hutton, 1901	1	-	-	-	-	-	1
CALCAGERIA Curran, 1927	1	-	-	-	-	-	1
*CALLIETHILLA Shima, 1979	1	-	-	-	-	1	-
CALLOTROXIS Aldrich, 1929	1	1	-	-	-	-	-
CALOCARCELIA Townsend, 1927	1	1	-	-	-	-	-
CALODEXIA van der Wulp, 1891	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CALOHYSTRICIA Townsend, 1931	1	1	-	-	-	-	-
CALOLYDELLA Townsend, 1927	1	1	1	-	-	-	-
CALOSIA Malloch, 1938	1	-	-	-	-	-	1
CALOTACHINA Malloch, 1938	1	-	-	-	-	-	1
CALOTHELAIRA Townsend, 1927 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
CALOZENILLIA Townsend, 1927	1	-	-	1	1	1	1
CALPODOMYIA Townsend, 1915 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)		x					
*CALTAGIRONEA Cortés & Campos, 1974	1	1	-	-	-	-	-
CALYPTROMYIA Villeneuve, 1915	1	-	-	1	-	1	-
CAMARONA van der Wulp, 1891	1	1	-	-	-	-	-
CAMPBELLIA Miller, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)							x
CAMPOSIANA Townsend, 1915	1	1	-	-	-	-	-
CAMPOSODES Cortés, 1967	1	1	-	-	-	-	-
CAMPTOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
CAMPYLIA Malloch, 1938	1	-	-	-	-	-	1
CAMPYLOCHETA Rondani, 1859 Also spelled CAMPYLOCHAETA, unjustified emendation	1	1	1	1	1	1	1
CANALIA Curran, 1934 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
*CANTRELLIUS Barraclough, 1992	1	-	-	-	-	-	1
CARBONILLA Mesnil, 1974	1	-	-	1	-	-	-
CARCELIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
CARCELIMYIA Mesnil, 1944	1	-	-	-	-	-	1
CARCELINA Mesnil, 1944 = CARCELIA Robineau-Desvoidy, 1830 (Chao & Liang 2002: 808)				x			
CARCELIOCEPHALA Townsend, 1934	1	1	-	-	-	-	-
CARCELIODORIA Townsend, 1928	1	1	-	-	-	-	-
CARMODYMYIA Thompson, 1968	1	1	-	-	-	-	-
CASAHUIRIA Townsend, 1919	1	1	-	-	-	-	-
CATAGONIA B. & B., 1891	1	-	-	1	-	-	-
CATAJURINIA Townsend, 1927	1	1	-	-	-	-	-
CATALINOVORIA Townsend, 1926 = HYPOVORIA Villeneuve, 1912 (Mesnil 1974: 1278)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CATAPARIPROSOPA Townsend, 1927	1	-	-	-	1	1	-
CATAPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
CATAPHORINIOPSIS Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
CATEMOPHRYS Townsend, 1908 = VANDERWULPIA Townsend, 1891 (Wood 1987: 1260, O'Hara & Wood 1998: 754)		x					
CATENA Richter, 1975	1	-	-	1	-	-	-
CATHAROSIA Rondani, 1868	1	-	1	1	1	-	-
CATOCYPTERA Townsend, 1927 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)		x					
CAVALIERIA Villeneuve, 1908	1	-	-	1	-	-	-
*CAVILLATRIX Richter, 1986 Recorded from the Oriental and Australasian regions by Shima (1996b)	1	-	-	1	-	1	1
CELATORIA Coquillett, 1890	1	1	1	-	-	-	-
CELATORIOPSIS Blanchard, 1963 = EUCELATORIA Townsend, 1909 (Sabrosky 1981: 4)		x					
CENOSOMA van der Wulp, 1890 = OESTROPHASIA (CENOSOMA van der Wulp, 1890) (Wood 1987: 1260, O'Hara & Wood 1998: 754)		x					
CERACIA Rondani, 1865	1	1	1	1	1	1	1
CERANTHIA Robineau-Desvoidy, 1830 = SIPHONA (CERANTHIA R.-D., 1830) (O'Hara 1989: 99, O'Hara & Wood 2004: 301)				x	x		
CERATOCHAETOPS Mesnil, 1954	1	-	1	1	-	-	-
CERATOMETOPA Townsend, 1931	1	1	-	-	-	-	-
CERATOMYIELLA Townsend, 1891 = PARADIDYMA B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)		x					
CEROMASIA Rondani, 1856	1	-	1	1	-	-	-
CEROMASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CEROMYA Robineau-Desvoidy, 1830 Also spelled CEROMYIA, unjustified emendation	1	1	1	1	1	1	1
CEROTACHINA Arnaud, 1963	1	1	-	-	-	-	-
CESTONIA Rondani, 1861	1	-	-	1	1	1	-
CESTONIONERVA Villeneuve, 1929	1	-	-	1	1	-	-
CESTONIOPTERA Villeneuve, 1939	1	-	-	1	-	-	-
CHAETEXORISTA B. & B., 1894	1	-	1	1	1	1	1

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHAETOCALLIRRHOE Townsend, 1935	1	1	-	-	-	-	-
CHAETOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
CHAETOCRANIA Townsend, 1915	1	-	1	-	-	-	-
CHAETOCRANIQPSIS Townsend, 1915	1	1	-	-	-	-	-
CHAETODEMOTICUS B. & B., 1891	1	1	-	-	-	-	-
CHAETODEXIA Mesnil, 1976	1	-	-	-	1	-	-
CHAETODORIA Townsend, 1927	1	1	-	-	-	-	-
CHAETOEPALPUS Vimmer & Soukup, 1940	1	1	-	-	-	-	-
CHAETOGAEDIA B. & B., 1891	1	1	1	-	-	-	1
CHAETOGLOSSA Townsend, 1892	1	1	1	-	-	-	-
CHAETOGYNE B. & B., 1889	1	1	-	-	-	-	-
CHAETOLIXOPHAGA Blanchard, 1940	1	1	-	-	-	-	-
CHAETONA van der Wulp, 1891	1	1	-	-	-	-	-
CHAETONALIA Curran, 1934 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
CHAETONODEXODES Townsend, 1916	1	1	1	-	-	-	-
CHAETONOPSIS Townsend, 1915	1	-	1	-	-	-	-
CHAETOPHLEPSIS Townsend, 1915 = CAMPYLOCHETA Rondani, 1859 (Mesnil 1974: 1250)		x					
CHAETOPHOROCERA Townsend, 1912	1	1	-	-	-	-	-
CHAETOPHTHALMUS B. & B., 1891	1	-	-	-	-	-	1
CHAETOPLAGIA Coquillett, 1895	1	1	1	-	-	-	-
CHAETOPLETHA Malloch, 1938	1	-	-	-	-	-	1
CHAETORIA Becker, 1908	1	-	-	1	1	1	1
CHAETOSISYROPS Townsend, 1912	1	1	-	-	-	-	-
CHAETOSTIGMOPTERA Townsend, 1916	1	1	1	1	-	-	-
CHAETOSTURMIA Villeneuve, 1915	1	-	-	-	1	-	-
CHAETOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
CHAETOVORIA Villeneuve, 1920	1	-	1	1	-	-	-
CHAETOXYNOPS Townsend, 1928	1	1	-	-	-	-	-
CHAQUIMAYOIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
CHARAPOZELIA Townsend, 1927	1	1	-	-	-	-	-
CHARITELLA Mesnil, 1957	1	-	-	-	1	1	-
CHESIPPUS Reinhard, 1967	1	-	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHETINA Rondani, 1856	1	-	-	1	-	-	-
CHETOGASTER Macquart, 1851	1	-	-	-	-	-	1
CHETOGENA Rondani, 1856 Also spelled CHAETOGENA, unjustified emendation	1	1	1	1	1	1	1
CHETOPTILIA Rondani, 1862 Also spelled CHAETOPTILIA, unjustified emendation	1	-	-	1	1	1	-
CHILOCLISTA Townsend, 1931	1	1	-	-	-	-	-
CHILOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
CHIRICAHUIA Townsend, 1918	1	-	1	-	-	-	-
CHLOROGASTROPSIS Townsend, 1926	1	-	-	-	-	-	1
CHLOROHYSTRICIA Townsend, 1927	1	1	1	-	-	-	-
CHLOROLYDELLA Townsend, 1933	1	-	-	-	1	-	-
CHLOROPALES Mesnil, 1950	1	-	-	-	-	-	1
CHLOROTACHINA Townsend, 1915	1	-	-	-	-	-	1
CHOETEPROSOPA Macquart, 1851	1	1	-	-	-	-	-
CHOLOMYIA Bigot, 1884	1	1	1	-	-	-	-
CHROMATOCERA Townsend, 1915	1	-	1	-	-	-	-
CHROMATOPHANIA B. & B., 1889	1	-	-	-	1	-	-
CHROMOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
*CHRYSEYICIA Mesnil, 1977	1	-	-	-	1	-	-
CHRYSOCOSMIUS Bezzi, 1907 Synonym of GYMNOCHETA R.-D., 1830 (Crosskey 1976, Herting & Dely-Draskovits 1993); misused as valid genus in Flies of China (Chao 1999) because of type species problem, but those species belong to CHRYSOSOMOPSIS Townsend, 1916				x			
CHRYSOEXORISTA Townsend, 1915	1	1	1	-	-	-	-
CHRYSOHOUGHIA Townsend, 1935	1	1	-	-	-	-	-
CHRYSOMETOPIOPS Townsend, 1916	1	1	-	-	-	-	-
CHRYSOMIKIA Mesnil, 1970	1	-	-	1	-	1	-
CHRYSOMOPSIS Townsend, 1916 Misspelled reference to CHRYSOSOMOPSIS Townsend, 1916, in Herting & Dely-Draskovits (1993: 290)				x			
CHRYSOPASTA B. & B., 1889	1	-	-	-	-	-	1
CHRYSOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
CHRYSOPHRYXE Sellers, 1943	1	1	-	-	-	-	-
CHRYSOPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHRYOSOMOPSIS Townsend, 1916 Misspelled as CHRYSOMOPSIS in Herting & Dely-Draskovits (1993: 290); species of China (Chao 1999) under CHRYSOCOSMIUS Bezzi, 1907 (with CHRYOSOMOPSIS in synonymy) because of type species problem	1	-	-	1	-	1	-
CHRYSOSTURMIA Townsend, 1916	1	1	-	-	-	-	-
CHRYSOTACHINA B. & B., 1889	1	1	1	-	-	-	-
CHRYSOTRYPHERA Townsend, 1935	1	1	-	-	-	-	-
CHYULUELLA van Emden, 1960	1	-	-	-	1	-	-
CIALA Richter, 1976	1	-	-	1	-	-	-
CINOCHIRA Zetterstedt, 1845	1	-	1	1	-	-	-
CISTOGASTER Latreille, 1829	1	1	-	1	-	-	-
CLAIRVILLIA Robineau-Desvoidy, 1830	1	1	1	1	1	-	-
CLAIRVILLIOPS Mesnil, 1959 = CLAIRVILLIA Robineau-Desvoidy, 1830 (Crosskey 1984: 200)				x			
CLARA B. & B., 1889 = PARACLARA Bezzi, 1908 (Crosskey 1984: 200)					x		
CLASTONEURA Aldrich, 1934	1	1	-	-	-	-	-
CLASTONEURIOPSIS Reinhard, 1939 Recorded from Neotropical Region by Cortés (1986)	1	1	1	-	-	-	-
CLAUSICELLA Rondani, 1856	1	1	1	1	-	1	-
CLAUSICELLANA Curran, 1927 = CHAETOSTIGMOPTERA Townsend, 1916 (Wood 1985: 31)		x					
CLELIMYIA Herting, 1981	1	-	-	1	-	-	-
CLEMELIS Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
CLEONICE Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
CLINOASTER van der Wulp, 1892	1	1	-	-	-	-	-
CLYTHOXYNOPS Townsend, 1927 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)		x					
CLYTIOMYIA Rondani, 1861 Also spelled CLYTIOMYIA, unjustified emendation	1	-	-	1	-	-	-
CNEPHALODES Townsend, 1911	1	1	-	-	-	-	-
CNEPHAOTACHINA B. & B., 1894	1	-	-	1	-	-	-
COCKERELLIANA Townsend, 1915	1	-	1	-	-	-	-
COLOLESKIA Villeneuve, 1939	1	-	-	-	1	-	-
COLORADOMYIA Arnaud, 1963	1	-	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
COLURUS Reinhard, 1953 =PROPARACHAETOPSIS Blanchard, 1942 (Toma & Guimarães 2000b: 16)		x					
COMATACTA Coquillett, 1902	1	1	-	-	-	-	-
COMOPS Aldrich, 1934	1	1	-	-	-	-	-
*COMOPSIS Cortés, 1986	1	1	-	-	-	-	-
COMPSILURA Bouché, 1834	1	-	1	1	1	1	1
COMPSILUROIDES Mesnil, 1953	1	-	-	1	-	1	-
COMPSOPTESIS Villeneuve, 1915	1	-	-	-	-	1	-
COMYOPS van der Wulp, 1891	1	1	-	-	-	-	-
COMYOPSIS Townsend, 1919	1	1	-	-	-	-	-
CONACTIA Townsend, 1927	1	1	-	-	-	-	-
CONACTIODORIA Townsend, 1934	1	1	-	-	-	-	-
CONOGASTER B. & B., 1891	1	-	-	1	-	-	-
*CONOPOMIMA Mesnil, 1978	1	-	-	-	1	-	-
COPECRYPTA Townsend, 1908	1	1	1	1	-	-	-
CORACOMYIA Aldrich, 1934	1	1	-	-	-	-	-
CORDILLERODEXIA Townsend, 1927	1	1	-	-	-	-	-
CORDYLIGASTER Macquart, 1844	1	1	1	-	-	-	-
COROZALIA Curran, 1934 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
CORPULENTOEALPUS Townsend, 1927	1	1	-	-	-	-	-
CORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
*CORYBANTIA Richter, 1986	1	-	-	1	-	-	-
*COSCARONIA Cortés, 1979	1	1	-	-	-	-	-
COSSIDOPHAGA Baranov, 1934	1	-	-	-	-	1	-
COWANIA Reinhard, 1952	1	1	-	-	-	-	-
*CRAPIVNICIA Richter, 1995	1	-	-	1	-	-	-
CRASSICORNIA Kugler, 1980	1	-	-	1	-	-	-
CROCINOSOMA Reinhard, 1947	1	1	1	-	-	-	-
CROESOACTIA Townsend, 1927	1	1	-	-	-	-	-
CROSSKEYA Shima & Chao, 1988	1	-	-	-	-	1	1
CRYPISINA B. & B., 1889 Recorded from Palearctic and Oriental regions by Shima (1996a)	1	-	-	1	-	1	1
CRYPTOCLADOCERA Bezzi, 1923	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CRYPTOMEIGENIA B. & B., 1891	1	1	1	-	-	-	-
CRYPTOMEIGENIOIDEA Thompson, 1968 = CRYPTOMEIGENIA B. & B., 1891 (Wood 1985: 33)		x					
CRYPTOPALPUS Rondani, 1850	1	1	-	-	-	-	-
CTENOPHORINIA Mesnil, 1963	1	-	-	1	-	-	-
CUBAEMYIOPSIS Thompson, 1963	1	1	-	-	-	-	-
CUPARYMYIA Townsend, 1934	1	1	-	-	-	-	-
CUPHOCERA Macquart, 1845	1	-	-	-	1	1	1
CYANOGYMNOMMA Townsend, 1927	1	1	-	-	-	-	-
CYANOLESKIA Mesnil, 1978	1	-	-	-	1	-	-
CYANOPSIS Townsend, 1917	1	1	-	-	-	-	-
CYLINDROMASICERA Townsend, 1915	1	1	-	-	-	-	-
CYLINDROMYIA Meigen, 1803	1	1	1	1	1	1	1
CYLINDROPHASIA Townsend, 1916	1	1	-	-	-	-	-
CYOSOPROCTA Reinhard, 1952	1	1	-	-	-	-	-
CYRTOCLADIA van Emden, 1947	1	-	-	-	1	-	-
CYRTOPHLEBA Rondani, 1856	1	1	1	1	1	-	-
CYZENIS Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
DAETALEUS Aldrich, 1928	1	1	-	-	-	-	-
DALLASIMYIA Blanchard, 1944	1	1	-	-	-	-	-
DASYUROMYIA Bigot, 1885	1	1	-	-	-	-	-
DATVIA Richter, 1972	1	-	-	1	-	-	-
DEGEERIOPSIS Mesnil, 1953	1	-	-	-	-	1	-
DEJEANIA Robineau-Desvoidy, 1830	1	-	-	-	1	-	-
DEJEANIOPS Townsend, 1913	1	1	-	-	-	-	-
DEJENIOPALPUS Townsend, 1916	1	1	-	-	-	-	-
DELOBLEPHARIS Aldrich, 1934	1	1	-	-	-	-	-
DELTOCEROMYIA Townsend, 1931	1	1	-	-	-	-	-
DELTOMYZA Malloch, 1931	1	-	-	-	-	-	1
DEMOTICOIDES Mesnil, 1953	1	-	-	1	-	1	1
DEMOTICUS Macquart, 1854	1	-	1	1	-	-	-
DEOPALPUS Townsend, 1908	1	1	1	-	-	-	-
*DESANTISODES Cortés, 1973	1	1	-	-	-	-	-
DESCAMPSINA Mesnil, 1956	1	-	-	-	1	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
DEXIA Meigen, 1826	1	-	1	1	1	1	-
DEXIOMERA Curran, 1933	1	-	-	-	1	-	-
DEXIOMIMOPS Townsend, 1926	1	-	-	1	-	1	-
DEXIOSOMA Rondani, 1856	1	-	-	1	-	1	-
DEXIOTRIX Villeneuve, 1936 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58)				x	x	x	x
DEXODIMYIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
DEXODIOIDEA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
DEXODIOPSIS Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
DEXODOMINTHO Townsend, 1935	1	1	-	-	-	-	-
DIAPHANOMYIA Townsend, 1917	1	1	-	-	-	-	-
DIAPHOROEZA Townsend, 1908	1	1	-	-	-	-	-
DIAPROCHAETA Mesnil, 1970	1	-	-	-	1	-	-
DIATRAEOPHAGA Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)						x	
DIAUGHIA Perty, 1833	1	1	-	-	-	-	-
*DICARCA Richter, 1993	1	-	-	1	-	-	-
DICHOCERA Williston, 1895	1	1	1	-	-	-	-
DIDYMA van der Wulp, 1890 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)		x					
DIDYMOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
DIGLOSSOCERA van der Wulp, 1895	1	-	-	-	-	1	-
DINERA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
DIONAEA Robineau-Desvoidy, 1830	1	-	-	1	1	-	-
DIONOMELIA Kugler, 1978	1	-	-	1	-	-	-
DIOTREPES Reinhard, 1964	1	1	1	-	-	-	-
DIPLOPOTA Bezzi, 1918	1	-	-	1	-	-	-
DIPLOSTICHUS B. & B., 1889 = CHETOGENA (DIPLOSTICHUS B. & B., 1889) (Wood in O'Hara & Wood 1998: 771, O'Hara & Wood 2004: 148)				x			
DISCHOTRICHIA Cortés, 1944	1	1	-	-	-	-	-
DISTICHONA van der Wulp, 1890	1	1	1	-	-	-	-
DODDIANA Curran, 1927	1	-	-	-	-	1	-
DOLESCHALLA Walker, 1861	1	-	-	-	-	1	1

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
DOLICHOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOCODIA Townsend, 1908	1	1	1	-	-	-	-
DOLICHOCOLON B. & B., 1889	1	-	-	1	1	1	1
DOLICHOCOXYS Townsend, 1927	1	-	-	1	-	1	-
DOLICHODEXIA B. & B., 1889	1	-	-	-	1	1	-
DOLICHODINERA Townsend, 1935	1	1	-	-	-	-	-
DOLICHOGONIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
DOLICHOPODOMINTHO Townsend, 1927	1	-	-	1	-	1	-
DOLICHOSTOMA Townsend, 1912	1	1	-	-	-	-	-
DOLICHOTARSINA Mesnil, 1977	1	-	-	-	1	-	-
DOLICHOTARSUS Brooks, 1945	1	-	1	-	-	-	-
*DOLIOLOMYIA Reinhard, 1974	1	1	-	-	-	-	-
DORIELLA Townsend, 1931	1	1	-	-	-	-	-
DORYPHOROPHAGA Townsend, 1912 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
DREPANOGLLOSSA Townsend, 1891	1	1	1	-	-	-	-
DRINO Robineau-Desvoidy, 1863	1	1	1	1	1	1	1
DRINOMYIA Mesnil, 1962	1	-	-	1	-	-	-
DUFOURIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
DUMERILLIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
EBENIA Macquart, 1846	1	1	-	-	-	-	-
ECHINEMORAEA Mesnil, 1971 Synonymized with NEMORAEA R.-D. by Crosskey (1976) but treated as valid by Chao (1999)	1	-	-	-	-	1	-
ECHINODEXIA B. & B., 1893	1	1	-	-	-	-	-
ECHINOMASICERA Townsend, 1915 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)		x					
ECHINOPYRRHOSIA Townsend, 1914	1	1	-	-	-	-	-
ECHINOPYRRHOSIOPS Townsend, 1931	1	1	-	-	-	-	-
ECTOPHASIA Townsend, 1912	1	-	-	1	-	1	-
ECTOPHASIOPSIS Townsend, 1915	1	1	-	-	-	-	-
ECUADORANA Townsend, 1912	1	1	-	-	-	-	-
EDWYNIA Aldrich, 1930	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EFFTAYLORIA Malloch, 1941 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)							x
*EFFUSIMENTUM Barraclough, 1992	1	-	-	-	-	-	1
EGAMEIGENIA Townsend, 1927	1	1	-	-	-	-	-
EGGONIA B. & B., 1893	1	1	-	-	-	-	-
ELEODIPHAGA Walton, 1918	1	-	1	-	-	-	-
ELEUTHROMYIA Reinhard, 1964	1	1	-	-	-	-	-
ELFIA Robineau-Desvoidy, 1850 = PHYTOMYPTERA Rondani, 1844 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 754)		x		x	x		
ELFRIEDELLA Mesnil, 1957 Recorded from Oriental Region by Shima (1988)	1	-	-	1	-	1	-
ELIOZETA Rondani, 1856	1	-	-	1	-	-	-
ELOCERIA Robineau-Desvoidy, 1863	1	-	1	1	-	1	-
ELODIA Robineau-Desvoidy, 1863	1	-	-	1	-	1	-
ELODIMYIA Mesnil, 1952	1	-	-	-	-	1	-
ELOMYA Robineau-Desvoidy, 1830 Also spelled ELOMYIA, unjustified emendation	1	-	-	1	-	-	-
ELPE Robineau-Desvoidy, 1863 = CAMPYLOCHETA Rondani, 1859 (Herting 1974: 13)					x	x	
EMBIOMYIA Aldrich, 1934	1	1	-	-	-	-	-
EMPHEREMYIA Bischof, 1904	1	1	-	-	-	-	-
EMPHEREMYIOPS Townsend, 1927	1	1	-	-	-	-	-
EMPOROMYIA B. & B., 1891	1	-	-	1	-	-	-
ENCHOMYIA Aldrich, 1934	1	1	-	-	-	-	-
ENGEDDIA Kugler, 1977	1	-	-	1	-	-	-
ENGELOMYIA Townsend, 1931 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)		x					
ENROGALIA Reinhard, 1964	1	-	1	-	-	-	-
ENTOMOPHAGA Liroy, 1864	1	-	-	1	-	-	-
EOACEMYIA Townsend, 1926	1	-	-	-	-	1	1
EOMEDINA Mesnil, 1960	1	-	-	-	1	-	-
*EOMEIGENIELLOIDES Reinhard, 1974	1	1	-	-	-	-	-
EOPHYLLOPHILA Townsend, 1926	1	-	-	-	1	1	1
EOZENILLIA Townsend, 1926	1	-	-	-	-	1	1
EPALPELLUS Townsend, 1914	1	1	-	-	-	-	-
EPALPODES Townsend, 1912	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EPALPUS Rondani, 1850	1	1	1	-	-	-	-
EPAULOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
EPICAMPOCERA Macquart, 1849 Recorded from Oriental Region by Sun et al. (1992)	1	-	-	1	-	1	-
EPICORONIMYIA Blanchard, 1940	1	1	-	-	-	-	-
EPICUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
EPIDEXIA Townsend, 1912 = PROSPHERYSA van der Wulp, 1890 (Wood 1987: 1214, O'Hara & Wood 1998: 754)		x					
EPIGRIMYIA Townsend, 1891	1	-	1	-	-	-	-
EPIMEIGENIA Townsend, 1931 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
EPIPHANOCERA Townsend, 1915	1	1	-	-	-	-	-
EPIPLAGIOPS Blanchard, 1943	1	1	-	-	-	-	-
EPIPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
EREBIOMIMA Mesnil, 1953	1	-	-	1	-	-	-
ERGOLABUS Reinhard, 1964	1	1	-	-	-	-	-
ERIBELLA Mesnil, 1960	1	-	1	-	-	-	-
ERIOTHRIX Meigen, 1803 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
ERISTALIOMYIA Townsend, 1926	1	-	-	-	-	1	1
ERNESTIA Robineau-Desvoidy, 1830 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754, 769)				x			
ERNESTIOPSIS Townsend, 1931	1	1	-	-	-	-	-
ERVIA Robineau-Desvoidy, 1830 = ICELIA Robineau-Desvoidy, 1830 (Guimarães 1976b: 177)		x					
ERVIOPSIS Townsend, 1934	1	1	-	-	-	-	-
ERYCESTA Herting, 1967	1	-	-	1	-	-	-
ERYCIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
ERYCILLA Mesnil, 1957 = ALLOPHOROCERA Hendel, 1901 (Mesnil & Pschorn- Walcher 1968: 155, Wood 1974: 667, Tschorsnig & Richter 1998: 820)				x			
ERYNNIA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
ERYNNIOLA Mesnil, 1977	1	-	-	-	1	-	-
ERYNNIOPSIS Townsend, 1926	1	-	1	1	-	-	-
ERYTHROARGYROPS Townsend, 1917	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ERYTHROCERA Robineau-Desvoidy, 1849	1	-	-	1	1	1	1
ERYTHROEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ERYTHROMELANA Townsend, 1919	1	1	-	-	-	-	-
ERYTHRONYCHIA B. & B., 1891	1	-	-	-	-	-	1
ESTHERIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
ETHILLA Robineau-Desvoidy, 1863	1	-	-	1	1	-	1
ETHYLLOIDES Verbeke, 1970	1	-	-	-	1	-	-
*ETROGA Richter, 1995	1	-	-	1	-	-	-
EUACAUONA Townsend, 1908	1	1	-	-	-	-	-
EUANISIA Blanchard, 1947	1	1	-	-	-	-	-
EUANTHA van der Wulp, 1885	1	1	1	-	-	-	-
EUANTHOIDES Townsend, 1931	1	1	-	-	-	-	-
EUBISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
EUBRACHYMERIA Townsend, 1919 = PSEUDOPACHYSTYLUM Mik, 1891 (Wood 1987: 1257, O'Hara & Wood 1998: 754)				x			
EUCALODEXIA Townsend, 1908 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
EUCELATORIA Townsend, 1909	1	1	1	-	-	-	1
EUCELATORIOIDEA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
EUCELATORIOPSIS Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
EUCEROMASIA Townsend, 1912	1	-	1	-	-	-	-
EUCHAETOGYNE Townsend, 1908	1	1	1	-	-	-	-
EUCHEIROPHAGA James, 1945	1	1	-	-	-	-	-
EUCLAUSICELLA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)		x					
EUCLYTIA Townsend, 1908	1	-	1	-	-	-	-
EUCNEPHALIA Townsend, 1892	1	-	1	-	-	-	-
EUCORDYLIGASTER Townsend, 1917 = CORDYLIGASTER Macquart, 1844 (Wood 1987: 1249, O'Hara & Wood 1998: 754)		x					
EUCORONIMYIA Townsend, 1908	1	-	1	-	-	-	-
EUCORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
EUCYRTOPHLOEBA Townsend, 1916 = CYRTOPHLEBA Rondani, 1856 (Mesnil 1974: 1266)		x					
EUDEJEANIA Townsend, 1912	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUDEXIA B. & B., 1889	1	1	-	-	-	-	-
EUEMPHEREMYIA Townsend, 1927	1	1	-	-	-	-	-
EUEPALPODES Townsend, 1915	1	1	-	-	-	-	-
EUEPALPUS Townsend, 1908	1	1	-	-	-	-	-
EUEXORISTA Townsend, 1912	1	-	1	1	-	-	-
EUFABRICIOPSIS Townsend, 1915	1	1	-	-	-	-	-
EUGAEDIOPSIS Townsend, 1916	1	1	-	-	-	-	-
EUGYMNOPEZA Townsend, 1933	1	-	-	1	-	-	-
EUHALIDAYA Walton, 1914	1	1	1	-	-	-	-
EUHELIOPROSOPA Reinhard, 1964 = CHILOEPALPUS Townsend, 1927 (Cortés 1992: 236)		x					
EUHUASCARAYA Townsend, 1927	1	1	-	-	-	-	-
EUHYGIA Mesnil, 1960	1	-	-	1	-	1	-
EUHYSTRICIA Townsend, 1914	1	1	-	-	-	-	-
EUJURINIODES Townsend, 1935	1	1	-	-	-	-	-
EULABIDOGASTER Belanovsky, 1951	1	-	-	1	-	-	-
EULASIONA Townsend, 1892	1	-	1	1	-	-	-
EULASIOPALPUS Townsend, 1913	1	1	-	-	-	-	-
EULOEWIODORIA Townsend, 1927	1	1	-	-	-	-	-
EULOEWIOPSIS Townsend, 1917	1	1	-	-	-	-	-
EUMACHAERAEA Townsend, 1927	1	1	-	-	-	-	-
EUMACROHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
EUMASICERA Townsend, 1909 = HOUGHIA Coquillett, 1897 (Wood 1987: 1206, O'Hara & Wood 1998: 754)		x					
EUMEA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
EUMEELLA Mesnil, 1939	1	-	-	1	-	-	-
EUMEGAPARIA Townsend, 1908	1	-	1	-	-	-	-
EUMELANEPALPUS Townsend, 1915	1	1	-	-	-	-	-
EUMYOBIA Townsend, 1911 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 754)		x					
EUNEMORILLA Townsend, 1919	1	1	1	-	-	-	-
EUOESTROGASTER Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUOESTROGASTRODES Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
EUOESTROPHASIA Townsend, 1892	1	1	-	-	-	-	-
EUOESTROPSIS Townsend, 1913	1	1	-	-	-	-	-
EUPELECOTHECA Townsend, 1919 = NEOMINTHO B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 755)		x					
EUPHASIOPTERYX Townsend, 1915 = ORMIA Robineau-Desvoidy, 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 755)		x					
EUPHOROCERA Townsend, 1892 = CHETOGENA Rondani, 1856 (Wood 1987: 1221, O'Hara & Wood 1998: 755)		x					
EUPHOROCEROPSIS Townsend, 1917 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 755)		x					
EUPODODEXIA Villeneuve, 1915	1	-	-	-	1	-	-
EUPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
EUPTILODEGEERIA Townsend, 1931 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)		x					
EUPTILOMYIA Townsend, 1939	1	1	-	-	-	-	-
EUPTILOPAREIA Townsend, 1916	1	-	1	-	-	-	-
EURITHIA Robineau-Desvoidy, 1844 Recorded from Oriental Region by Sun et al. (1992)	1	-	-	1	-	1	-
EURYGASTROPSIS Townsend, 1916	1	-	-	-	-	-	1
EURYSTHAEA Robineau-Desvoidy, 1863	1	-	-	1	1	1	1
EURYTHEMYIA Reinhard, 1967	1	1	-	-	-	-	-
EUSAUNDERSIOPS Townsend, 1915	1	1	-	-	-	-	-
EUSCOPOLIA Townsend, 1892	1	-	1	-	-	-	-
EUSCOPOLIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
EUSISYROPA Townsend, 1908 = HYPHANTROPHAGA Townsend, 1892 (Wood 1987: 1206, O'Hara & Wood 1998: 755)		x					
EUSTACOMYIA Malloch, 1927	1	-	-	-	-	-	1
EUTELOTHYRIA Townsend, 1931	1	1	-	-	-	-	-
EUTHELAIIRA Townsend, 1912	1	1	-	-	-	-	-
EUTHELYCONYCHIA Townsend, 1927 Synonymized with OPSOMEIGENIA Townsend, 1919, by Wood 1985: 68, but revived as valid genus by Wood in O'Hara & Wood 1998: 771.	1	1	1	-	-	-	1

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUTHERA Loew, 1866	1	1	1	1	1	1	1
EUTHYPROSOPIELLA Blanchard, 1963	1	1	-	-	-	-	-
*EUTRAPELUS Reinhard, 1974 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
EUTRICHOPHORA Townsend, 1915	1	1	-	-	-	-	-
EUTRICHOPODA Townsend, 1908	1	1	-	-	-	-	-
EUTRICHOPODOPSIS Blanchard, 1966	1	1	-	-	-	-	-
EUTRIXA Coquillett, 1897	1	-	1	-	-	-	-
EUTRIXOIDES Walton, 1913	1	1	-	-	-	-	-
EUTRIXOPSIS Townsend, 1919	1	-	-	1	1	1	-
EUVESPIVORA Baranov, 1942	1	-	-	-	-	1	1
EUWINTHEMIA Blanchard, 1963	1	1	-	-	-	-	-
EVERESTIOMYIA Townsend, 1933 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
EVIDOMYIA Reinhard, 1958	1	-	1	-	-	-	-
EXECHOPALPUS Macquart, 1847	1	-	-	-	-	-	1
EXODEXIA Townsend, 1927	1	1	-	-	-	-	-
EXOERNESTIA Townsend, 1927	1	1	-	-	-	-	-
EXOPALPUS Macquart, 1851	1	1	-	-	-	-	-
EXORISTA Meigen, 1803	1	-	1	1	1	1	1
EXORISTOIDES Coquillett, 1897	1	1	1	-	-	-	-
EXORISTOPSIS Townsend, 1915 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
FABRICIELLA Bezzi, 1906 = TACHINA Meigen, 1803 (Wood 1987: 1244, O'Hara & Wood 1998: 755)		x					
FABRICIOPSIS Townsend, 1914	1	1	-	-	-	-	-
FASSLOMYIA Townsend, 1931	1	1	-	-	-	-	-
FAUSTA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
FERIOLA Mesnil, 1957 Recorded from Palearctic Region by Richter (1986)	1	-	-	1	-	1	-
FISCHERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
FLAVICORNICULUM Chao & Shi, 1981 Recorded from both Palearctic and Oriental regions.by Chao & Shi (1981)	1	-	-	1	-	1	-
FLORADALIA Thompson, 1963	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
FORCIPOPHASIA Townsend, 1935 = ACAULONA van der Wulp, 1884 (Toma 2003: 269)		x					
FORMICOMYIA Townsend, 1916	1	1	-	-	-	-	-
FORMICOPHANIA Townsend, 1916	1	-	-	-	-	1	-
FORMODEXIA Crosskey, 1973	1	-	-	-	-	-	1
FORMOSIA Guérin-Ménéville, 1843	1	-	-	-	-	1	1
FRERAEA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
FROGGATTIMYIA Townsend, 1916	1	-	-	-	-	-	1
FRONTINA Meigen, 1838	1	-	-	1	-	1	-
FRONTINIELLA Townsend, 1918	1	1	1	-	-	-	-
FRONTOCNEPHALIA Townsend, 1916	1	1	-	-	-	-	-
FRONTODEXIA Mesnil, 1976	1	-	-	-	1	-	-
GAEDIA Meigen, 1838	1	-	-	1	-	-	-
GAEDIOPHANA B. & B., 1893 = GAEDIOPSIS B. & B., 1891 (Wood 1987: 1210, O'Hara & Wood 1998: 755)		x					
GAEDIOPHANOPSIS Blanchard, 1954	1	1	-	-	-	-	-
GAEDIOPSIS B. & B., 1891	1	1	1	-	-	-	-
GAEDIOXENIS Villeneuve, 1937	1	-	-	-	1	-	-
GALAPAGOSIA Curran, 1934	1	1	-	-	-	-	-
*GALSANIA Richter, 1993 Synonymized with GONIOCERA B. & B. by Richter (1995: 747) but reinstated as valid by Richter (2002: 238)	1	-	-	1	-	-	-
GANOPLEURON Aldrich, 1934	1	1	-	-	-	-	-
GANOPROCTUS Aldrich, 1934	1	1	-	-	-	-	-
GASTROLEPTA Rondani, 1862	1	-	-	1	-	-	-
GASTROPTILOPS Mesnil, 1957	1	-	-	1	-	-	-
*GEMURSA Barraclough, 1992	1	-	-	-	-	-	1
GENEA Rondani, 1850	1	1	1	-	-	-	-
GENEODES Townsend, 1934	1	1	-	-	-	-	-
GENOTRICHIA Malloch, 1938	1	-	-	-	-	-	1
GERALDIA Malloch, 1930	1	-	-	-	-	-	1
GERMARIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
GERMARIOCHAETA Villeneuve, 1937	1	-	-	1	-	1	-
GERMARIOPSIS Townsend, 1915	1	1	-	-	-	-	-
GEROCYPTERA Townsend, 1916	1	-	-	-	-	1	1

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
GIBSONOMYIA Curran, 1925 = PHYLLOMYA Robineau-Desvoidy, 1830 (Mesnil & Shima 1979: 486)						x	
GIGAMYIOPSIS Reinhard, 1964	1	1	-	-	-	-	-
GIGANTOEPALPUS Townsend, 1913	1	1	-	-	-	-	-
GINGLYMIA Townsend, 1892	1	1	1	-	-	-	-
GLAUROCARA Thomson, 1869 Recorded from Palearctic Region by Richter (1988)	1	-	-	1	1	1	-
GLOSSIDIONOPHORA Bigot, 1885	1	1	-	-	-	-	-
GNADOCHAETA Macquart, 1851	1	1	1	1	-	-	-
GONATORRHINA Röder, 1886	1	1	-	-	-	-	-
GONIA Meigen, 1803 Recorded from Oriental Region by Sun et al. (1992)	1	1	1	1	1	1	1
GONIOCERA B. & B., 1891	1	-	1	1	-	-	-
GONIOCHAETA Townsend, 1891	1	-	1	-	-	-	-
GONIOPHTHALMUS Villeneuve, 1910	1	-	-	1	1	1	1
GONISTYLUM Macquart, 1851	1	1	-	-	-	-	-
GONITIMYA Chao & Liu <i>in</i> Liu, Chao et al., 1998 Unavailable name, no included species or type species fixation (ICZN Article 13.3, 1999)				x			
GONZALEZODORIA Cortés, 1967	1	1	-	-	-	-	-
GOPAULIA Thompson, 1968 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)		x					
GRACILICERA Miller, 1945	1	-	-	-	-	-	1
GRAPHIA van der Wulp, 1885	1	-	-	-	-	-	1
GRAPHOGASTER Rondani, 1868	1	-	1	1	-	-	-
GRAPHOTACHINA Malloch, 1938	1	-	-	-	-	-	1
GUERINIOPSIS Reinhard, 1943	1	-	1	-	-	-	-
GWENDA Richter, 1977 = PHYTOMYPTERA Rondani, 1844 (Andersen 1988: 45)				x			
GYMNAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
GYMNOCARCELIA Townsend, 1919	1	1	-	-	-	-	-
GYMNOCHAETOPSIS Townsend, 1914	1	1	-	-	-	-	-
GYMNOCHETA Robineau-Desvoidy, 1830 Also spelled GYMNOCHAETA, unjustified emendation	1	-	1	1	-	1	-
GYMNOCLYTIA B. & B., 1893	1	1	1	-	-	-	-
GYMNODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
GYMNOGLOSSA Mik, 1898	1	-	-	1	1	-	-
GYMNOMACQUARTIA Mesnil & Shima, 1978	1	-	-	1	-	-	-
GYMNOMMA van der Wulp, 1888	1	1	-	-	-	-	-
GYMNOMMOPSIS Townsend, 1927	1	1	-	-	-	-	-
GYMNOPALPUS Townsend, 1919 = SPATHIDEXIA (GYMNOPALPUS Townsend, 1919) (Wood 1987: 1265, O'Hara & Wood 1998: 755)		x					
GYMNOPHRYXE Villeneuve, 1922 Not present in Afrotropical Region according to Crosskey (1984: 201)	1	-	1	1	-	-	-
GYMNOSOMA Meigen, 1803	1	1	1	1	1	1	-
GYNANDROMYIA Bezzi, 1923	1	-	-	-	1	-	-
HALIDAIA Egger, 1856 Also spelled HALIDAYA or HALYDAIA, unjustified emendations	1	-	-	1	-	1	1
HAMAXIA Walker, 1860 Valid genus according to Chao (1999) and Herting & Dely-Draskovits (1993) but listed as a synonym of PALPOSTOMA R.-D. by Crosskey (1976, 1980)	1	-	-	1	1	1	-
HAMAXIELLA Mesnil, 1967	1	-	-	1	-	1	-
HAPALIOLOEMUS Baranov, 1934 Recorded from Palearctic Region by Shima (1996)	1	-	-	1	-	1	-
*HARACCA Richter, 1995 Recorded from Oriental Region by Richter (1998c)	1	-	-	1	-	1	-
HARRISIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
HASMICA Richter, 1972 Listed as a synonym of CLAUSICELLA Rondani by Herting & Dely-Draskovits (1993) but treated as valid by Richter (1998a)	1	-	-	1	-	1	-
HAYWARDIAMYIA Blanchard, 1955	1	1	-	-	-	-	-
HEBIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun et al. (1992)	1	-	-	1	-	1	-
HEGESINUS Reinhard, 1964	1	1	-	-	-	-	-
HELIAEA Curran, 1934	1	1	-	-	-	-	-
HELICONIOPHAGA Thompson, 1966	1	1	-	-	-	-	-
HELIODEXODES Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HELIODORUS Reinhard, 1964	1	-	1	-	-	-	-
HELIOLYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HELIOLYDELLOPS Townsend, 1934 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
HELIOPHOSOPA Townsend, 1927	1	1	-	-	-	-	-
HELIOPLAGIA Townsend, 1934 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
HEMIARGYROPHYLAX Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
HEMIARGYROPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
HEMILYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HEMIMACQUARTIA B. & B., 1893	1	-	-	1	-	-	-
HEMISTURMIA Townsend, 1927	1	1	1	-	-	-	-
*HEMISTURMIELLA Guimarães, 1983	1	1	-	-	-	-	-
HEMIWINTHEMIA Villeneuve, 1938	1	-	-	-	1	-	-
HEMYDA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
HERAULTIA Villeneuve, 1920	1	-	-	1	-	-	-
HERMYA Robineau-Desvoidy, 1830	1	-	-	1	1	1	-
HESPEROMYIA B. & B., 1889	1	-	1	-	-	-	-
HESPEROPHASIA Townsend, 1915 = KIRBYA (HESPEROPHASIA Townsend, 1915) (Mesnil 1974: 1283, O'Hara & Wood 2004: 59)		x					
HETERIA Malloch, 1930	1	-	-	-	-	-	1
HETEROMETOPIA Macquart, 1846	1	-	-	-	-	-	1
HEYNEOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
HILLOMYIA Crosskey, 1973	1	-	-	-	-	-	1
HINEOMYIA Townsend, 1916	1	-	1	-	-	-	-
HOBARTIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)							x
HOMALACTIA Townsend, 1915	1	-	1	-	-	-	-
HOMOGENIA van der Wulp, 1892	1	1	-	-	-	-	-
HOMOHYPCHAETA Townsend, 1927	1	1	-	-	-	-	-
HOMOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
HOMOSAUNDERSIOPS Townsend, 1931	1	1	-	-	-	-	-
HOMOTRIXA Villeneuve, 1914	1	-	-	-	-	1	1
HOUGHIA Coquillett, 1897	1	1	1	-	-	-	-
HUASCARAYOPSIS Townsend, 1927	1	1	-	-	-	-	-
HUASCARODEXIA Townsend, 1919	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
HUBNERIA Robineau-Desvoidy, 1848	1	-	1	1	-	-	-
HUTTONOBESSERIA Curran, 1927	1	-	-	-	-	-	1
HYADESIMYIA Bigot, 1888	1	1	-	-	-	-	-
HYALOMYA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 170, Sun & Marshall 2003: 18)		x					
HYALOMYODES Townsend, 1893 = STRONGYGASTER Macquart, 1834 (Wood 1987: 1260, O'Hara & Wood 1998: 755)		x					
HYALURGUS B. & B., 1893	1	-	1	1	-	1	-
HYGIELLA Mesnil, 1957	1	-	-	-	-	1	-
HYLEORUS Aldrich, 1926	1	-	-	1	1	1	1
HYOSOMA Aldrich, 1934	1	1	-	-	-	-	-
HYPERAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
HYBERSARA Villeneuve, 1935	1	-	-	-	1	1	-
HYPERTROPHOCERA Townsend, 1891	1	1	1	-	-	-	-
HYPERTROPHOMMA Townsend, 1915	1	1	1	-	-	-	-
HYPHANTROPHAGA Townsend, 1892	1	1	1	-	-	-	-
HYPOCHAETOPSIS Townsend, 1915	1	1	-	-	-	-	-
HYPODORIA Townsend, 1927	1	1	-	-	-	-	-
HYPOHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
HYPOMYOTHYRIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
HYPOPHYLAX Townsend, 1935 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)		x					
HYPOPROXYNOPS Townsend, 1927	1	1	-	-	-	-	-
HYPOTACHINA B. & B., 1891 = NEMORAEA Robineau-Desvoidy, 1830 (Crosskey 1980: 843)		x					
HYPOVORIA Villeneuve, 1912	1	1	1	1	-	-	-
*HYPSOMYIA Cortés, 1983	1	1	-	-	-	-	-
HYSTRICEPHALA Macquart, 1846	1	-	-	-	1	-	-
HYSTRICHODEXIA Röder, 1886	1	1	-	-	-	-	-
HYSTRICIA Macquart, 1844	1	1	1	-	-	-	-
HYSTRICIELLA Townsend, 1915	1	1	-	-	-	-	-
HYSTRICIOPSIS Townsend, 1914 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)		x					
HYSTRICOVORIA Townsend, 1928	1	-	-	-	1	1	1

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
HYSTRIOMYIA Portschinsky, 1881	1	-	-	1	-	1	-
HYSTRYSYPHONA Bigot, 1859	1	1	-	-	-	-	-
ICELIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
*ICELIOPSIS Guimarães, 1976	1	1	-	-	-	-	-
ICONOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
ICTERICODEXIA Townsend, 1934	1	1	-	-	-	-	-
IGNEOMYIA Mesnil, 1950	1	-	-	-	1	-	-
IGNOTOMYIA Reinhard, 1961 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 755)		x					
ILLA Baranov, 1938	1	-	-	-	-	-	1
IMAGUNCULA Reinhard, 1958 = SPALLANZANIA Robineau-Desvoidy, 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 755)		x					
IMITOMYIA Townsend, 1912	1	-	1	-	1	-	-
IMPECCANTIA Reinhard, 1961	1	-	1	-	-	-	-
INCAMYIA Townsend, 1912	1	1	-	-	-	-	-
INCAMYIOPSIS Townsend, 1919	1	1	-	-	-	-	-
INTRAPALES Villeneuve, 1938	1	-	-	-	1	-	-
IRENGIA Townsend, 1935	1	1	-	-	-	-	-
IRWINIA Cortés, 1967 = PHYTOMYPTERA Rondani, 1844 (Mesnil 1973: 1192, Andersen 1988: 45)		x					
ISAFARUS Richter, 1976	1	-	-	1	-	-	-
ISCHYROPHAGA Townsend, 1915	1	1	-	-	-	-	-
ISIDOTUS Reinhard, 1962	1	-	1	-	-	-	-
ISOCHAETINA Mesnil, 1950	1	-	-	-	-	1	-
*ISOPEXOPSIS Sun & Chao, 1994	1	-	-	-	-	1	-
ISOSTURMIA Townsend, 1927	1	-	-	1	-	1	1
ISTOCHETA Rondani, 1859 Also spelled ISTOCHAETA, unjustified emendation. Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
ISTOGLOSSA Rondani, 1856	1	-	-	-	1	1	-
ITABIOMYIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
ITACNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
ITACUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
ITALISPIDEA Townsend, 1927	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ITALYDELLA Townsend, 1927	1	1	-	-	-	-	-
ITAMINTHO Townsend, 1931	1	1	-	-	-	-	-
ITAPLECTOPS Townsend, 1927	1	1	-	-	-	-	-
ITASAUNDERSIA Townsend, 1927	1	1	-	-	-	-	-
ITASTURMIA Townsend, 1927	1	1	-	-	-	-	-
ITAVORIA Townsend, 1931	1	1	-	-	-	-	-
ITAXANTHOMELANA Townsend, 1927	1	1	-	-	-	-	-
ITEUTHELAIIRA Townsend, 1927	1	1	-	-	-	-	-
JAENIMYIA Townsend, 1912 = PTEROTOPEZA Townsend, 1908 (Toma & Guimarães 2000a: 8)		x					
JALAPAMYIA Reinhard, 1964 = MAUROMYIA Coquillett, 1897 (O'Hara 2002: 56)		x					
JAMACARIA Curran, 1928	1	1	-	-	-	-	-
JANTHINOMYIA B. & B., 1893	1	-	-	1	-	1	-
JAYNESLESKIA Townsend, 1934 = GENEAE Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)		x					
JURINELLA B. & B., 1889	1	1	1	-	-	-	-
JURINIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
JURINIOPSIS Townsend, 1916	1	1	1	-	-	-	-
JURINIOSOMA Townsend, 1927	1	1	-	-	-	-	-
JURINODEXIA Townsend, 1915	1	1	-	-	-	-	-
KAISERIOLA Mesnil, 1970 Recognized as valid by Crosskey (1984: 201)	1	-	-	-	1	-	-
KALLISOMYIA Borisova, 1964	1	-	-	1	-	-	-
KAMBAITIMYIA Mesnil, 1953	1	-	-	-	-	1	-
KINANGOPANA van Emden, 1960	1	-	-	-	1	-	-
KINIATILIOPS Mesnil, 1955	1	-	-	-	1	-	-
KINIATILLA Villeneuve, 1938	1	-	-	-	1	-	-
KIRBYA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
KLUGIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
KORALLIOMYIA Mesnil, 1950 or 1949	1	-	-	-	-	1	1
KUWANIMYIA Townsend, 1916	1	-	-	1	1	1	-
LABIGASTERA Macquart, 1834	1	-	-	1	-	-	-
LAFUENTEMYIA Marnef, 1965	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
*LAMBRUSCA Richter, 1998	1	-	-	1	-	-	-
LASIONA van der Wulp, 1890	1	1	-	-	-	-	-
LASIONEURA Coquillett, 1895 = GINGLYMIA Townsend, 1892 (Wood 1987: 1239, O'Hara & Wood 1998: 755)		x					
LASIOPALES Villeneuve, 1922	1	-	-	1	-	-	-
LASIOPALPUS Macquart, 1847	1	1	-	-	-	-	-
LATIGINELLA Villeneuve, 1936	1	-	-	-	1	-	-
LAUFFERIELLA Villeneuve, 1929	1	-	-	1	-	-	-
LECANIPA Rondani, 1859	1	-	-	1	-	-	1
LEIOPHORA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	-	1	-	1	-
LEPTIDOSOPHIA Townsend, 1931	1	1	-	-	-	-	-
LEPTODEXIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOMACQUARTIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOSTYLUM Macquart, 1851	1	1	-	-	-	-	-
LEPTOTHELAIRA Mesnil & Shima, 1979	1	-	-	1	-	1	-
LESCHENAULTIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
LESKIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
LESKIOLA Mesnil, 1957	1	-	-	-	-	1	-
LESKIOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LESKIOMIMA B. & B., 1891 = GENEAE Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)		x					
LESKIOPSIS Townsend, 1916	1	1	1	-	-	-	-
LESPESIA Robineau-Desvoidy, 1863	1	1	1	1	-	-	1
LEUCOCARCELIA Villeneuve, 1921	1	-	-	-	1	-	-
LEUCOSTOMA Meigen, 1803	1	1	1	1	1	-	1
LEVERELLA Baranov, 1934	1	-	-	-	-	-	1
LIGERIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
LIGERIELLA Mesnil, 1961 Recorded from Oriental Region by Shima (1994)	1	-	-	1	-	1	-
LINDIGEPALPUS Townsend, 1931	1	1	-	-	-	-	-
LINDIGIA Townsend, 1931	1	1	-	-	-	-	-
LINDNERIOLA Mesnil, 1959	1	-	-	-	1	-	-
LINNAEMYA Robineau-Desvoidy, 1830 Also spelled LINNAEMYIA, unjustified emendation	1	1	1	1	1	1	1

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
LISPIDEOSOMA Reinhard, 1943 = PHYTOMYPTERA Rondani, 1844 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 755)		x					
LISSOGLOSSA Villeneuve, 1912	1	-	-	1	-	-	-
LITOPHASIA Girschner, 1887	1	-	-	1	1	-	-
LIXINIA Curran, 1926 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
LIXOPHAGA Townsend, 1908 Recorded from Oriental Region by Shima (1997)	1	1	1	1	-	1	1
LOEWIA Egger, 1856	1	-	1	1	-	-	-
LOMACHANTHA Rondani, 1859	1	-	-	1	-	-	-
LOPHOSIA Meigen, 1824	1	-	-	1	-	1	-
LOTHOSIOSOMA Mesnil, 1973	1	-	-	-	-	1	-
LUBUTANA Villeneuve, 1938	1	-	-	-	1	-	-
LYDELLA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
LYDELLINA Villeneuve, 1916	1	-	-	-	1	1	-
LYDELLOHOUGHIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
LYDELLOTHELAIIRA Townsend, 1919	1	1	-	-	-	-	-
LYDINA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
LYDINOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LYGAEOMYIA Aldrich, 1934	1	1	-	-	-	-	-
LYPHA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
LYPHOSIA Mesnil, 1957	1	-	-	1	-	-	-
MACHAIROMASICERA Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
MACQUARTIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
MACROCHLORIA Malloch, 1929	1	-	-	-	-	-	1
MACROHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
MACROHOUGHIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MACROJURINIA Townsend, 1916	1	1	-	-	-	-	-
MACROMETOPA B. & B., 1889	1	1	-	-	-	-	-
MACROMYIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
MACROPODEXIA Townsend, 1933 = SENOSTOMA Macquart, 1847 (Barraclough 1992: 1309)							x
MACROPROSOPA B. & B., 1889	1	-	-	1	-	-	-
MACTOMYIA Reinhard, 1958	1	-	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MACULOSALIA Mesnil, 1946	1	-	-	1	-	-	-
MADREMYIA Townsend, 1916	1	1	1	1	-	-	-
*MAGRIPA Richter, 1988	1	-	-	1	-	-	-
*MAHAUIELLA Toma, 2003	1	1	-	-	-	-	-
MALAYIA Malloch, 1926	1	-	-	-	-	1	-
MALLOCHOMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
MANOLA Richter, 1982	1	-	-	1	-	-	-
MANTEOMASIPHYA Guimarães, 1966	1	1	-	-	-	-	-
MAPOLOMYIA Verbeke, 1960 = CAHENIA Verbeke, 1960 (Crosskey 1984: 200)					x		
MARACASIMYIA Thompson, 1968 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)		x					
*MARNEFIA Cortés, 1982	1	1	-	-	-	-	-
MARSHALLOMYIA van Emden, 1960	1	-	-	-	1	-	-
MASICERA Macquart, 1834	1	-	-	1	-	-	-
MASIPHYA B. & B., 1891	1	1	1	-	-	-	-
MASIPHYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MASISTYLOIDES Mesnil, 1963	1	-	-	1	-	-	-
MASISTYLUM B. & B., 1893	1	-	1	1	-	-	-
MASTIGIOMYIA Reinhard, 1964	1	1	-	-	-	-	-
MATUCANIA Townsend, 1919	1	1	-	-	-	-	-
MAURITIODORIA Townsend, 1932	1	-	-	-	1	-	-
MAUROMYIA Coquillett, 1897	1	1	1	-	-	-	-
MAYODISTICHONA Townsend, 1928	1	1	-	-	-	-	-
MAYOPHORINIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
MAYOSCHIZOCERA Townsend, 1927	1	1	-	-	-	-	-
MEDINA Robineau-Desvoidy, 1830	1	1	1	1	1	1	-
MEDINELLA Dugdale, 1969	1	-	-	-	-	-	1
MEDINODEXIA Townsend, 1927	1	-	-	-	-	1	1
MEDINOMYIA Mesnil, 1957	1	-	-	-	-	1	-
MEDINOPHYTO Townsend, 1927	1	1	-	-	-	-	-
MEDINOSPILA Mesnil, 1977	1	-	-	-	1	-	-
*MEDIOSETIGER Barraclough, 1983	1	-	-	-	1	-	-
MEGAPARIA van der Wulp, 1891	1	1	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MEGAPARIOPSIS Townsend, 1915	1	-	1	-	-	-	-
MEGAPROSOPUS Macquart, 1844	1	1	1	-	-	-	-
MEGISTOGASTROPSIS Townsend, 1916	1	-	-	-	-	1	1
MEIGENIA Robineau-Desvoidy, 1830	1	-	1	1	-	1	-
MEIGENIELLOIDES Townsend, 1919	1	1	1	-	-	-	-
MELANACTIA Townsend, 1927 = OXYNOPS Townsend, 1912 (Wood 1985: 71)		x					
MELANASOMYIA Malloch, 1935	1	-	-	-	-	1	-
MELANEPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
MELANEPALPUS Townsend, 1914	1	1	-	-	-	-	-
*MELANESOMYIA Barraclough, 1997	1	-	-	-	-	-	1
MELANODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
MELANOPHRYS Williston, 1886	1	-	1	-	-	-	-
MELANORLOPTERYX Townsend, 1927	1	1	-	-	-	-	-
MELANOROMINTHO Townsend, 1935	1	1	-	-	-	-	-
MELANOROPHASIA Townsend, 1934	1	1	-	-	-	-	-
MELEDONUS Aldrich, 1926	1	-	1	-	-	-	-
MELETERUS Aldrich, 1926	1	1	1	-	-	-	-
MELISONEURA Rondani, 1861	1	-	-	1	-	-	-
MELLACHNUS Aldrich, 1934	1	1	-	-	-	-	-
MENDELSSOHNIA Kugler, 1971	1	-	-	1	-	-	-
MENETUS Aldrich, 1926 Junior homonym of MENETUS Adams & Adams, 1855, replaced by ALDRICHOMYIA Özdikmen, 2006			x				
MERICINA Curran, 1927 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
MESEMBRIERIGONE Townsend, 1931	1	1	-	-	-	-	-
MESEMBRINORMIA Townsend, 1931	1	1	-	-	-	-	-
MESNILANA van Emden, 1945	1	-	-	-	1	-	-
*MESNILETTA Herting, 1979	1	-	-	-	-	1	-
MESNILISCA Zimin, 1974	1	-	-	1	-	-	-
*MESNILIUS Özdikmen, 2006 Replacement name for PARAGONIA Mesnil, 1950, preoccupied by PARAGONIA Hübner, 1923	1	-	-	-	-	-	1
MESNILOMYIA Kugler, 1972	1	-	-	1	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MESOCHAETA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)		x					
METACEMYIA Herting, 1969	1	-	-	1	1	-	-
METADEXIA Coquillett, 1899 = ZELIA Robineau-Desvoidy, 1830 (Wood 1987: 1249, O'Hara & Wood 1998: 755)		x					
METADORIA B. & B., 1893 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
METADRINOMYIA Shima, 1980	1	-	-	1	-	1	-
METAGONISTYLUM Townsend, 1927 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)		x					
METAMYIOPHASIA Blanchard, 1966	1	1	-	-	-	-	-
METAMYOBIA Townsend, 1927	1	1	-	-	-	-	-
METAPHOROCERA Thompson, 1968	1	1	-	-	-	-	-
METAPHRYNO Crosskey, 1967	1	-	-	-	-	-	1
METAPLAGIA Coquillett, 1895	1	-	1	-	-	-	-
METARRHINOMYIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62; cited as a synonym of OPSOMEIGENIA Townsend, 1919, by Wood 1985: 68, in error)		x					
METOPIOPS Townsend, 1912 = PSEUDOCHAETA (METOPIOPS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 755, O'Hara & Wood 2004: 196)		x					
METOPIOPSIS Vimmer & Soukup, 1940	1	1	-	-	-	-	-
METOPOACTIA Townsend, 1927	1	1	-	-	-	-	-
METOPOMINTHO Townsend, 1927	1	-	-	-	-	1	-
METOPOMUSCOPTERYX Townsend, 1915	1	-	1	-	-	-	-
METOPOSISYROPS Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)					x	x	
MIAMIMYIA Townsend, 1916 Recorded from Neotropical Region by Guimarães (1982b)	1	1	1	-	-	-	-
MIAMIMYIOPS Townsend, 1939	1	1	-	-	-	-	-
MICROAPORIA Townsend, 1919	1	1	-	-	-	-	-
MICROCEROPHINA Kugler, 1977	1	-	-	1	-	-	-
MICROCHAETINA van der Wulp, 1891	1	1	1	-	-	-	-
MICROCHAETOGYNE Townsend, 1931	1	1	-	-	-	-	-
MICROCHAETONA Townsend, 1919 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
MICROGYMNOMMA Townsend, 1916	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MICROHYSTRICIA Malloch, 1938	1	-	-	-	-	-	1
MICROLESKIA Thompson, 1968 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)		x					
MICROMASIPHYA Townsend, 1934	1	1	-	-	-	-	-
MICRONYCHIA B. & B., 1889 One described species in Palearctic Region according to O'Hara 2002: 117.	1	-	1	1	-	-	-
MICRONYCHIOPS Townsend, 1915	1	1	-	-	-	-	-
MICROPHTHALMA Macquart, 1844	1	1	1	1	1	1	1
MICROPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MICROSILLUS Aldrich, 1926	1	1	-	-	-	-	-
MICROSOMA Macquart, 1855	1	-	-	1	-	-	-
MICROTOWNSENDIA Curran, 1934 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)		x					
MICROTROPESA Macquart, 1846	1	-	-	-	-	-	1
MIKIA Kowarz, 1885	1	-	-	1	-	1	-
MILADA Richter, 1973	1	-	-	1	-	-	-
MILONIUS Reinhard, 1955 = MYSTACOMYIA Giglio-Tos, 1893 (Wood 1987: 1211, O'Hara & Wood 1998: 756)		x					
MIMOLOGUS Reinhard, 1955 = EUNEMORILLA Townsend, 1919 (Wood 1987: 1211, O'Hara & Wood 1998: 756)		x					
MINTHO Robineau-Desvoidy, 1830	1	-	-	1	1	-	-
MINTHODES B. & B., 1889	1	-	-	1	1	-	-
MINTHODEXIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MINTHOLESKIA Townsend, 1934	1	1	-	-	-	-	-
MINTHOMYIA Townsend, 1919 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)		x					
MINTHOPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
MINTHOTACHINA Townsend, 1935	1	1	-	-	-	-	-
MINTHOXIA Mesnil, 1968	1	-	-	-	-	-	1
*MITANNIA Herting, 1987	1	-	-	1	-	-	-
MOCHLOSOMA B. & B., 1889	1	1	1	-	-	-	-
MONGOLOMINTHO Richter, 1976	1	-	-	1	-	-	-
MONOESTROGASTER Townsend, 1939 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MONOLEPTOPHAGA Baranov, 1938	1	-	-	-	-	-	1
MONTANARTURIA Miller, 1945	1	-	-	-	-	-	1
*MONTANTHALMA Barraclough, 1996	1	-	-	-	1	-	-
MONTSERRATIA Thompson, 1964	1	1	-	-	-	-	-
*MONTUOSA Chao & Zhou, 1996	1	-	-	1	-	-	-
MOREIRIA Townsend, 1932	1	1	-	-	-	-	-
MORPHODEXIA Townsend, 1931	1	1	-	-	-	-	-
MUNIRA Richter, 1974	1	-	-	1	-	-	-
MUSCINOTHELAIRA Townsend, 1916 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
MUSCOPTERYX Townsend, 1892	1	1	1	-	-	-	-
MYATELEMUS Reinhard, 1967	1	-	1	-	-	-	-
MYCTEROMYIELLA Mesnil, 1966	1	-	-	1	1	1	1
MYERSIMYIA Townsend, 1935 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)		x					
MYIOCHAETA Cortés, 1967	1	1	-	-	-	-	-
*MYIOCLURA Reinhard, 1974	1	1	-	-	-	-	-
*MYIODEXIA Cortés & Campos, 1971	1	1	-	-	-	-	-
MYIODORIOPS Townsend, 1935 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)		x					
MYIOMIMA B. & B., 1889	1	1	-	-	-	-	-
MYIOMINTHO B. & B., 1889	1	1	-	-	-	-	-
MYIOPHARUS B. & B., 1889	1	1	1	-	-	-	-
MYIOPHASIA B. & B., 1891 = GNADOCHAETA Macquart, 1851 (Wood 1987: 1254, O'Hara & Wood 1998: 756)		x					
MYIOPHASIOMIMA Blanchard, 1966	1	1	-	-	-	-	-
MYIOPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MYIOSCOTIPTERA Giglio-Tos, 1893	1	1	-	-	-	-	-
MYIOSTURMIA Townsend, 1927 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14)		x					
MYIOSTURMIOPSIS Thompson, 1963	1	1	-	-	-	-	-
MYIOTRIXA B. & B., 1893	1	-	-	-	-	-	1
MYIOXYNOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
MYOBIOMIMA Townsend, 1926	1	-	-	-	-	1	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MYOBIOPSIS Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 756)		x					
MYOSTOMA Robineau-Desvoidy, 1830	1	-	-	-	-	1	-
MYOTHYRIOPSIS Townsend, 1919	1	1	1	-	-	-	-
MYSTACELLA van der Wulp, 1890	1	1	1	-	-	-	-
MYSTACOMYIA Giglio-Tos, 1893	1	1	1	-	-	-	-
MYSTACOMYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MYXARCHICLOPS Villeneuve, 1916	1	-	-	-	1	-	-
MYXEXORISTOPS Townsend, 1911 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
NAIRA Richter, 1970	1	-	-	1	-	-	-
NEAERA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
NEALSOMYIA Mesnil, 1939	1	-	-	1	-	1	-
NEAPHRIA Townsend, 1914	1	1	-	-	-	-	-
NEMORAEA Robineau-Desvoidy, 1830	1	1	-	1	1	1	1
NEMORILLA Rondani, 1856	1	1	1	1	1	1	1
NEMORILLOIDES B. & B., 1891	1	-	-	-	1	-	-
NEOARGYROPHYLAX Townsend, 1927	1	1	-	-	-	-	-
NEOBRACHELIA Townsend, 1931	1	1	-	-	-	-	-
NEOCAMPYLOCHAETA Townsend, 1927	1	1	-	-	-	-	-
NEOCHAETOPLAGIA Blanchard, 1963	1	1	-	-	-	-	-
NEOCRASPEDOTHRIX Townsend, 1927	1	1	-	-	-	-	-
NEOCUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
NEOCYRTOPHOEBA Vimmer & Soukup, 1940	1	1	-	-	-	-	-
NEOEMDENIA Mesnil, 1953	1	-	-	1	-	-	-
NEOERIGONE Townsend, 1919 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)		x					
NEOERYTHRONYCHIA Malloch, 1932	1	-	-	-	-	-	1
NEOEUANTHA Townsend, 1931 Listed as a synonym of EUANTHA van der Wulp by Guimarães (1971) but treated as valid by Guimarães (1982a)	1	1	-	-	-	-	-
NEOGYMNOMMA Townsend, 1915	1	1	-	-	-	-	-
NEOLOPHOSIA Townsend, 1939	1	1	-	-	-	-	-
NEOLYDELLA Mesnil, 1939	1	-	-	-	1	-	-
NEOMASIPHYA Guimarães, 1966	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
NEOMEDINA Malloch, 1935	1	-	-	-	-	-	1
NEOMETACHAETA Townsend, 1915	1	1	-	-	-	-	-
NEOMINTHO B. & B., 1891	1	1	1	-	-	-	-
NEOMINTHOIDEA Thompson, 1968	1	1	-	-	-	-	-
NEOMINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
NEOMYOSTOMA Townsend, 1935	1	1	-	-	-	-	-
NEOPAEDARIUM Blanchard, 1943	1	1	-	-	-	-	-
*NEOPHASMOPHAGA Guimarães, 1982	1	1	-	-	-	-	-
NEOPHRYXE Townsend, 1916 Recorded from Oriental Region by Liang, & Chao (1992)	1	-	-	1	-	1	-
NEOPHYLLOPHILA Townsend, 1927 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
NEOPLECTOPS Malloch, 1930	1	-	-	1	1	1	-
NEOPODOMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOSOLIERIA Townsend, 1927	1	1	1	-	-	-	-
*NEOSOPHIA Guimarães, 1982	1	1	-	-	-	-	-
NEOSSARROMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOTACHINA Malloch, 1938	1	-	-	-	-	-	1
NEOTRAFOIOPSIS Townsend, 1931	1	1	-	-	-	-	-
NEOTRYPHERA Malloch, 1938	1	-	-	-	-	-	1
NEOXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
NEOXYNOPSOIDEA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
*NEOZELIA Guimarães, 1975	1	1	-	-	-	-	-
NEPHOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
NEPHOPLAGIA Townsend, 1919	1	1	-	-	-	-	-
NEPOCARCELIA Townsend, 1927	1	1	-	-	-	-	-
NEPOPHASMOPHAGA Townsend, 1927	1	1	-	-	-	-	-
NEXIMYIA Crosskey, 1967	1	-	-	-	-	-	1
NICEPHORUS Reinhard, 1944	1	-	1	-	-	-	-
*NIGARA Richter, 1999	1	-	-	1	-	-	-
NIGRILYPHA O'Hara, 2002	1	-	1	-	-	-	-
NILEA Robineau-Desvoidy, 1863	1	1	1	1	1	1	1
NIMIOGLOSSA Reinhard, 1945	1	1	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
NIPPONOCEROMYIA Mesnil & Shima, 1978 = PROCEROMYIA Mesnil, 1957 (O'Hara 1989: 44)				x			
*NOTHOVORIA Cortés & González, 1989	1	1	-	-	-	-	-
*NOTODERUS Cortés, 1986	1	1	-	-	-	-	-
NOTODYTES Aldrich, 1934	1	1	-	-	-	-	-
NOTOMANES Aldrich, 1934	1	1	-	-	-	-	-
NOWICKIA Wachtl, 1894 = TACHINA (NOWICKIA Wachtl, 1894) (Wood 1987: 1244, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 325)				x		x	
OBERONOMYIA Reinhard, 1964	1	1	-	-	-	-	-
OBLITONEURA Mesnil, 1975	1	-	-	1	-	-	-
*OBSCUROMYIA Barraclough & O'Hara, 1998	1	-	-	-	-	-	1
OCCISOR Hutton, 1901	1	-	-	-	-	-	1
OCHROCERA Townsend, 1916	1	-	1	-	-	-	-
OCHROEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OCYPTEROMIMA Townsend, 1916	1	-	-	-	1	1	-
OCYRTOSOMA Townsend, 1912	1	1	-	-	-	-	-
OCYTATA Gistel, 1848	1	-	-	1	-	-	-
OEDEMEDINA Townsend, 1927	1	1	-	-	-	-	-
OEDEMATOCERA Townsend, 1916 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
OESTROHYSTRICIA Townsend, 1912	1	1	-	-	-	-	-
OESTROPHASIA B. & B., 1889	1	1	1	-	-	-	-
OESTROPHASIANA Townsend, 1931 = OESTROPHASIA B. & B., 1889 (Guimarães 1977: 220)		x					
OLA Paramonov, 1968 = RUTILOTRIXA Townsend, 1933 (Barraclough 1992: 1258)							x
OLENOCHAETA Townsend, 1892 = DISTICHONA van der Wulp, 1890 (Wood 1987: 1203, O'Hara & Wood 1998: 756)		x					
OLIGOESTRUS Townsend, 1932	1	1	-	-	-	-	-
OLINDA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
OLINDOPSIS Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)		x					
OLLACHACTIA Townsend, 1927	1	1	-	-	-	-	-
OLLACHEA Townsend, 1919	1	1	-	-	-	-	-
OLLACHERYPHE Townsend, 1927	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
OMMALESKIA Townsend, 1917 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
ONYCHOGONIA B. & B., 1889	1	-	1	1	-	-	-
OOMASICERA Townsend, 1911	1	1	-	-	-	-	-
OOMEIGENIA Townsend, 1915 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)		x					
OPESIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
OPHIRION Townsend, 1911	1	1	-	-	-	-	-
OPHIRIONOPSIS Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
OPHIRODEXIA Townsend, 1911	1	1	-	-	-	-	-
OPHIROSTURMIA Townsend, 1911	1	1	-	-	-	-	-
OPSOEMPHERIA Townsend, 1927	1	1	-	-	-	-	-
OPSOLESKIA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
OPSOMEIGENIA Townsend, 1919 Recorded from Oriental Region by Chao (1999)	1	-	1	-	-	1	-
OPSOPHAGUS Aldrich, 1926	1	1	-	-	-	-	-
OPSOPHASIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
OPSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
OPSOTHERESIA Townsend, 1919	1	-	1	-	-	-	-
OPSOZELIA Townsend, 1919	1	1	-	-	-	-	-
OPTICOPTERYX Townsend, 1931	1	1	-	-	-	-	-
*ORAEOSOMA Cortés, 1976	1	1	-	-	-	-	-
ORAPHASMOPHAGA Reinhard, 1958	1	-	1	-	-	-	-
ORASTURMIA Reinhard, 1947	1	-	1	-	-	-	-
ORESTILLA Reinhard, 1944	1	-	1	-	-	-	-
ORMIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
ORMIOPHASIA Townsend, 1919	1	1	-	-	-	-	-
OROHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
OROMASIPHYA Townsend, 1927	1	1	-	-	-	-	-
OROPHOROCERA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
ORTHAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
ORTHOSIMYIA Reinhard, 1944	1	-	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
OSSIDINGIA Townsend, 1919 Recognized as valid by Crosskey (1984: 201)	1	-	-	-	1	-	-
OSTRACOPHYTO Townsend, 1915	1	-	1	-	-	-	-
OSWALDIA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Shima (1991)	1	1	1	1	-	1	-
OTOMASICERA Townsend, 1912	1	-	1	-	-	-	-
OXYAPORIA Townsend, 1919	1	1	-	-	-	-	-
OXYEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OXYMEDORIA Villeneuve, 1916	1	-	-	-	1	-	-
OXYNOPS Townsend, 1912	1	1	1	-	-	-	-
OXYNOPSALIA Curran, 1934 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
OXYNOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
OXYOPHIRION Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
OXYPHYLLOMYIA Villeneuve, 1937	1	-	-	1	-	1	-
PACHYMYIA Macquart, 1843	1	1	-	-	-	-	-
PACHYNOCERA Townsend, 1919	1	1	-	-	-	-	-
PACHYSTYLUM Macquart, 1848	1	-	-	1	-	-	-
PAEDARIUM Aldrich, 1926	1	1	-	-	-	-	-
PALES Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
PALESISA Villeneuve, 1929	1	-	-	1	-	-	-
PALEXORISTA Townsend, 1921 = DRINO (PALEXORISTA Townsend, 1921) (O'Hara & Wood 2004: 121)					x	x	x
PALIA Curran, 1927	1	-	-	-	-	-	1
PALIANA Curran, 1927	1	-	-	-	-	-	1
PALMONIA Kugler, 1972	1	-	-	1	-	-	-
PALPEXORISTA Townsend, 1926 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 756)		x					
PALPOLINNAEMYIA Townsend, 1927	1	1	-	-	-	-	-
PALPOSTOMA Robineau-Desvoidy, 1830	1	-	-	-	1	1	1
PALPOTACHINA Townsend, 1915	1	1	-	-	-	-	-
PALPOZENILLIA Townsend, 1934	1	1	-	-	-	-	-
PAMMAERUS Aldrich, 1927	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PANACEMYIA Townsend, 1919 = TRIGONOSPILA Pokorny, 1886 (Wood 1985: 85)		x					
PANDELLEIA Villeneuve, 1907	1	-	-	1	1	-	-
PANZERIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
PARABOTHRIA Vimmer & Soukup, 1940	1	1	-	-	-	-	-
PARABRACHYCOMA Blanchard, 1940	1	1	-	-	-	-	-
PARACHAETA Coquillett, 1897 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Wood 1987: 1213, O'Hara & Wood 1998: 756, Toma & Guimarães 2002: 35)		x					
*PARACHAETOPSIS Blanchard, 1959 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)		x					
PARACHAETOLYGA Bischof, 1904	1	1	-	-	-	-	-
PARACLARA Bezzi, 1908 Valid name to replace CLARA B. & B. (Crosskey 1984: 200)	1	-	-	-	1	-	-
PARACRASPEDOTHRIX Villeneuve, 1920 = CHAETOSTIGMOPTERA Townsend, 1916 (Wood 1985: 31)			x	x			
PARADEJEANIA B. & B., 1893	1	1	1	-	-	-	-
PARADIDYMA B. & B., 1891	1	1	1	-	-	-	-
PARADORIA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
PARADRINO Mesnil, 1949	1	1	-	-	1	1	1
PARAGONIA Mesnil, 1950 Junior homonym of PARAGONIA Hübner, 1823, replaced by MESNILIUS Özdikmen, 2006							x
PARAJURINIA Townsend, 1928	1	1	-	-	-	-	-
PARALISPE B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)		x					
PARALYPHA Mesnil, 1963	1	-	-	1	-	-	-
PARAMESOCHAETA B. & B., 1891	1	1	-	-	-	-	-
PARANETIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
PARANOXYNOPS Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
PARAPALES Mesnil, 1950	1	-	-	-	1	1	-
PARAPEXOPSIS Mesnil, 1953	1	-	-	1	-	-	-
PARAPHASIANA Townsend, 1940 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
PARAPHASIOPSIS Townsend, 1917	1	1	-	-	-	-	-
PARAPHASMOPHAGA Townsend, 1915	1	-	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PARAPHORANTHA Townsend, 1915 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756, Sun & Marshall 2003: 19)		x					
PARAPOLIOPS Blanchard, 1957	1	1	-	-	-	-	-
PARAPORIA Townsend, 1912 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
PARAPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
PARARCHYTAS B. & B., 1895	1	1	1	-	-	-	-
PARARONDANIA Villeneuve, 1916	1	-	-	-	1	-	-
PARARRHINACTIA Townsend, 1935	1	1	-	-	-	-	-
PARASETIGENA B. & B., 1891	1	1	1	1	-	-	-
PARATACHINA B. & B., 1891	1	-	-	-	1	-	-
PARATHELAIIRA Townsend, 1919 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)		x					
PARATHERESIA Townsend, 1915 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 756)		x					
PARATRIXA B. & B., 1891	1	-	-	1	-	-	-
PARATROPEZA Paramonov, 1964	1	-	-	-	-	-	1
PARATRYPHERA B. & B., 1891	1	-	-	1	1	1	-
PARAVIBRISSINA Shima, 1979	1	-	-	-	-	1	1
PARAXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PARAZELIA Townsend, 1919	1	1	-	-	-	-	-
PARECHINOTACHINA Townsend, 1931	1	1	-	-	-	-	-
PAREPALPUS Coquillett, 1902	1	1	1	-	-	-	-
PARERIGONE Brauer, 1898	1	-	-	1	-	1	-
*PARERIGONESIS Chao & Sun <i>in</i> Chao, Sun & Zhou, 1990 = PARERIGONE Brauer, 1898 (Tschorsnig & Richter 1998: 758)				x			
PAREUPOGONA Townsend, 1916	1	-	-	-	-	-	1
PARHAMAXIA Mesnil, 1967	1	-	-	1	-	-	-
PARKERELLA Townsend, 1942 = TRIARTHRIA Stephens, 1829 (O'Hara 1996: 16)		x					
PARODOMYIOPS Townsend, 1935	1	1	-	-	-	-	-
PAROPESIA Mesnil, 1970	1	-	-	-	-	1	-
PAROPSIVORA Malloch, 1934 Recorded from Oriental Region by Shima (1994)	1	-	-	-	-	1	1
PARTHENOLESKIA Townsend, 1941	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PATELLOA Townsend, 1916	1	1	1	-	-	-	-
PATILLALIA Curran, 1934	1	1	-	-	-	-	-
*PATULIFRONS Barraclough, 1992	1	-	-	-	-	-	1
*PAULIPALPUS Barraclough, 1992	1	-	-	-	-	-	1
PELAMERA Herting, 1969	1	-	-	1	-	-	-
PELASHYRIA Villeneuve, 1935	1	-	-	-	1	-	-
PELATACHINA Meade, 1894	1	-	1	1	-	-	-
PELECOTHECA Townsend, 1919	1	1	-	-	-	-	-
PELETERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	1	1	1	1	1	-
PELYCOPS Aldrich, 1934	1	1	-	-	-	-	-
PENNAPODA Townsend, 1897	1	1	-	-	-	-	-
PENTATOMOPHAGA de Meijere, 1917	1	-	-	1	-	1	1
PENTHOSIA van der Wulp, 1892	1	1	1	-	-	-	-
PENTHOSIOSOMA Townsend, 1926	1	-	-	-	-	1	-
PERACROGLOSSA Townsend, 1931	1	1	-	-	-	-	-
PEREMPTOR Hutton, 1901	1	-	-	-	-	-	1
PERIARCHICLOPS Villeneuve, 1924	1	-	-	1	-	-	-
PERIBAEA Robineau-Desvoidy, 1863	1	-	-	1	1	1	1
PERICHETA Rondani, 1859 Unnecessary <i>nomen novum</i> for POLICHETA Rondani, 1856				x			
PERIGYMNOSOMA Villeneuve, 1929	1	-	-	-	-	1	-
PERIOPTICHOCHAETA Townsend, 1927	1	1	-	-	-	-	-
*PERIOSTOMA Cortés, 1986	1	1	-	-	-	-	-
PERISCEPSIA Gistel, 1848	1	1	1	1	1	1	-
PERISTASISEA Villeneuve, 1934	1	-	-	-	1	-	-
PERRISSINA Malloch, 1938	1	-	-	-	-	-	1
PERRISSINOIDES Dugdale, 1962	1	-	-	-	-	-	1
*PERSEDEA Richter, 2001	1	-	-	1	-	-	-
PERUMYIA Arnaud, 1963	1	1	-	-	-	-	-
PETAGNIA Rondani, 1856	1	-	-	1	-	-	-
PETEINA Meigen, 1838	1	-	-	1	-	1	-
PETINARCTIA Villeneuve, 1928 = PERISCEPSIA (PETINARCTIA Villeneuve, 1928) (Wood 1987: 1253, O'Hara & Wood 1998: 756)				x			

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PETRARGYROPS Townsend, 1927	1	1	-	-	-	-	-
PEXOPSIS B. & B., 1889	1	-	-	1	1	1	-
PHAENOPSIS Townsend, 1912 = PSEUDOCHAETA (PHAENOPSIS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 197)		x					
PHAEODEMA Aldrich, 1934	1	1	-	-	-	-	-
PHALACROPHYTO Townsend, 1915	1	-	1	-	-	-	-
PHANIA Meigen, 1824	1	-	-	1	-	-	-
*PHANIOLA Mesnil, 1978	1	-	-	-	1	-	-
PHANTASIOMYIA Townsend, 1915	1	-	1	-	-	-	-
PHANTASIOSIPHONA Townsend, 1915 = SIPHONA Meigen, 1803 (O'Hara 1983: 275)		x					
PHAONIELLA Malloch, 1938	1	-	-	-	-	-	1
PHASIA Latreille, 1804	1	1	1	1	1	1	1
PHASIATACTA Townsend, 1911	1	1	-	-	-	-	-
PHASIOCYPTERA Townsend, 1927	1	1	-	-	-	-	-
PHASIOORMIA Townsend, 1933	1	-	-	-	-	1	1
PHASIOPHYTO Townsend, 1919	1	1	-	-	-	-	-
PHASIOPS Coquillett, 1899	1	-	1	-	-	-	-
PHASIOPSIS Townsend, 1912 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 756)		x					
PHASIOSTOMA Townsend, 1915 = PHYTOMYPTERA Rondani, 1844 (Wood 1987: 1220, O'Hara & Wood 1998: 756)		x					
PHASMOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
PHASMOPHAGA Townsend, 1909	1	1	1	-	-	-	-
PHASMOVORA Cortés, 1968 = PHASMOPHAGA Townsend, 1909 (Wood 1985: 72)		x					
PHEBELLIA Robineau-Desvoidy, 1846	1	-	1	1	-	1	-
PHILIPPODEXIA Townsend, 1926	1	-	-	-	-	1	-
*PHILOCORUS Cortés, 1976	1	1	-	-	-	-	-
PHOBETROMYIA Reinhard, 1964	1	1	-	-	-	-	-
PHONOMYIA B. & B., 1893	1	-	-	1	-	-	-
PHORANTHELLA Brooks, 1945 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756)		x					
PHORCIDELLA Mesnil, 1947	1	-	-	-	-	1	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PHORINIA Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
PHOROCERA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
PHOROCEROSOMA Townsend, 1927	1	-	-	1	1	1	1
PHOROCEROSTOMA Malloch, 1930	1	-	-	-	-	-	1
PHOSOCEPHALA Townsend, 1908	1	1	-	-	-	-	-
PHRYNO Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
PHRYNOTACHINA Townsend, 1927	1	1	-	-	-	-	-
PHRYXE Robineau-Desvoidy, 1830	1	1	1	1	1	1	-
PHYLLARISTOMYIA Townsend, 1931	1	1	-	-	-	-	-
PHYLLOMYIA Robineau-Desvoidy, 1830 Also spelled PHYLLOMYIA, unjustified emendation	1	1	1	1	-	1	-
PHYLLOPHILOPSIS Townsend, 1915	1	1	1	-	-	-	-
PHYLLOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
PHYTOMYPTERA Rondani, 1844	1	1	1	1	1	1	-
PHYTOMYPTERINA van Emden, 1960	1	-	-	-	1	-	-
PHYTOROPHAGA Bezzi, 1923	1	-	-	1	-	1	1
PICCONIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
PICTOEPALPUS Townsend, 1915	1	1	-	-	-	-	-
PILIGENA van Emden, 1947	1	-	-	-	1	-	-
*PILIGENOIDES Barraclough, 1985	1	-	-	-	1	-	-
PILIMYIA Malloch, 1930	1	-	-	-	-	-	1
PIMELIMYIA Mesnil, 1950	1	-	-	-	1	-	-
PIRIONA Aldrich, 1928	1	1	-	-	-	-	-
PIRIONIMYIA Townsend, 1931	1	1	-	-	-	-	-
PIXIMACTIA Townsend, 1927	1	1	-	-	-	-	-
PLAGIMASICERA Townsend, 1915	1	1	-	-	-	-	-
PLAGIOCOMA Villeneuve, 1916	1	-	-	-	1	-	-
PLAGIOMIMA B. & B., 1891 Recorded from Afrotropical Region by Crosskey (1984)	1	1	1	1	1	-	-
PLAGIOMYIA Curran, 1927	1	-	-	-	-	-	1
PLANOMYIA Aldrich, 1934	1	1	-	-	-	-	-
PLATYDEXIA van Emden, 1954	1	-	-	-	1	-	-
PLATYMYIA Robineau-Desvoidy, 1830 Also spelled PLATYMYIA, unjustified emendation	1	-	1	1	-	1	-
PLATYPHASIA Townsend, 1935	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PLATYRRHINODEXIA Townsend, 1927	1	1	-	-	-	-	-
PLATYSCHINERIA Villeneuve, 1942	1	-	-	-	1	-	-
PLATYTACHINA Malloch, 1938	1	-	-	-	-	-	1
PLATYTAINIA Macquart, 1851	1	-	-	-	-	-	1
PLAXACTIA Townsend, 1931 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
PLECTOPSIS Townsend, 1927	1	1	-	-	-	-	-
PLESINA Meigen, 1838	1	-	-	1	1	-	-
PLESIODEXILLA Blanchard, 1966	1	1	-	-	-	-	-
PLETHOCHAETIGERA Malloch, 1938	1	-	-	-	-	-	1
PODODEXIA B. & B., 1889	1	-	-	-	1	-	-
PODOSTURMIA Townsend, 1928	1	1	-	-	-	-	-
POLICHETA Rondani, 1856	1	-	1	1	-	-	-
POLIOPS Aldrich, 1934	1	1	-	-	-	-	-
POLISTIOPSIS Townsend, 1915	1	1	-	-	-	-	-
*POLYBIOCYPTERA Guimarães, 1979	1	1	-	-	-	-	-
POLYBIOPHILA Curran, 1937 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
POLYCHAETA Macquart, 1851	1	-	-	-	-	-	1
POLYGASTER van der Wulp, 1890	1	1	-	-	-	-	-
POLYGASTROPTERYX Mesnil, 1953	1	-	-	-	-	1	-
PORPHYROMUS van Emden, 1960	1	-	-	-	1	-	-
*PRADOCANIA Tschorsnig, 1997	1	-	-	1	-	-	-
PRETORIAMYIA Curran, 1927	1	-	-	-	1	-	-
PRETORIANA Curran, 1938	1	-	-	-	1	-	-
PROCARCELIA Townsend, 1927	1	1	-	-	-	-	-
PROCEROMYIA Mesnil, 1957	1	-	-	1	-	-	-
PROCLEONICE Townsend, 1935	1	1	-	-	-	-	-
PRODEGEERIA B. & B., 1895	1	-	1	1	1	1	1
PRODEMOTICUS Villeneuve, 1919	1	-	-	1	-	-	-
PRODEXODES Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)		x					
PRODIAPHANIA Townsend, 1927	1	-	-	-	-	-	1
PROLESKIA Townsend, 1927	1	1	-	-	-	-	-
PROLESKIOMIMA Townsend, 1934	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PROLOPHOSIA Townsend, 1933	1	-	-	-	1	-	-
PROLYPHA Townsend, 1934	1	1	-	-	-	-	-
PROMASIPHYA Townsend, 1927 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 757)		x					
PROMEGAPARIA Townsend, 1931	1	1	-	-	-	-	-
PROMETOPHOPS Townsend, 1927	1	1	-	-	-	-	-
PROMINTHO Townsend, 1926	1	-	-	-	-	1	-
PRONEMORILLA Townsend, 1935	1	1	-	-	-	-	-
PROOPPIA Townsend, 1926	1	-	1	1	-	-	-
PROPARACHAETA Townsend, 1928	1	1	-	-	-	-	-
PROPARACHAETOPSIS Blanchard, 1942 Recognized as valid by Toma & Guimarães (2000b: 16)	1	1	-	-	-	-	-
PROPHAENOPSIS Townsend, 1927 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)		x					
PROPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
PROPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)		x					
PROPHOROSTOMA Townsend, 1927	1	1	-	-	-	-	-
PRORHYNCHOPS B. & B., 1891	1	1	-	-	-	-	-
PRORIEDELIA Mesnil, 1953	1	-	-	-	-	1	-
PROROGLUTEA Townsend, 1919	1	1	-	-	-	-	-
PROSCISSIO Hutton, 1901	1	-	-	-	-	-	1
PROSENA Lepeletier & Serville, 1828	1	-	1	1	1	1	1
PROSENACTIA Blanchard, 1940	1	1	-	-	-	-	-
PROSENA MALLOCH, 1930	1	-	-	-	-	-	1
PROSENOIDES B. & B., 1891	1	1	1	-	1	-	-
PROSENO SOMA Malloch, 1938	1	-	-	-	-	-	1
PROSETHILLA Herting, 1984	1	-	-	1	-	-	-
PROSHELIOMYIA B. & B., 1891	1	-	-	-	1	1	-
PROSOPEA Rondani, 1861	1	-	-	1	-	-	-
PROSOPOCHAETA Macquart, 1851	1	1	-	-	-	-	-
PROSOPODOPSIS Townsend, 1926 = KUWANIMYIA Townsend, 1916 (Herting 1984: 77) (though treated as valid by Crosskey 1984: 201)					x	x	
PROSOPOFRONTINA Townsend, 1926	1	-	-	-	1	1	-
PROSPALAEA Aldrich, 1925	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PROSPANIPALPUS Townsend, 1931	1	1	-	-	-	-	-
PROSPHERYSA van der Wulp, 1890	1	1	1	-	-	-	-
PROSPHERYSODORIA Townsend, 1928	1	1	-	-	-	-	-
PROSUCCINGULUM Mesnil, 1959	1	-	-	-	1	-	-
PROTAPORIA Townsend, 1919	1	-	-	-	-	-	1
PROTODEJEANIA Townsend, 1915	1	1	1	-	-	-	-
PROTOGONIOPS Townsend, 1913	1	1	-	-	-	-	-
PROTOGONIOPSIS Townsend, 1915	1	1	-	-	-	-	-
PROTOHYSTRICIA Malloch, 1929	1	-	-	-	-	-	1
PROTONOTODYTES Blanchard, 1966	1	1	-	-	-	-	-
PROTRICHOPROSOPIS Blanchard, 1966	1	1	-	-	-	-	-
PROTYPOPHAEMYIA Blanchard, 1963	1	1	-	-	-	-	-
PROXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PSALIDOXENA Villeneuve, 1941	1	-	-	1	-	-	-
PSECACERA Bigot, 1880	1	1	-	-	-	-	-
PSEUDALSOMYIA Mesnil, 1968	1	-	-	1	-	1	1
PSEUDEUANTHA Townsend, 1915 = URAMYA Robineau-Desvoidy, 1830 (Wood 1987: 1262, O'Hara & Wood 1998: 757)		x					
PSEUDOBOMBYLIOMYIA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOBRULLAEA Mesnil, 1957	1	-	-	-	-	1	-
PSEUDOCELATORIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
PSEUDOCHAETA Coquillett, 1895	1	1	1	-	-	-	-
PSEUDOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
PSEUDODEXIA B. & B., 1891	1	1	-	-	-	-	-
*PSEUDODEXIA Chao <i>in</i> Chao, Liang & Zhou, 2002 Preoccupied by PSEUDODEXIA B. & B., 1891	1	-	-	-	-	1	-
PSEUDODINERA B. & B., 1891	1	-	-	-	1	-	-
PSEUDOGONIA B. & B., 1889	1	-	-	1	1	1	1
PSEUDOMASIPHYA Thompson, 1963	1	1	-	-	-	-	-
PSEUDOMINTHO B. & B., 1889 = MINTHODES B. & B., 1889 (Tschorsnig & Richter 1998: 781)				x			
PSEUDOMINTHODES Townsend, 1933	1	-	-	-	1	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PSEUDOMORINIA van der Wulp, 1891 = PHYLLOMYA Robineau-Desvoidy, 1830 (Wood 1987: 1257, O'Hara & Wood 1998: 757)		x					
PSEUDOMYOTHYRIA Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
PSEUDOPACHYSTYLUM Mik, 1891	1	-	1	1	-	-	-
PSEUDOPERICHAETA B. & B., 1889 = NILEA Robineau-Desvoidy, 1863 (Wood 1987: 1210, O'Hara & Wood 1998: 757)				x	x	x	x
PSEUDOPROSPHERYSA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
PSEUDORED TENBACHERIA B. & B., 1889	1	1	-	-	-	-	-
PSEUDORRHINACTIA Thompson, 1968	1	1	-	-	-	-	-
PSEUDOSIPHOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOVIVIANIA B. & B., 1891	1	1	-	-	-	-	-
PSEUDOXANTHOZONA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOXANTHOZONELLA Townsend, 1931	1	1	-	-	-	-	-
PSILOPLEURA Reinhard, 1943	1	-	1	-	-	-	-
PTEROTOPEZA Townsend, 1908 As "PTEROPEZA" in Guimarães (1971), in error	1	1	-	-	-	-	-
PTESIOMYIA B. & B., 1893	1	-	-	1	-	-	-
PTILOCATAGONIA Mesnil, 1956	1	-	-	-	1	-	-
PTILODEGEERIA B. & B., 1891	1	1	-	-	-	-	-
PTILODEXIA B. & B., 1889	1	1	1	-	-	-	-
PTILOGONIA Bischof, 1904	1	1	-	-	-	-	-
PTILOMYIOPSIS Townsend, 1933	1	1	-	-	-	-	-
PTILOMYOIDES Curran, 1928	1	1	-	-	-	-	-
PUJOLINA Mesnil, 1968 = BLEPHARELLA Macquart, 1851 (Crosskey 1980: 868)						x	
PUNAMYIA Townsend, 1915	1	1	-	-	-	-	-
PUNAMYOCERA Townsend, 1919	1	1	-	-	-	-	-
PYGIDIMYIA Crosskey, 1967	1	-	-	-	-	-	1
PYGOCALCAGER Townsend, 1935	1	-	-	-	-	-	1
PYGOPHORINIA Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)		x					
PYRRHODEXIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOERNESTIA Townsend, 1931	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PYRRHOTACHINA Townsend, 1931	1	1	-	-	-	-	-
QUADRA Malloch, 1929	1	-	-	-	-	-	1
QUADRATOSOMA Townsend, 1914	1	1	-	-	-	-	-
RAMONDA Robineau-Desvoidy, 1863 = PERISCEPSIA (RAMONDA R.-D., 1863) (O'Hara & Wood 2004: 65)				x			
RAMONELLA Kugler, 1980	1	-	-	1	-	-	-
*RASILIVERPA Barraclough, 1992	1	-	-	-	-	-	1
REDTENBACHERIA Schiner, 1861	1	-	-	1	-	-	-
REICHARDIA Karsch, 1886	1	-	-	-	1	-	-
REINHARDIANA Arnaud, 1952 = MICROCHAETINA van der Wulp, 1891 (Wood 1987: 1220, O'Hara & Wood 1998: 757)		x					
RHACHOEPALPUS Townsend, 1908	1	1	1	-	-	-	-
RHACHOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
RHACODINELLA Mesnil, 1968	1	-	-	1	-	-	-
RHAMPHINA Macquart, 1835	1	-	-	1	-	-	-
RHAMPHININA Bigot, 1885	1	1	-	-	-	-	-
RHAMPHOPTERYX Townsend, 1931	1	1	-	-	-	-	-
RHAPHIOCHAETA B. & B., 1889	1	-	-	1	-	-	-
RHINAPLOMYIA Mesnil, 1955	1	-	-	1	-	1	-
RHINOMACQUARTIA B. & B., 1891	1	1	-	-	-	-	-
RHINOMYOBIA B. & B., 1893	1	-	-	-	-	-	1
RHINOMYODES Townsend, 1933	1	-	-	1	-	1	-
RHOMBOTHYRIA van der Wulp, 1891	1	1	-	-	-	-	-
RHOMBOTHYRIOPS Townsend, 1915	1	1	-	-	-	-	-
RHYNCHOGONIA B. & B., 1893	1	-	-	1	-	-	-
RICHTERIOLOA Mesnil, 1963	1	-	-	1	-	-	-
RICOSIA Curran, 1927	1	1	-	-	-	-	-
RIEDELIA Mesnil, 1942	1	-	-	1	-	1	-
RIOTERIA Herting, 1973	1	-	-	1	1	-	-
ROBINALDIA Herting, 1983	1	-	-	1	-	-	-
RONDANIA Robineau-Desvoidy, 1850	1	-	1	1	-	-	-
RONDANIOOESTRUS Villeneuve, 1916	1	-	-	-	1	-	-
ROSSIMIYIOPS Mesnil, 1953	1	-	-	-	1	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
RUIZIELLA Cortés, 1951	1	1	-	-	-	-	-
RUTILIA Robineau-Desvoidy, 1830	1	-	-	-	-	1	1
RUTILODEXIA Townsend, 1915	1	-	-	-	-	-	1
RUTILOTRIXA Townsend, 1933	1	-	-	-	-	-	1
SANTACRUZIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
SANTACRUZIOPSIS Thompson, 1968 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
SARALBA Walker, 1865	1	-	-	-	-	-	1
SARCOCALIRRHOE Townsend, 1928	1	1	-	-	-	-	-
SARCOPROSENA Townsend, 1927	1	1	-	-	-	-	-
SARRORHINA Villeneuve, 1936 Misspelled as SARRHORINA by Crosskey (1980: 842), see Crosskey (1984: 200)	1	-	-	-	1	-	-
SARROMYIA Pokorny, 1893	1	-	-	1	-	-	-
SAUNDERSIOPS Townsend, 1914	1	1	-	-	-	-	-
SCAPHIMYIA Mesnil, 1953	1	-	-	1	-	1	-
SCHEMBRIA Rondani, 1861 Recorded from Afrotropical Region by Crosskey (1984)	1	-	-	1	1	-	-
SCHINERIA Rondani, 1857	1	-	-	1	-	-	-
SCHISTOSTEPHANA Townsend, 1919	1	1	-	-	-	-	-
SCHIZIOTACHINA Walker, 1852	1	1	-	-	-	-	-
SCHIZOCEROPHAGA Townsend, 1916 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)		x					
SCHIZOLINNAEA van Emden, 1960	1	-	-	-	1	-	-
SCHLINGERMYIA Cortés, 1967	1	1	-	-	-	-	-
SCHWARZALIA Curran, 1934	1	1	-	-	-	-	-
SCOMMA Richter, 1972	1	-	-	1	-	-	-
SCOTIPTERA Macquart, 1835	1	1	-	-	-	-	-
SEMISUTURIA Malloch, 1927	1	-	-	-	-	-	1
SENOMETOPIA Macquart, 1834 = CARCELIA Robineau-Desvoidy, 1830 (Chao & Liang 2002: 808)				x			
SENOSTOMA Macquart, 1847	1	-	-	-	-	-	1
*SEPSEOCARA Richter, 1986	1	-	-	1	-	-	-
SERICODORIA Townsend, 1928	1	1	-	-	-	-	-
SERICOTACHINA Townsend, 1916	1	-	-	-	-	1	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
SERICOZENILLIA Mesnil, 1957	1	-	-	1	-	-	-
SERVILLIA Robineau-Desvoidy, 1830 = TACHINA (SERVILLIA R.-D., 1830) (Herting 1984: 86, Herting & Dely-Draskovits 1993: 267)						x	
*SETALUNULA Chao & Yang, 1990	1	-	-	-	-	1	-
SETOLESTES Aldrich, 1934	1	1	-	-	-	-	-
SHANNONIELLA Townsend, 1939 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)		x					
SHANNONOMYIELLA Townsend, 1939	1	1	-	-	-	-	-
SIGNOSOMA Townsend, 1914	1	1	-	-	-	-	-
SIGNOSOMOPSIS Townsend, 1914	1	1	-	-	-	-	-
SIMOMA Aldrich, 1926	1	-	-	1	-	1	-
SIPHOACTIA Townsend, 1927	1	1	-	-	-	-	-
SIPHOCROCUTA Townsend, 1935	1	1	-	-	-	-	-
SIPHOLESKIA Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 757)		x					x
SIPHONA Meigen, 1803	1	1	1	1	1	1	1
SIPHOSTURMIA Coquillett, 1897	1	1	1	-	-	-	-
SISYPHOMYIA Townsend, 1927	1	1	-	-	-	-	-
SISYROPA B. & B., 1889	1	1	1	1	1	1	1
SITELLITERGUS Reinhard, 1964	1	1	-	-	-	-	-
SITOPHAGA Gistel, 1848 = ZAIRA Robineau-Desvoidy, 1830 (Herting 1974: 25, as "SITOPHILA")		x					
SMIDTIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
SMIDTIOLA Mesnil, 1957 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)						x	
SOLIERIA Robineau-Desvoidy, 1849	1	-	1	1	-	1	-
SONACA Richter, 1981	1	-	-	1	-	-	-
SOPHIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
*SOPHIELLA Guimarães, 1982	1	1	-	-	-	-	-
SOROCHEMYIA Townsend, 1915	1	1	-	-	-	-	-
SPALLANZANIA Robineau-Desvoidy, 1830	1	1	1	1	-	1	-
SPATHIDEXIA Townsend, 1912	1	1	1	-	-	-	-
SPATHIMEIGENIA Townsend, 1915 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)		x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
SPATHIMYIA Townsend, 1912 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
SPATHIPALPUS Rondani, 1863	1	1	-	-	-	-	-
SPHAERINA van der Wulp, 1890	1	1	1	-	-	-	-
SPILOCHAETOSOMA Smith, 1917	1	-	1	-	-	-	-
*SPINIABDOMINA Shi, 1991	1	-	-	1	-	-	-
SPIROGLOSSA Doleschall, 1858	1	-	-	-	-	-	1
SQUAMOMEDINA Townsend, 1934	1	1	-	-	-	-	-
STACKELBERGOMYIA Rohdendorf, 1948	1	-	-	1	-	-	-
STAUROCHAETA B. & B., 1889	1	-	-	1	-	-	-
STEATOSOMA Aldrich, 1934	1	1	-	-	-	-	-
STELEONEURA Stein, 1924 Recorded from Oriental Region by Chao (1999)	1	-	1	1	-	1	-
STENOCHAETA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)		x					
STENODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
STENOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
STOLATOSOMA Reinhard, 1953	1	1	-	-	-	-	-
STOMATODEXIA B. & B., 1889	1	1	-	-	-	-	-
STOMATOMYIA B. & B., 1889 = CHETOGENA (STOMATOMYIA B. & B., 1889) (Herting 1984: 13, O'Hara & Wood 2004: 148)		x			x	x	x
STOMATOTACHINA Townsend, 1931	1	1	-	-	-	-	-
STOMINA Robineau-Desvoidy, 1830 Recorded from Afrotropical Region by Crosskey (1984)	1	-	-	1	1	-	-
STRONGYGASTER Macquart, 1834	1	1	1	1	-	-	-
STUARDOMYIA Cortés, 1945	1	1	-	-	-	-	-
STURMIA Robineau-Desvoidy, 1830	1	1	-	1	1	1	1
STURMIELLINA Thompson, 1963	1	1	-	-	-	-	-
STURMIMASIPHYA Townsend, 1935	1	1	-	-	-	-	-
STURMIOACTIA Townsend, 1926	1	1	-	-	-	-	-
STURMIODEXIA Townsend, 1919	1	1	-	-	-	-	-
STURMIOMIMA Townsend, 1934	1	1	-	-	-	-	-
STURMIOPSIS Townsend, 1916	1	-	-	1	1	1	-
STURMIOPSOIDEA Thompson, 1966	1	1	-	-	-	-	-
SUBCLYTIA Pandellé, 1894	1	-	-	1	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
SUBFISCHERIA Villeneuve, 1937	1	-	-	-	1	-	-
SUCCINGULODES Townsend, 1935	1	1	-	-	-	-	-
SUENSONOMYIA Mesnil, 1953	1	-	-	1	-	1	-
SUMICHRASTIA Townsend, 1916	1	1	-	-	-	-	-
SUMPIGASTER Macquart, 1855	1	-	-	1	1	1	1
SYMMORPHOMYIA Mesnil & Shima, 1977	1	-	-	1	-	-	-
SYNACTIA Villeneuve, 1916	1	-	-	1	-	-	-
SYNAMPHICHAETA Villeneuve, 1936	1	-	-	1	-	-	-
SYNORBITALIA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
SYRINGOSOMA Townsend, 1917	1	1	-	-	-	-	-
TACHINA Meigen, 1803	1	1	1	1	-	1	-
TACHINEO Malloch, 1938	1	-	-	-	-	-	1
TACHINOESTRUS Portschinsky, 1887	1	-	-	1	-	-	-
TACHINOMYIA Townsend, 1892	1	1	1	-	-	-	-
TACHINOPHASIA Townsend, 1931	1	1	-	-	-	-	-
TACHINOPHYTO Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
TAKANOELLA Baranov, 1935	1	-	-	1	-	-	-
TAKANOMYIA Mesnil, 1957	1	-	-	1	-	1	-
TALAROCERA Williston, 1888	1	1	-	-	-	-	-
TALPAROMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)		x					
TAMANAMYIA Thompson, 1963 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
TAPAJOHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
TAPAJOLESKIA Townsend, 1934	1	1	-	-	-	-	-
TAPAJOSIA Townsend, 1934	1	1	-	-	-	-	-
TAPERAMYIA Townsend, 1935	1	1	-	-	-	-	-
TARASSUS Aldrich, 1933	1	1	-	-	-	-	-
TARPESSITA Reinhard, 1967	1	1	-	-	-	-	-
TASMANIOMYIA Townsend, 1916	1	-	-	-	-	-	1
*TECHNAMYIA Reinhard, 1974	1	1	-	-	-	-	-
TELODYTES Aldrich, 1934	1	1	-	-	-	-	-
*TELONOTOMYIA Cortés, 1986	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TELOTHYRIA van der Wulp, 1890	1	1	-	-	-	-	-
TELOTHYRIOSOMA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)		x					
TERETROPHORA Macquart, 1851	1	-	-	-	-	-	1
TESSERACEPHALUS Reinhard, 1955	1	1	-	-	-	-	-
TETRAGRAPHIA B. & B., 1891	1	1	-	-	-	-	-
*TETTIGONIOPHAGA Guimarães, 1978	1	1	-	-	-	-	-
THECOCARCELIA Townsend, 1933	1	-	-	1	1	1	1
THELAIRA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
THELAIRALIA Curran, 1934 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)		x					
*THELAIRAPORIA Guimarães, 1980	1	1	-	-	-	-	-
THELAIROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
THELAIRODES van der Wulp, 1891	1	1	-	-	-	-	-
THELAIRODORIA Townsend, 1927	1	1	1	-	-	-	-
THELAIRODORIOPSIS Thompson, 1968	1	1	-	-	-	-	-
THELAIRODRINO Mesnil, 1954	1	-	-	-	1	1	-
THELAIROLESKIA Townsend, 1926	1	-	-	-	-	1	-
THELAIROMIMA Townsend, 1935 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)		x					
THELAIROPHASIA Townsend, 1919	1	1	-	-	-	-	-
THELAIROSONA Villeneuve, 1916	1	-	-	-	1	-	-
THELYCONYCHIA B. & B., 1889	1	-	-	1	1	1	1
THELYMORPHA B. & B., 1889	1	-	-	1	-	-	-
THELYMYIA B. & B., 1891	1	-	-	1	-	-	-
THELYOXYNOPS Townsend, 1927	1	1	-	-	-	-	-
THELYPHAENOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)		x					
THEMATHECA Reinhard, 1961 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
THERESIA Robineau-Desvoidy, 1830 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 757)		x					
THEROBIA Brauer, 1862	1	-	-	1	1	1	1
THRIXION B. & B., 1889	1	-	-	1	-	-	-
THRYPTODEXIA Malloch, 1926	1	-	-	-	-	1	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
THYSANOMYIA B. & B., 1891 = BLEPHARIPA Rondani, 1856 (Wood 1987: 1213, O'Hara & Wood 1998: 757)		x					
THYSANOPSIS Townsend, 1917	1	1	-	-	-	-	-
THYSANOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
TIMAVIA Robineau-Desvoidy, 1863 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)				x	x	x	
TINALYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
TIPULIDOMIMA Townsend, 1933	1	-	-	-	1	-	-
TLEPHUSA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
TIPULOLESKIA Townsend, 1931	1	1	-	-	-	-	-
TOPOMEIGENIA Townsend, 1919	1	1	-	-	-	-	-
TOROCCA Walker, 1859	1	-	-	1	-	1	1
TOROSOMYIA Reinhard, 1935	1	-	1	-	-	-	-
TOTHILLIA Crosskey, 1976	1	-	-	-	-	1	-
TOWNSENDIELLOMYIA Baranov, 1932	1	-	1	1	-	-	-
TOXOCNEMIS Macquart, 1855	1	-	-	-	-	-	1
TRAFOIA B. & B., 1893	1	1	1	1	-	-	-
TREPOPHRYS Townsend, 1908 As "TREPOPHRYX" in Guimarães (1971), in error	1	1	-	-	-	-	-
TRIACHORA Townsend, 1908 = BELVOSIA Robineau-Desvoidy, 1830 (Wood 1987: 1214, O'Hara & Wood 1998: 757)		x					
TRIARTHRIA Stephens, 1829	1	1	1	1	-	-	1
TRICHACTIA Stein, 1924	1	-	-	1	1	1	-
TRICHINOCHAETA Townsend, 1917	1	1	-	-	-	-	-
TRICHOCERONIA Cortes, 1945	1	1	-	-	-	-	-
TRICHODISCHIA Bigot, 1885	1	1	-	-	-	-	-
TRICHODURA Macquart, 1843	1	1	-	-	-	-	-
TRICHOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
TRICHOFORMOSOMYIA Baranov, 1934	1	-	-	1	-	1	-
TRICHOPAREIA B. & B., 1889 = ADMONTIA B. & B., 1889 (Wood 1985: 17)						x	
TRICHOPHASIA Townsend, 1939 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
TRICHOPHORA Macquart, 1847	1	1	-	-	-	-	-
TRICHOPHOROPSIS Townsend, 1914	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TRICHOPODA Berthold, 1827 Introduced and established in Palearctic Region (Colazza, Giangiuliani & Bin 1996) and Australasian Region (Coombs & Sands 2000)	1	1	1	1	-	-	1
TRICHOPROSOPUS Macquart, 1843	1	1	-	-	-	-	-
TRICHOPYRRHOSIA Townsend, 1927	1	1	-	-	-	-	-
*TRICHORAEA Cortés, 1974	1	1	-	-	-	-	-
TRICHOSAUNDERSIA Townsend, 1914	1	1	-	-	-	-	-
TRICHOSTYLUM Macquart, 1851	1	-	-	-	-	-	1
TRICHOTOPTERYX Townsend, 1919	1	1	-	-	-	-	-
TRICHSCHIZOTACHINA Townsend, 1935d	1	1	-	-	-	-	-
TRIGONOSPILA Pokorný, 1886	1	1	1	1	1	1	1
TRINITODEXIA Townsend, 1935	1	1	-	-	-	-	-
TRINITODORIA Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)		x					
TRIODONTOPYGA Townsend, 1927	1	1	-	-	-	-	-
TRISCHIDOCERA Villeneuve, 1915	1	-	-	-	-	1	-
TRISMEGISTOMYA Reinhard, 1967	1	-	1	-	-	-	-
TRITAXYS Macquart, 1847	1	-	-	-	-	1	1
TRIXA Meigen, 1824 Recorded from Afrotropical and Oriental Regions by Zhang & Shima (2005)	1	-	-	1	1	1	-
TRIXELLA Mesnil, 1980 = TRIAXA Meigen, 1824 (Zhang & Shima 2005: 58) Recorded from Oriental Region by Shima (1988)				x		x	
TRIXICEPS Villeneuve, 1936	1	-	-	1	-	-	-
TRIXOCLEA Villeneuve, 1916	1	-	-	-	1	-	-
TRIXODES Coquillett, 1902	1	1	1	-	-	-	-
TRIXODOPSIS Townsend, 1933	1	1	-	-	-	-	-
TRIXOMORPHA B. & B., 1889	1	-	-	-	-	1	-
TROCHILOCHAETA Townsend, 1940	1	1	-	-	-	-	-
TROCHILODES Coquillett, 1903	1	-	1	-	-	-	-
TROCHILOGLOSSA Townsend, 1919	1	1	-	-	-	-	-
TROCHILOLESKIA Townsend, 1917	1	1	1	-	-	-	-
TROMODESIANA Townsend, 1931	1	1	-	-	-	-	-
TROMODESIOPSIS Townsend, 1927	1	1	-	-	-	-	-
TROPIDODEXIA Townsend, 1915	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TROPIDOPSIOMORPHA Townsend, 1927	1	1	-	-	-	-	-
TRUPHIA Malloch, 1930	1	-	-	-	-	-	1
TRYPETIDOMIMA Townsend, 1935 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)		x					
TRYPHERA Meigen, 1838	1	-	1	1	-	-	-
TRYPHERINA Malloch, 1938	1	-	-	-	-	-	1
TRYPHEROMYIA Reinhard, 1945 = ANGUSTIA Sellers, 1943 (Wood 1985: 19)		x					
TRYPHEROSOMA Verbeke, 1962 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1984: 200)					x		
TSUGAEA Hall, 1939	1	-	1	-	-	-	-
TUNAPUNIA Thompson, 1963	1	1	-	-	-	-	-
TURANOGONIA Rohdendorf, 1924	1	-	-	-	-	1	-
TYLODEXIA Townsend, 1926	1	-	-	-	-	1	-
TYREOMMA B. & B., 1891	1	1	-	-	-	-	-
UCAYALIMYIA Townsend, 1927	1	1	-	-	-	-	-
UCLESIA Girschner, 1901	1	-	1	1	-	-	-
UCLESIELLA Malloch, 1938	1	-	-	-	-	-	1
UGIMEIGENIA Townsend, 1916	1	-	-	-	-	-	1
URAMYA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
URAPORIA Townsend, 1919	1	1	-	-	-	-	-
UROCHAETONA Townsend, 1919 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
URODEXIA Osten-Sacken, 1882	1	-	-	1	-	1	-
URODEXIOMIMA Townsend, 1927	1	-	-	-	-	1	-
URODEXODES Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
UROEUANTHA Townsend, 1927	1	-	-	-	-	1	-
UROHYPOMYIA Townsend, 1939 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)		x					
UROMEDINA Townsend, 1926	1	-	-	-	-	1	-
URSOPHYTO Aldrich, 1926	1	-	1	-	-	-	-
URUCURYMYIA Townsend, 1934	1	1	-	-	-	-	-
URUHUASIA Townsend, 1914	1	1	-	-	-	-	-
URUHUASIOPSIS Townsend, 1915	1	1	-	-	-	-	-
URULESKIA Townsend, 1934	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
URUMYOBIA Townsend, 1934	1	1	-	-	-	-	-
USHPAYACUA Townsend, 1928	1	1	-	-	-	-	-
VANDERWULPELLA Townsend, 1919	1	1	-	-	-	-	-
VANDERWULPIA Townsend, 1891	1	1	1	-	-	-	-
*VELARDEMYIA Valencia, 1972	1	1	-	-	-	-	-
VELOCIA Robineau-Desvoidy, 1863 = MEDINA Robineau-Desvoidy, 1830 (Mesnil 1962: 726)		x					
VELUTA Malloch, 1938	1	-	-	-	-	-	1
VERRUGOMYIA Townsend, 1927	1	1	-	-	-	-	-
VERRUGOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
VERTEPALPUS Curran, 1947	1	1	-	-	-	-	-
VIBRISSINA Rondani, 1861 Recorded from Oriental Region by Sun et al. (1992)	1	1	1	1	-	1	-
VIBRISSEOPALPUS Townsend, 1915	1	1	-	-	-	-	-
VIBRISSEOMYIA Townsend, 1912	1	1	-	-	-	-	-
VIBRISSEOVORIA Townsend, 1919	1	1	-	-	-	-	-
VILLANOVIA Strobl, 1910	1	-	-	1	-	-	-
VISAYALYDINA Townsend, 1926	1	1	-	-	-	-	-
VIVIANOIDEA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)		x					
VORIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
VORIELLA Malloch, 1930	1	-	-	-	-	-	1
WAGNERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993)	1	-	1	1	-	1	-
WARDARINA Mesnil, 1953	1	-	-	1	-	-	-
WATTIA Malloch, 1938	1	-	-	-	-	-	1
WEBERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
WEINGAERTNERIELLA Baranov, 1932	1	-	-	1	-	1	-
WINTHELLIA Crosskey, 1967	1	-	-	-	-	-	1
WINTHEMIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
XANTHOBASIS Aldrich, 1934	1	1	-	-	-	-	-
XANTHOCHAETONA Townsend, 1934 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 74)		x					
XANTHODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
XANTHOEPALPODES Townsend, 1913	1	1	-	-	-	-	-
XANTHOEPALPUS Townsend, 1914	1	1	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
XANTHOMELANODES Townsend, 1893	1	1	1	-	-	-	-
XANTHOMELANOPSIS Townsend, 1917	1	1	-	-	-	-	-
XANTHOOESTRUS Villeneuve, 1914	1	-	-	-	-	1	-
XANTHOPELTA Aldrich, 1934	1	1	-	-	-	-	-
XANTHOPHYLLOPHILA Townsend, 1927 = PHYLLOPHILOPSIS Townsend, 1915 (Wood 1985: 73)		x					
XANTHOPHYTO Townsend, 1916	1	1	1	-	-	-	-
XANTHOPTEROMYIA Townsend, 1926	1	-	-	-	-	1	-
XANTHOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
XANTHOTRICHIVUS Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
XANTHOZONA Townsend, 1908	1	1	-	-	-	-	-
XENOPHASIA Townsend, 1934	1	1	-	-	-	-	-
XENOPLAGIA Townsend, 1914	1	1	-	-	-	-	-
XENORHYNCHIA Malloch, 1938	1	-	-	-	-	-	1
XEOPROSOPA Townsend, 1919	1	1	-	-	-	-	-
XIPHOCHAETA Mesnil, 1968	1	-	-	-	1	-	-
XIPHOMYIA Townsend, 1917 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)		x					
XIPHOPHASIA Townsend, 1937 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)		x					
XYLOCAMPTOMIMA Townsend, 1927	1	1	-	-	-	-	-
XYLOTACHINA B. & B., 1891	1	-	-	1	-	1	-
XYSTA Meigen, 1824	1	-	-	1	-	-	-
YAHUARMAYOIA Townsend, 1927	1	1	-	-	-	-	-
YPOPHAEMYIOPS Townsend, 1935	1	1	-	-	-	-	-
ZAIRA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
ZAMBESA Walker, 1856	1	-	-	-	-	1	1
ZAMBESOMIMA Mesnil, 1967	1	-	-	1	-	-	-
ZAMIMUS Malloch, 1932	1	-	-	-	-	1	-
ZEALANDOTACHINA Malloch, 1938	1	-	-	-	-	-	1
ZEBROMYIA Malloch, 1929	1	-	-	-	-	-	1
ZELIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
ZELINDOMYIA Verbeke, 1962 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1984: 200)					x		
ZELINDOPSIS Villeneuve, 1943	1	-	-	-	1	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ZELIOMIMA Mesnil, 1976	1	-	-	-	1	-	-
ZENARGOMYIA Crosskey, 1964	1	-	-	-	-	-	1
ZENILLIA Robineau-Desvoidy, 1830	1	1	-	1	-	1	-
ZENILLIANA Curran, 1927 As valid genus in Chao (1999: 1758)	1	-	-	-	1	1	-
ZEUXIA Meigen, 1826	1	-	-	1	-	-	-
ZEUXIOTRIX Mesnil, 1976	1	-	-	-	1	-	-
ZIMINIA Mesnil, 1963	1	-	-	1	-	-	-
ZIMINIOLA Mesnil, 1978	1	-	-	-	1	-	-
ZITA Curran, 1927	1	-	-	-	-	-	1
ZIZYPHOMYIA Townsend, 1916	1	1	1	-	-	-	-
ZONALIA Curran, 1934	1	1	-	-	-	-	-
ZONOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
ZOPHOMYIA Macquart, 1835	1	-	-	1	-	-	-
ZOSTEROMEIGENIA Townsend, 1919	1	-	-	-	-	-	1
ZYGOBOTHRIA Mik, 1891	1	-	-	-	1	1	1
ZYGOFRONTINIOPSIS Blanchard, 1959 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14); genus overlooked by Guimarães (1971)		x					
ZYGOZENILLIA Townsend, 1927	1	1	-	-	-	-	-
Totals	1523	821	304	402	213	264	229

REFERENCES

- Andersen, S. 1988. Revision of European species of *Phytomyptera* Rondani (Diptera: Tachinidae). *Entomologica Scandinavica* **19**: 43–80.
- Barracough, D.A. 1983. *Mediosetiger microcephala*, a new genus and species of Ormiini from the Natal Drakensberg (Diptera: Tachinidae). *Annals of the Natal Museum* **25**: 431–435.
- Barracough, D.A. 1985. *Piligenoides*, a new genus near to *Piligena* van Emden, 1947 (Diptera: Tachinidae: Dexiini). *Journal of the Entomological Society of Southern Africa* **48**: 267–271.
- Barracough, D.A. 1992. The systematics of the Australasian Dexiini (Diptera: Tachinidae: Dexiinae) with revisions of endemic genera. *Invertebrate Taxonomy* **6**: 1127–1371.
- Barracough, D.A. 1996. *Montanotalma natalensis*, a new high altitude genus and species of Microphthalmini (Diptera: Tachinidae: Tachininae) from the Natal Drakensberg of South Africa. *Annals of the Natal Museum* **37**: 123–129.
- Barracough, D.A. 1997. *Melanesomyia*, a tribally unplaced new genus of Dexiinae (Diptera: Tachinidae) from Indonesia (Maluku) and Papua New Guinea, with description of two new species. *Australian Journal of Entomology* **36**: 345–350.
- Barracough, D.A. and O'Hara, J.E. 1998. *Obscuromyia*, a remarkable new genus of the endemic Australian tribe Myiotrixini (Diptera: Tachinidae: Tachininae). *Invertebrate Taxonomy* **12**: 825–832.
- Blanchard, E.E. 1959. Dípteros parásitos de orugas de Arctiidae (“gatas peludas”). *Revista de Investigaciones Agrícolas* **13**: 157–182.
- Cantrell, B.K. and Crosskey, R.W. 1989. Family Tachinidae. Pp. 733–784. In Evenhuis, N.L., ed., *Catalog of the Diptera of the Australasian and Oceanian Regions*. Bishop Museum Special Publication 86. Bishop Museum Press and E.J. Brill. 1155 pp.
- Chao, C.-m. 1999. Tachinidae. Pp. 1661–2206. In Xue, W. and Chao, C.-m., chief eds., *Flies of China. Volume 2*. [In Chinese.] Liaoning Science and Technology Press, Shenyang. 1–17 + 1366–2425 pp. + 32 plates. [Dated 1996 but published in 1999.]
- Chao, C.-m. and Liang, E.-y. 2002. Review of the Chinese *Carcelia* Robineau-Desvoidy (Diptera: Tachinidae). [In Chinese.] *Acta Zootaxonomica Sinica* **27**: 807–848.
- Chao, C.-m., Liang, E.-y. and Zhou, S.-x. 2002. Diptera: Tachinidae. Pp. 814–834. In Huang, F., ed., *Forest Insects of Hainan*. [In Chinese.] Science Press, Beijing. xi + 1064 pp.
- Chao, C.-m. and Shi, Y.-s. 1981. Notes on new genus *Flavicorniculum* Chao et Shi of Tachinidae from China. [In Chinese.] *Acta Entomologica Sinica* **24**: 203–208.
- Chao, C.-m., Sun, X.-k. and Zhou, S.-x. 1990. Studies on the tribe Parerigonini from China (Diptera: Phasiinae). [In Chinese.] *Acta Zootaxonomica Sinica* **15**: 230–241.
- Chao, C.-m. and Yang, L.-l. 1990. Notes on a new genus and species of Tachinidae from China. [In Chinese.] *Acta Zootaxonomica Sinica* **15**: 77–82.
- Chao, C.-m. and Zhou, S.-x. 1993. Diptera: Tachinidae. Pp. 1271–1347. In Chen, S., ed., *Insects of the Hengduan Mountains Region, Volume 2*. [In Chinese.] Science Press, Beijing. i–xvi + 867–1547 (1992).
- Chao, C.-m. and Zhou, S.-x. 1996. Diptera Tachinidae. Pp. 217–224. In Wu, S.-g. and Feng, Z.-j., chief eds., *The Biology and Human Physiology in the Hoh Xil Region*. [In The Series of the Comprehensive Scientific Expedition to the Hoh Xil Region.] [In Chinese.] Science Press, Beijing. 357 pp.
- Coelho, S.M.P., Carvalho, C.J.B. de and Guimarães, J.H. 1989. Chave e sinonimias para as espécies sul-americanas de *Winthemia* Robineau-Desvoidy (Diptera, Tachinidae) com descrição de três espécies novas. *Revista Brasileira de Zoologia* **6**: 271–296.
- Colazza, S., Giangiuliani, G. and Bin, F. 1996. Fortuitous introduction and successful establishment of *Trichopoda pennipes* F.: adult parasitoid of *Nezara viridula* (L.). *Biological Control* **6**: 409–411.
- Coombs, M. and Sands, D.P.A. 2000. Establishment in Australia of *Trichopoda giacomellii* (Blanchard) (Diptera: Tachinidae), a biological control agent for *Nezara viridula* (L.) (Hemiptera: Pentatomidae). *Australian Journal of Entomology* **39**: 219–222.
- Cortés, R. 1973. Taquíñidos chilenos nuevos o poco conocidos III. (Diptera, Tachinidae). *Revista Chilena de Entomología* **7**: 97–105.
- Cortés, R. 1974. Sobre cuatro géneros de Dexiinos chilenos (Diptera, Tachinidae) con los fémures posteriores de los machos modificados. *Revista Chilena de Entomología* **8**: 35–38.
- Cortés, R. 1976. Taquíñidos chilenos nuevos o poco conocidos, IV – (Diptera, Tachinidae). *Facultad de Agronomía, Universidad de Chile, Boletín Técnico* **40** (1975): 3–14.
- Cortés, R. 1979. Taquíñidos chilenos – Argentinos (Diptera, Tachinidae). *Inv. Agrícola (Chile)* **5**: 75–82.
- Cortés, R. 1982. *Marnefia mirifica* n. gen. et sp. – con insólita venación alar. *Phegea* **10**: 137–144.
- Cortés, R. 1983. Tachinid flies (Diptera: Tachinidae) from Tarapacá and Antofagasta provinces, Chile III. Addendum. *Florida Entomologist* **66**: 377–389.
- Cortés, R. 1986. Taquíñidos de Aysen (XI region) y Magallanes (XII region) Chile (Diptera: Tachinidae). *Acta Entomológica Chilena* **13**: 133–160.
- Cortés, R. 1992. Nuevas sinonimias de taquíñidos chilenos (Diptera: Tachinidae). *Acta Entomológica Chilena* **17**: 235–236.
- Cortés, R. and Campos, L. 1971. Taquíñidos de Tarapacá y Antofagasta (Diptera: Tachinidae). *Anales de la Universidad del Norte* **8** (1970): 104 pp.
- Cortés, R. and Campos, L. 1974. Taquíñidos de Tarapacá y Antofagasta. Addenda 1. (Diptera: Tachinidae). *Idesia (Chile)* **3**: 111–125.
- Cortés, R. and González, C.R. 1989. Géneros Voriinos de taquíñidos chilenos (Diptera: Tachinidae, Voriini). *Memórias do Instituto Oswaldo Cruz (Rio de Janeiro)* **84**, Supl. IV: 115–123.

- Crosskey, R.W. 1973. A conspectus of the Tachinidae (Diptera) of Australia, including keys to the supraspecific taxa and taxonomic and host catalogues. *Bulletin of the British Museum (Natural History). Entomology Supplement* **21**. 221 pp.
- Crosskey, R.W. 1976. A taxonomic conspectus of the Tachinidae (Diptera) of the Oriental Region. *Bulletin of the British Museum (Natural History). Entomology Supplement* **26**. 357 pp.
- Crosskey, R.W. 1977. Family Tachinidae. Pp. 586–697. In Delfinado, M.D. and Hardy, D.E., eds., *A Catalog of the Diptera of the Oriental Region. Volume III. Suborder Cyclorhapha (excluding Division Aschiza)*. University Press of Hawaii, Honolulu. 854 pp.
- Crosskey, R.W. 1980. Family Tachinidae. Pp. 822–882. In Crosskey, R.W., ed., *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1984. Annotated keys to the genera of Tachinidae (Diptera) found in tropical and southern Africa. *Annals of the Natal Museum* **26**: 189–337.
- Evenhuis, N.L. 1996. Revised online version of Cantrell and Crosskey (1989). Website address: <http://hbs.bishopmuseum.org/aocat/tachinidae.html>. (Web page dated 11 November 1996, accessed 19 January 2005.)
- González, C.R. 1992. Géneros Cuphocerinos de taquinidos chilenos (Diptera: Tachinidae: Cuphocerini). *Acta Entomológica Chilena* **17**: 53–68.
- Griffiths, G.C.D. 1980. Preface. Pp. V–XIII. In Griffiths, G.C.D., ed., *Flies of the Nearctic Region. Volume 1. Handbook, Part 1. History of Nearctic dipterology*. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Guimarães, J.H. 1971. Family Tachinidae (Larvaevoridae). *A catalogue of the Diptera of the Americas south of the United States*. São Paulo. Vol. **104**, 333 pp.
- Guimarães, J.H. 1975. *Neozelia alini*, gen. et sp. n. (Diptera: Tachinidae), a parasite of cerambycids (Coleoptera), with a listing of Tachinidae parasite [sic] of Cerambycidae. *Papéis Avulsos de Zoologia (São Paulo)* **29**: 37–44.
- Guimarães, J.H. 1976a. A revision of the genus *Cylindromyia* Meigen in the Americas south of the United States (Diptera, Tachinidae). *Arquivos de Zoologia* **27**: 1–50.
- Guimarães, J.H. 1976b. A review of the tribe Iceliini (Diptera, Tachinidae) with descriptions of one new genus and two new species from Brazil. *Studia Entomologica* **19**: 173–186.
- Guimarães, J.H. 1977. A review of the tribe Oestrophasiini Brauer & Bergenstamm (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **30**: 215–238.
- Guimarães, J.H. 1978. Note on Neotropical Oedematocerini, with a new genus and species from Brazil (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **31**: 299–305.
- Guimarães, J.H. 1979. *Polybiocyptera plumannii*, gen. et sp. nov. and *Hemyda conopoides*, sp. n., two new wasp-like Tachinidae (Diptera). *Papéis Avulsos de Zoologia (São Paulo)* **32**: 217–221.
- Guimarães, J.H. 1980. Revision of the South American Uramyini (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **33**: 191–219.
- Guimarães, J.H. 1982a. A study of the South American Sophiini, with the description of new genera and species from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 163–171.
- Guimarães, J.H. 1982b. Three new Oedematocerini from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 213–217.
- Guimarães, J.H. 1983a. Taxonomy of Brazilian flies of the genus *Lespesia* Robineau-Desvoidy (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **35**: 11–30.
- Guimarães, J.H. 1983b. Contribution to the knowledge of the South American Winthemiini (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **27**: 225–242.
- Herting, B. 1974. Revision der von Robineau-Desvoidy beschriebenen europäischen Tachiniden und Rhinophorinen (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **264**: 1–46.
- Herting, B. 1979. Revision einiger nicht-paläarktischer Arten aus der Tribus Cylindromyiini (Dipt. Tachinidae, Phasiinae). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **326**: 1–15.
- Herting, B. 1984. Catalogue of Palearctic Tachinidae (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **369**: 1–228.
- Herting, B. 1987. Beiträge zur Kenntnis der paläarktischen Raupenfliegen (Dipt. Tachinidae), XVII. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **408**: 1–14.
- Herting, B. and Dely-Draskovits, Á. 1993. Family Tachinidae. Pp. 118–458. In Soós, Á. and Papp, L., eds., *Catalogue of Palaearctic Diptera. Volume 13. Anthomyiidae – Tachinidae*. Hungarian Natural History Museum, Budapest. 624 pp.
- Irwin, M.E., Schlinger, E.I. and Thompson, F.C. 2003. Diptera, true flies. Pp. 692–702. In Goodman, S.M. and Benstead, J.P., *The Natural History of Madagascar*. University of Chicago Press, Chicago and London. 1728 pp.
- Liang, E.-y. and Chao, C.-m. 1992. On the genus *Neophryxe* Townsend from China (Diptera: Tachinidae). [In Chinese.] *Acta Zootaxonomica Sinica* **17**: 224–226.
- Liu, Y.-h., Chao, C.-m. et al. 1998. *Fauna of Tachinidae from Shanxi Province, China*. [In Chinese.] Science Press, Beijing. 378 pp. + pls. I–XI.
- Mesnil, L.P. 1962. Larvaevorinae (Tachininae) [cont.]. [Fam.] 64g. Pp. 705–752, 753–800 [cont.]. In Lindner, E., ed., *Die Fliegen der palaearktischen Region* **8**. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Mesnil, L.P. 1971. Larvaevorinae (Tachininae) [cont.]. [Fam.] 64g. Pp. 977–1024 [cont.]. In Lindner, E., ed., *Die Fliegen der palaearktischen Region* **8**. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Mesnil, L.P. 1973. Larvaevorinae (Tachininae) [cont.]. [Fam.] 64g. Pp. 1113–1168, 1169–1232 [cont.]. In Lindner, E., ed., *Die Fliegen der palaearktischen Region* **8**. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Mesnil, L.P. 1974. Larvaevorinae (Tachininae) [cont.]. [Fam.] 64g. Pp. 1233–1304 [cont.]. In Lindner, E., ed., *Die Fliegen der palaearktischen Region* **8**. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.

- Mesnil, L.P. 1977. Nouveaux Tachinaires de Madagascar. 2e partie (Dipt. Tachinidae). *Verhandlungen der Naturforschenden Gesellschaft in Basel* **86**: 171–192.
- Mesnil, L.P. 1978. Nouveaux Tachinaires de Madagascar (Dipt. Tachinidae) – 8e partie. *Bulletin de la Société Entomologique Suisse* **51**: 279–290.
- Mesnil, L.P. and Pschorn-Walcher, H. 1968. A preliminary list of Tachinidae (Diptera) from Japan. *Mushi* **41**: 149–174.
- Mesnil, L.P. and Shima, H. 1979. New tribe, genera and species of Japanese and Oriental Tachinidae (Diptera), with note on synonymy. *Kontyû* **47**: 476–486.
- O'Hara, J.E. 1983. Classification, phylogeny and zoogeography of the North American species of *Siphona* Meigen (Diptera: Tachinidae). *Quaestiones Entomologicae* **18** (1982): 261–380.
- O'Hara, J.E. 1989. Systematics of the genus group taxa of the Siphonini (Diptera: Tachinidae). *Quaestiones Entomologicae* **25**: 1–229.
- O'Hara, J.E. 1996. Earwig parasitoids of the genus *Triarthria* Stephens (Diptera: Tachinidae) in the New World. *Canadian Entomologist* **128**: 15–26.
- O'Hara, J.E. 2002. Revision of the Polideini (Tachinidae) of America north of Mexico. *Studia dipterologica. Supplement* **10**: 170 pp.
- O'Hara, J.E. and Wood, D.M. 1998. Tachinidae (Diptera): nomenclatural review and changes, primarily for America north of Mexico. *Canadian Entomologist* **130**: 751–774.
- O'Hara, J.E. and Wood, D.M. 2004. Catalogue of the Tachinidae (Diptera) of America north of Mexico. *Memoirs on Entomology, International* **18**. 410 pp.
- Özdikmen, H. 2006. New substitute names for two preoccupied tachinid genera *Paragonia* Mesnil, 1950 and *Menetus* Aldrich, 1926 (Diptera). *Munis Entomology & Zoology* **1**: 270–272.
- Pape, T. 1998. Family Rhinophoridae. Pp. 679–689. In Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera*. Science Herald, Budapest. 880 pp.
- Pape, T. and Arnaud, P.H. Jr. 2001. *Bezzimyia* — a genus of native New World Rhinophoridae (Insecta, Diptera). *Zoologica Scripta* **30**: 257–297.
- Pape, T. and Shima, H. 1993. A new genus of Tachinidae from the Philippines (Diptera). *Tijdschrift voor Entomologie* **136**: 77–81.
- Reinhard, H.J. 1974. New genera and species of American Tachinidae (Diptera). *Canadian Entomologist* **106**: 1155–1170.
- Rice, A.D. 2005. The parasitoid guild of larvae of *Chrysophtharta agricola* Chapuis (Coleoptera: Chrysomelidae) in Tasmania, with notes on biology and a description of a new genus and species of tachinid fly. *Australian Journal of Entomology* **44**: 400–408.
- Richter, V.A. 1986. On the fauna of tachinids (Diptera, Tachinidae) of the Far East. [In Russian.] *USSR Academy of Sciences, Proceedings of the Zoological Institute, Leningrad* **146**: 87–116. [In volume entitled “Flies (Diptera) in ecosystems of South Siberia and Far East”, ed. Nartshuk, E.P.]
- Richter, V.A. 1988. New Palearctic genera and species of tachinids (Diptera, Tachinidae). [In Russian.] *Systematika Nasekomikh i Kleshchei* **70**: 202–212.
- Richter, V.A. 1993. New and little known tachinids (Diptera, Tachinidae) of Transbaikalia and Far East. [In Russian.] *Entomologicheskoe Obozrenie* **72**: 422–440. [English translation in *Entomological Review* **74**(6): 64–83, 1995.]
- Richter, V.A. 1995. New data on the systematics and biology of Palaearctic tachinids (Diptera, Tachinidae). [In Russian.] *Entomologicheskoe Obozrenie* **73** (1994): 739–752. [English translation in *Entomological Review* **75**(1): 75–87, 1996.]
- Richter, V.A. 1998a. The tachinid genus *Hasmica* new to the fauna of Pakistan (Diptera: Tachinidae). *Zoosystematica Rossica* **7**: 162.
- Richter, V.A. 1998b. New and little known species of tachinids (Diptera, Tachinidae) of the fauna of Russia and neighbouring countries. [In Russian.] *Entomologicheskoe Obozrenie* **77**: 704–712. [English translation in *Entomological Review* **78**(5): 620–626, 1998.]
- Richter, V.A. 1998c. On a remarkable distribution of two pairs of related species in Palaearctic tachinids (Tachinidae). Pp. 183–184. In Ismay, J.W., ed., *Abstracts Volume, Fourth International Congress of Dipterology*. Oxford. 275 pp.
- Richter, V.A. 1999. New and little known tachinids (Diptera, Tachinidae) from the Russian Far East. [In Russian.] *Entomologicheskoe Obozrenie* **78**: 719–731. [English translation in *Entomological Review* **79**(5): 576–584, 1999.]
- Richter, V.A. 2001. A new genus and species of tachinid flies (Diptera: Tachinidae) from Iran. *International Journal of Dipterological Research* **12**: 25–28.
- Richter, V.A. 2002. *Galsania* Richter, 1993, a distinct genus of tachinids (Diptera: Tachinidae). *Zoosystematica Rossica* **11**: 238.
- Sabrosky, C.W. 1981. A partial revision of the genus *Eucelatoria* (Diptera, Tachinidae), including important parasites of *Heliothis*. *United States Department of Agriculture. Technical Bulletin* **1635**: i–iv, 1–18.
- Shi, Y.-s. 1991. Notes on *Spiniabdomina* gen. nov. and a new species of *Lixophaga* Townsend of the tribe Blondeliini (Diptera, Tachinidae) from China. [In Chinese.] *Entomotaxonomia* **13**: 127–132.
- Shima, H. 1979. New genera, species and subspecies of Oriental Tachinidae (Diptera). *Bulletin of the National Science Museum, Series A (Zoology)* **5**: 135–152.
- Shima, H. 1988. Some remarkable new species of Tachinidae (Diptera) from Japan and the Indo-Australian Region. *Bulletin of the Kitakyushu Museum of Natural History* **8**: 1–37.
- Shima, H. 1991. Study on the tribe Blondeliini from Japan (Diptera, Tachinidae). VII. Genus *Oswaldia* Robineau-Desvoidy. *Japanese Journal of Entomology* **59**: 67–86.
- Shima, H. 1994. Three remarkable new species of Tachinidae (Diptera) from South Asia. *Japanese Journal of Sanitary Zoology* **45**, Suppl.: 277–286.

- Shima, H. 1996a. A systematic study of the tribe Winthemiini from Japan (Diptera, Tachinidae). *Beiträge zur Entomologie* **46**: 169–235.
- Shima, H. 1996b. A systematic study of the genus *Cavillatrix* Richter (Diptera, Tachinidae). *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **2**: 133–148.
- Shima, H. 1997. Taxonomic notes on Oriental Tachinidae (Insecta, Diptera) I: Blondeliini. *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **3**: 169–186.
- Shima, H. 1999. Host-parasite catalog of Japanese Tachinidae (Diptera). *Makunagi/ Acta Dipterologica. Supplement* **1**: 1–108.
- Sun, X.-k. and Chao, C.-m. 1994. A new genus and species of the tribe Sturmiini from China (Diptera: Tachinidae) *Acta Zootaxonomica Sinica* **19**: 480–483.
- Sun, X.-k, Liang, E.-y., Qiao, Y., Chao, C.-m. and Zhou, S.-x. 1992. Diptera, Tachinidae. [In Chinese.] *Iconography of forest insects in Hunan China* **1992**: 1163–1207.
- Sun, X.-k. and Marshall, S.A. 2003. Systematics of *Phasia* Latreille (Diptera: Tachinidae). *Zootaxa* **276**: 1–320.
- Toma, R. 2003. Estudo das espécies do “complexo *Acaulona*” sensu Sabrosky (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **47**: 267–282.
- Toma, R. and Guimarães, J.H. 2000a. Revisão do gênero *Pterotopeza* (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 7–14.
- Toma, R. and Guimarães, J.H. 2000b. Revisão do gênero *Proparachaetopsis* revalidado (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 15–24.
- Toma, R. and Guimarães, J.H. 2002. Estudo taxonômico de *Leschenaultia* Robineau-Desvoidy (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **46**: 33–70.
- Tschorsnig, H.-P. 1997. A new genus and four new species of Palearctic Tachinidae. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **555**: 1–9.
- Tschorsnig, H.-P. and Richter, V.A. 1998. Family Tachinidae. Pp. 691–827. In Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera*. Science Herald, Budapest. 880 pp.
- Valencia, L.A. 1972. *Velardemyia*, nuevo genero de Tachinidae – Voriini (Diptera) del Peru. *Revista Peruana de Entomología* **15**: 363–365.
- Wood, D.M. 1974. Notes on *Allophorocera* with a description of a new species (Diptera: Tachinidae) from Finland. *Canadian Entomologist* **106**: 667–671.
- Wood, D.M. 1985. A taxonomic conspectus of the Blondeliini of North and Central America and the West Indies (Diptera: Tachinidae). *Memoirs of the Entomological Society of Canada* **132**: 1–130.
- Wood, D.M. 1987. Tachinidae. Pp. 1193–1269. In McAlpine, J.F., Peterson, B.V., Shewell, G.E., Teskey, H.J., Vockeroth, J.R. and Wood, D.M., eds., *Manual of Nearctic Diptera. Volume 2. Agriculture Canada Monograph* **28**: i–vi, 675–1332.
- Woodley, N.E. 1994. A new species of *Lydella* (Diptera: Tachinidae) from Mexico with a discussion of the definition of the genus. *Bulletin of Entomological Research* **84**: 131–136.
- Zhang, C.-t. and Shima, H. 2005. A revision of the genus *Trixa* Meigen (Diptera: Tachinidae). *Insect Science* **12**: 57–71.
- Ziegler, J. and Shima, H. 1996. Tachinid flies of the Ussuri area (Diptera: Tachinidae). *Beiträge zur Entomologie* **46**: 379–478.