

WORLD GENERA OF THE TACHINIDAE (DIPTERA) AND THEIR REGIONAL OCCURRENCE

by

James E. O'Hara¹

10 November 2014

Version 8.0



¹ Canadian National Collection of Insects, Agriculture and Agri-Food Canada, 960 Carling Avenue, Ottawa, Ontario, Canada, K1A 0C6. E-mail: james.ohara@agr.gc.ca

TABLE OF CONTENTS

Click on a page number to go to the page indicated

Foreword	2
Biogeographic summary	3
Acknowledgements	4
Table of genera and their regional occurrence	4
References	81

Select a letter to go directly to the corresponding genus in the list of world genera

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

FOREWORD

The table below is a listing of all valid tachinid genera of the world with their regional occurrence. It was compiled from the generic names and distributions given in the most recent regional catalogues, as listed here, and brought up-to-date using information from subsequently published papers.

Regional catalogues

Nearctic Region	O'Hara & Wood (2004)
Neotropical Region	Guimarães (1971)
Palaearctic Region	Herting & Dely-Draskovits (1993)
Afrotropical Region	Crosskey (1980a)
Oriental Region	Crosskey (1976, 1977)
Australasian Region	Cantrell & Crosskey (1989)

Country catalogue

China	O'Hara, Shima & Zhang (2009)
-------	------------------------------

All names that appear as valid genera in the regional catalogues are included in the table below. A name that is now a synonym of another genus is shown in light brown and a reference to the synonymy (usually the original source of the synonymy but rarely a later listing) is given. Publications cited in this manner are listed after the table in the References section. Synonyms are denoted with an “x” in the table to indicate the catalogue in which the name occurred. New records for regional distributions are also referenced.

Currently recognized genera are coded with a “1” for regions in which they occur. The sum of each column is given in the summary table on the next page and at the end of the table of genera; these sums represent the number of valid genera recognized in each region. For the purposes of this document, the boundary between the Nearctic and Neotropical regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O'Hara and Wood (2004). The true boundary between these regions is in southern Mexico (Griffiths 1980).

An asterisk (*) preceding a generic name denotes a genus described after publication of the corresponding regional catalogue(s). Papers containing these generic names are cited in the References.

Title page image: Male of *Trixodes obesus* Coquillett, in characteristic pose facing downward on the trunk of a large sunlit tree at about head height. Picture by author, Cherry Creek campground, 22 kilometers north of Silver City, New Mexico, USA (32°54.8'N 108°13.6'W), 15 August 1999. Fly length = 19 mm.

This eighth version of *World Genera of the Tachinidae (Diptera) and their Regional Occurrence* replaces Version 1 dated 23 February 2005, Version 2 dated 20 July 2006, Version 3 dated 22 November 2007, Version 4 dated 31 December 2008, Version 5 dated 5 August 2010, Version 6 dated 23 December 2011, and Version 7 dated 10 December 2012. Each version was published online on the date given on its title page. Version 8 incorporates changes in generic concepts and distributions published since Version 7, the principal sources being Cerretti *et al.* (2013), Evenhuis (2014), Fleming *et al.* (2014), O'Hara (2014), and O'Hara *et al.* (2014).

BIOGEOGRAPHIC SUMMARY

The following table provides a summary of the number of tachinid species and genera per biogeographic region along with the number and percent of genera endemic to each region. The number of genera is accurate to October 2014 whereas the number of species per region does not include species described since the source cited.

Number	World	Neotropical ¹	Nearctic ¹	Palaearctic	Afrotropical	Oriental	Australasian ²
Species	ca. 8500 ³	2864 ⁴	1345 ⁵	>1600 ⁶	1006 ⁷	725 ⁸	808 ⁹
Genera	1501	802	307	409	229	257	230
Endemic genera	1089 ¹⁰	622	61	145	95	42	124
% Endemic genera	–	78%	20%	35%	41%	16%	54%

¹ The boundary between the Nearctic and Neotropical Regions is taken as the United States/ Mexico border to correspond with the geographic coverage of the catalogues by Guimarães (1971) and O'Hara and Wood (2004).

² Australasian and Oceanian Regions.

³ O'Hara (2013b).

⁴ Guimarães (1971).

⁵ O'Hara & Wood (2004).

⁶ Tschorasnig & Richter (1998).

⁷ Irwin *et al.* (2003).

⁸ Crosskey (1976).

⁹ Cantrell & Crosskey (1989).

¹⁰ Total number of genera found in only one region.

There are about 8500 valid species of Tachinidae in the world (O'Hara 2013b), but the actual size of the family is much larger because the Neotropical, Afrotropical, Oriental and Australasian Regions contain large numbers of undescribed species. The number of tachinid genera recognized on a world basis is currently 1501, as enumerated here. This number is expected to fluctuate both up and down in the coming decades as over-split genera are combined into larger and more meaningful genera and new genera are described to accommodate the many new species that await description.

Radiation of the Tachinidae is thought to have taken place during the Cenozoic Era after the breakup of Gondwanaland. Hence, there was not an opportunity for the dispersal of ancient tachinid lineages between the southern continents of South America, Africa and Australia. This is possibly reflected in the present-day pattern of generic endemism (see also O'Hara 2013a). The biogeographic regions with the lowest number of endemic genera are the Nearctic and Oriental Regions, which functioned in part as corridors for the movement of species between regions during the Tertiary and Quaternary periods. The Palaearctic Region also served as a dispersal route between the Nearctic, Afrotropical and Oriental Regions, but its huge size and diverse physiography and climate permitted the development of a sizable endemic fauna at both the generic and species levels. The highest levels of generic endemism are found in the Neotropical,

Afrotropical and Australasian Regions, which functioned as cul-de-sac's during the Cenozoic and were therefore ideally suited for the evolution of endemic faunas. However, the 78% generic endemism in the Neotropical Region is due in part to the over-split nature of the genera.

ACKNOWLEDGEMENTS

I am grateful for the assistance of the following people during the preparation of the eight versions of this document: D.M. Wood (retired) and S.J. Henderson (Canadian National Collection of Insects, Agriculture and Agri-Food Canada, Ottawa, Canada), V.A. Richter (Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia), H-P. Tschorasnig (Staatliches Museum für Naturkunde, Stuttgart, Germany), P. Cerretti (DAFNAE-Entomology, Università degli Studi di Padova, Legnaro (Padova), Italy), H. Shima (formerly Kyushu University Museum, Kyushu University, Fukuoka, Japan), C.-t. Zhang (Liaoning Key Laboratory of Evolution and Biodiversity, Shenyang Normal University, Shenyang, Liaoning, P.R. China), and F.C. Thompson (formerly Systematic Entomology Laboratory, United States Department of Agriculture, Washington, USA).

TABLE OF GENERA AND THEIR REGIONAL OCCURRENCE

Abbreviations: Wor, World; Nea, Nearctic; Neo, Neotropical; Pal, Palaearctic; Afr, Afrotropical; Ori, Oriental; Aus, Australasian.

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ABEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ABOLODORIA Townsend, 1934	1	1	-	-	-	-	-
ACANTHOLESPESIA Wood, 1987	1	-	1	-	-	-	-
ACAULONA van der Wulp, 1888	1	1	-	-	-	-	-
ACEMEIGENIA Townsend, 1927 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)	0	x					
ACEMYA Robineau-Desvoidy, 1830 Also spelled ACEMYIA, unjustified emendation. Recorded from Afrotropical Region by Zeegers (2007, Yemen; 2010, United Arab Emirates).	1	-	1	1	1	1	-
ACROCERONIA Cortés, 1951	1	1	-	-	-	-	-
ACROGLOSSA Williston, 1889 = SPALLANZANIA R.-D., 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 753)	0	x					
ACRONACANTHA van der Wulp, 1891	1	1	-	-	-	-	-
ACRONARISTA Townsend, 1908 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)	0	x					
ACRONARISTOPSIS Townsend, 1919 = NEAERA R.-D., 1830 (Wood 1987: 1263, O'Hara & Wood 1998: 753)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ACTIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
ACTINACTIA Townsend, 1927 = CEROMYA R.-D., 1830 (O'Hara 1989: 53)	0	x					
ACTINOCHAETA B. & B., 1889	1	1	-	-	-	-	-
ACTINOCHAETOPTERYX Townsend, 1927 Recorded from Australasian Region by Evenhuis (1996).	1	-	-	1	-	1	1
ACTINOCROCUTA Townsend, 1935 = SIPHONA (ACTINOCROCUTA Townsend, 1935) (O'Hara 1989: 87)	0	x					
ACTINODORIA Townsend, 1927	1	1	-	-	-	-	-
ACTINOMINTHELLA Townsend, 1928	1	1	-	-	-	-	-
ACTINOPLAGIA Blanchard, 1940	1	1	-	-	-	-	-
ACTINOPROSOPA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
ACTINOTACHINA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
ACUCERA Malloch, 1930 = GERALDIA Malloch, 1930 (Barraclough 1992: 1229)	0						x
ACUPHOCEROPTYSIS Blanchard, 1943	1	1	-	-	-	-	-
ADEJEANIA Townsend, 1913	1	1	1	-	-	-	-
ADIDYMA Townsend, 1935	1	1	-	-	-	-	-
ADMONTIA B. & B., 1889	1	1	1	1	-	1	-
ADORYPHOROPHAGA Townsend, 1931 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
AESIA Richter, 2011*	1	-	-	1	-	-	-
AFROLIXA Curran, 1939	1	-	-	-	1	-	-
AFROSTURMIA Curran, 1927	1	-	-	-	1	-	-
AGICUPHOCERA Townsend, 1915	1	1	-	-	-	-	-
AGLUMMYIA Townsend, 1912	1	1	-	-	-	-	-
AGRARIALIA Curran, 1934 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 10)	0	x					
ALASKOPHYTO Townsend, 1915 = MACQUARTIA R.-D., 1830 (Wood 1987: 1258, O'Hara & Wood 1998: 753)	0				x		
ALDRICHIOPA Guimarães, 1971	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ALDRICHOMYIA Özdkmen, 2006*	1	-	1	-	-	-	-
Replacement name for MENETUS Aldrich, 1926, preoccupied by MENETUS Adams & Adams, 1855.							
ALEXOGLOBLINIA Cortés, 1945	1	1	-	-	-	-	-
ALLELOMYIA González, 1992*	1	1	-	-	-	-	-
ALLOPHOROCERA Hendel, 1901	1	-	1	1	-	-	-
ALLOPROSOPAEA Villeneuve, 1923	1	-	-	1	-	-	-
ALLOSTURMIA Blanchard, 1958	1	1	-	-	-	-	-
ALLOTHELAIRA Villeneuve, 1915	1	-	-	-	1	1	1
ALOPHORA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)	0				x	x	x
ALOPHORELLA Townsend, 1912 = PHASIA Latreille, 1804 (Herting 1984: 168, Sun & Marshall 2003: 18)	0	x					
ALOPHOROPHASIA Townsend, 1927 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0			x		x	
ALPINOPLAGIA Townsend, 1931	1	1	-	-	-	-	-
ALSOMYIA B. & B., 1891 Recorded from Afrotropical Region (Madagascar) by Mesnil (1977).	1	-	-	1	1	-	-
ALSOPSYCHE B. & B., 1891	1	1	-	-	-	-	-
ALTAIA Malloch, 1938	1	-	-	-	-	-	1
AMAZOHOUGHIA Townsend, 1934	1	1	-	-	-	-	-
AMBLYCHAETA Aldrich, 1934	1	1	-	-	-	-	-
AMELIBAEA Mesnil, 1955	1	-	-	1	-	-	-
AMESIOMIMA Mesnil, 1950	1	-	-	-	1	-	-
AMETADORIA Townsend, 1927	1	1	1	-	-	-	-
AMICROTRICHOMMA Townsend, 1927	1	1	-	-	-	-	-
AMNONIA Kugler, 1971 Recorded from Afrotropical Region by Zeegers (2010, United Arab Emirates).	1	-	-	1	1	-	-
AMPHIBOLIA Macquart, 1844	1	-	-	-	-	-	1
AMPHICESTONIA Villeneuve, 1939	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
AMPHITROPESA Townsend, 1933	1	-	-	-	-	-	1
ANACAMPTOMYIA Bischof, 1904	1	-	-	-	1	-	1
ANADISCALIA Curran, 1934	1	1	-	-	-	-	-
ANADISTICHONA Townsend, 1934	1	1	-	-	-	-	-
ANAEUDORA Townsend, 1933 Treated as a synonym of MIKIA Kowarz, 1885 by O'Hara, Shima & Zhang (2009: 168) following Crosskey (1976: 206); treated as valid by Herting & Dely-Draskovits (1993: 275), Richter (2004: 281) and others. Recorded from Oriental Region by Sun <i>et al.</i> (1992).	1	-	-	1	-	1	-
ANAGONIA B. & B., 1891	1	-	-	-	-	-	1
ANAMASTAX B. & B., 1891	1	-	-	-	-	-	1
ANAMERIANIA Zimin, 1960 = BOTRIA Rondani, 1856 (Ziegler & Shima 1996: 407, as "BOTHRIA")	0			x			
ANAMETOPOCHAETA Townsend, 1919	1	1	-	-	-	-	-
ANAPHORINIA Townsend, 1927 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
ANATROPOMYIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)	0						x
ANCISTROPHORA Schiner, 1865	1	-	-	1	-	-	-
ANDESIMYIA Brèthes, 1909	1	1	-	-	-	-	-
ANDICESA Koçak & Kemal, 2010* Replacement name for TRICHOPHOROPSIS Townsend, 1914, preoccupied by TRICHOPHOROPSIS Bonaparte, 1854.	1	1					
ANDINOMYIA Townsend, 1912	1	1	-	-	-	-	-
ANDROEURYOPS Beneway, 1961 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
ANDROSOMA Cortés & Campos, 1971*	1	1	-	-	-	-	-
ANECHUROMYIA Mesnil & Shima, 1979	1	-	-	1	-	-	-
ANEMORILLA Townsend, 1915	1	1	-	-	-	-	-
ANEOGMENA B. & B., 1891	1	-	-	1	-	1	1
ANEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ANGIORHINA B. & B., 1889 = GNADOCHAETA Macquart, 1851 (Wood <i>in</i> O'Hara & Wood 1998: 770)	0	x		x			

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ANGUSTIA Sellers, 1943	1	1	1	-	-	-	-
ANHANGABAHUIA Townsend, 1931 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
ANISIA van der Wulp, 1890	1	1	1	-	-	-	-
ANOMALOSTOMYIA Cerretti & Barraclough, 2007*	1	-	-	-	1	-	-
ANOXYNOPS Townsend, 1927	1	1	1	-	-	-	-
ANOXYNOPSELLA Townsend, 1935 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
ANOXYNOPSIDEA Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
ANTHOMYIOPSIS Townsend, 1916	1	-	1	1	-	1	-
ANTISTASEA Bischof, 1904	1	-	-	-	1	-	-
ANTISTASEOPSIS Townsend, 1934	1	1	-	-	-	-	-
ANUROPHYLLA Villeneuve, 1938	1	-	-	1	-	-	-
APALPOSTOMA Malloch, 1930	1	-	-	-	-	-	1
APATEMYIA Macquart, 1846	1	-	-	-	-	-	1
APHRIA Robineau-Desvoidy, 1830	1	-	1	1	-	1	-
APLOMYA Robineau-Desvoidy, 1830 Also spelled APLOMYIA, unjustified emendation.	1	1	1	1	1	1	1
APLOMYIOPSIS Villeneuve, 1933 = EUTHELYCONYCHIA Townsend, 1927 (Wood in O'Hara & Wood 1998: 771) Recorded from Australasian Region by Evenhuis (1996), as an introduction.	0	x					x
APLOMYODORIA Townsend, 1928	1	1	-	-	-	-	-
APLOMOPSIS Townsend, 1927	1	1	1	-	-	-	-
APOMORPHOMYIA Crosskey, 1984*	1	-	-	-	1	-	-
APOREOMYIA Pape & Shima, 1993*	1	-	-	-	-	1	-
APPENDICIA Stein, 1924 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754)	0			x			
APROTHECA Macquart, 1851	1	-	-	-	-	-	1
ARAMA Richter, 1972	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ARAUCOGONIA Cortés, 1976*	1	1	-	-	-	-	-
ARAUCOSIMUS Aldrich, 1934	1	1	-	-	-	-	-
ARCHIPHANIA van Emden, 1945 = CATHAROSIA Rondani, 1868 (Crosskey 1984: 200) Treated as a valid genus by Zeegers (2007: 401).	0				x		
ARCHYTAS Jaennicke, 1867	1	1	1	1	-	-	1
ARCHYTOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
ARCONA Richter, 1988*	1	-	-	1	-	-	-
ARCTOSOMA Aldrich, 1934	1	1	-	-	-	-	-
ARGYROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
ARGYRODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
ARGYROMIMA B. & B., 1889	1	1	-	-	-	-	-
ARGYROPHYLAX B. & B., 1889 Recorded from Palaearctic Region by Shima (1999).	1	1	1	1	-	1	1
ARGYROTHELaira Townsend, 1916	1	-	-	-	-	1	1
ARIDALIA Curran, 1934 = HOUGHIA Coquillett, 1897 (Wood in Fleming et al. 2014: 10)	0	x					
ARRHENOMYZA Malloch, 1929	1	-	-	-	-	-	1
ARRHINACTIA Townsend, 1927	1	1	1	-	-	-	-
ASETULIA Malloch, 1938	1	-	-	-	-	-	1
ASILIDOTACHINA Townsend, 1931	1	1	-	-	-	-	-
ASIPHONA Mesnil, 1954 = SIPHONA (APHANTORHAPHOPSIS Townsend, 1926) (O'Hara 1989: 92)	0				x		
ASSECLAMYIA Reinhard, 1956	1	-	1	-	-	-	-
ATACTA Schiner, 1868	1	1	1	-	-	-	-
ATACTOPSIS Townsend, 1917	1	1	1	-	-	-	-
ATACTOSTURMIA Townsend, 1915	1	1	-	-	-	-	-
ATELOGLOSSA Coquillett, 1899	1	-	1	-	-	-	-
ATELOGLUTUS Aldrich, 1934	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ATHRYCIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993).	1	1	1	1	-	1	-
ATLANTOMYIA Crosskey, 1977	1	-	-	-	1	-	-
ATRACTOCEROPS Townsend, 1916	1	-	-	-	-	1	-
ATRICHIOPODA Townsend, 1931	1	1	-	-	-	-	-
ATROPHOPALPUS Townsend, 1892 = PARADIDYMA B.& B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)	0	x					
ATYLOMYIA Brauer, 1898	1	-	-	1	-	-	-
ATYLOSTOMA B. & B., 1889	1	-	-	1	-	1	-
AULACEPHALA Macquart, 1851	1	-	-	1	1	1	-
AUSTENIOPS Townsend, 1915	1	1	-	-	-	-	-
AUSTRALOTACHINA Curran, 1938	1	-	-	-	-	-	1
AUSTROMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
AUSTRONILEA Crosskey, 1967	1	-	-	-	-	-	1
AUSTROPHASIOPSIS Townsend, 1933	1	-	-	-	-	1	-
AUSTROPHOROCERA Townsend, 1916	1	1	1	1	-	1	1
AUSTROPHRYNO Townsend, 1916	1	-	-	-	-	-	1
AUSTROPHYTOMYPTERA Blanchard, 1962	1	1	-	-	-	-	-
AUSTROSTAUROCHAETA Townsend, 1931 = ADMONTIA B. & B., 1889 (Wood 1985: 17)	0	x					
AVIBRISSIA Malloch, 1932	1	-	-	-	-	-	1
AVIBRISSINA Malloch, 1932	1	-	-	-	-	-	1
AVIBRISSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
AZYGOBOTHRIA Townsend, 1911	1	1	-	-	-	-	-
BACTROMYIA B. & B., 1891	1	-	-	1	-	1	-
BACTROMYIELLA Mesnil, 1952	1	-	-	-	-	1	1
BACULOCAPTUS Cortés, 1968 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)	0	x					
BAHRETTINIA Özdikeyen, 2007* Replacement name for PSIOPLEURA Reinhard, 1943, preoccupied by PSIOPLEURA Druce, 1898.	1	-	1	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
BALDE Rice, 2005*	1	-	-	-	-	-	1
BAMPURA Tschorsnig, 1983	1	-	-	1	-	-	-
BARYCHAETA Bezzi, 1906 Unnecessary <i>nomen novum</i> for PACHYCHETA Portschinsky, 1881 (O'Hara 2009: 66).	0			x			
BATHYDEXIA van der Wulp, 1891	1	1	-	-	-	-	-
BAUMHAUERIA Meigen, 1838	1	-	-	1	-	-	-
BELIDA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
BELLINA Robineau-Desvoidy, 1863	1	-	-	-	-	1	-
BELVOSIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
BELVOSIELLA Curran, 1934	1	1	-	-	-	-	-
BELVOSIOMIMOPS Townsend, 1935	1	1	-	-	-	-	-
BESKIA B. & B., 1889	1	1	1	-	-	-	-
BESKIOCEPHALA Townsend, 1916	1	1	-	-	-	-	-
BESKIOLESKIA Townsend, 1919	1	1	-	-	-	-	-
BESSA Robineau-Desvoidy, 1863	1	-	1	1	1	1	1
BESSERIA Robineau-Desvoidy, 1830	1	-	1	1	1	-	-
BESSEROIDES Curran, 1938 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0					x	x
BEZZIMYIA Townsend, 1919 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257).	0	x					
BEZZIOMYIOBIA Baranov, 1938	1	-	-	-	-	-	1
BIBIOMIMA B. & B., 1889	1	1	-	-	-	-	-
BICRUCIOSTURMIA Townsend, 1932 = WINTHEMIA R.-D., 1830 (Coelho 1989: 274)	0	x					
BILLAEA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
BINGHAMIMYIA Townsend, 1919	1	1	-	-	-	-	-
BIOMEIGENIA Mesnil, 1961	1	-	-	1	-	1	-
BISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
BITHIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
BLEPHARELLA Macquart, 1851	1	-	-	1	1	1	1
BLEPHARELLINA Mesnil, 1952 See Evenhuis & O'Hara (2008: 65) for details about dating.	1	-	-	-	1	-	-
BLEPHARIATACTA Townsend, 1931	1	1	-	-	-	-	-
BLEPHARIPA Rondani, 1856	1	1	1	1	-	1	1
BLEPHAROMYIA B. & B., 1889	1	-	1	1	-	-	-
BLEPHAROPODA Rondani, 1850	1	1	-	-	-	-	-
BLONDELIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun <i>et al.</i> (1992) and Shima (1997).	1	1	1	1	1	1	-
BOGOSIA Rondani, 1873	1	-	-	-	1	-	-
BOGOSIELLA Villeneuve, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0				x		
BOLBOCHETA Bigot, 1885	1	1	-	-	-	-	-
BOLODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
BOLOHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
BOLOMYIA B. & B., 1891 = MYSTACELLA van der Wulp, 1890 (Wood 1987: 1210, O'Hara & Wood 1998: 754)	0	x					
BOMBYLIOMYIA B. & B., 1889	1	1	1	-	-	-	-
BOMBYLIOPSIS Townsend, 1915 = HYSTRICIA Macquart, 1844 (Wood 1987: 1202, O'Hara & Wood 1998: 754, O'Hara 2002: 97)	0	x					
BONNANIOPS Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
BONNETIA Robineau-Desvoidy, 1830 = LINNAEMYA Robineau-Desvoidy, 1830 (Mesnil 1971: 1006)	0	x					
BORGMEIERMYIA Townsend, 1935	1	1	-	-	-	-	-
BOTHROPHORA Schiner, 1868	1	-	-	-	-	-	1
BOTRIA Rondani, 1856 The spelling BOTHRIA is an incorrect original spelling (O'Hara <i>et al.</i> 2011: 40).	1	-	-	1	-	-	-
BOTRIOPSIS Townsend, 1928	1	-	-	-	-	1	-
BOURQUINIA Blanchard, 1935	1	1	-	-	-	-	-
BRACHELIA Robineau-Desvoidy, 1830	1	-	-	-	1	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
BRACHELIOPSIS van Emden, 1960	1	-	-	-	1	-	-
BRACHICHETA Rondani, 1861 BRACHYCHAETA Brauer & Bergenstamm, 1889 is an unjustified emendation of BRACHICHETA (O'Hara <i>et al.</i> 2011: 40–41, 258).	1	-	-	1	-	-	-
BRACHYBELVOSIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYCHAETOIDES Mesnil, 1970 Recognized as valid by Crosskey (1984: 201).	1	-	-	-	1	-	-
BRACHYCNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
BRACHYMASICERA Townsend, 1911	1	1	-	-	-	-	-
BRACHYMERA B. & B., 1889	1	-	-	1	-	-	-
BRACTEOLA Richter, 1972	1	-	-	1	-	-	-
BRASILOMYIA Özdīkmen, 2010* Replacement name for PLATYPHASIA Townsend, 1935, preoccupied by PLATYPHASIA Skuse, 1890.	1	1					
BRAZILIOMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
BRULLAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
BUQUETIA Robineau-Desvoidy, 1847	1	-	1	1	-	1	-
CADURCIA Villeneuve, 1926	1	-	-	1	1	1	-
CADURCIELLA Villeneuve, 1927	1	-	-	1	1	-	-
CAENIOPSIS Townsend, 1927	1	1	-	-	-	-	-
CAENISOMA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)	0	x					
CAENISOMOPSIS Townsend, 1934	1	1	-	-	-	-	-
CAHENIA Verbeke, 1960	1	-	-	-	1	-	-
CALCAGER Hutton, 1901	1	-	-	-	-	-	1
CALCAGERIA Curran, 1927	1	-	-	-	-	-	1
CALLIETHILLA Shima, 1979* Recorded from Afrotropical Region by Cerretti (2012).	1	-	-	-	1	1	-
CALLOTROXIS Aldrich, 1929	1	1	-	-	-	-	-
CALOCARCELIA Townsend, 1927	1	1	-	-	-	-	-
CALODEXIA van der Wulp, 1891	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CALOHYSTRICIA Townsend, 1931	1	1	-	-	-	-	-
CALOLYDELLA Townsend, 1927	1	1	1	-	-	-	-
CALOSIA Malloch, 1938	1	-	-	-	-	-	1
CALOTACHINA Malloch, 1938	1	-	-	-	-	-	1
CALOTHELAIRA Townsend, 1927 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
CALOZENILLIA Townsend, 1927	1	-	-	1	1	1	1
CALPODOMYIA Townsend, 1915 = SPAERINA van der Wulp, 1890 (Wood 1985: 80)	0	x					
CALTAGIRONEA Cortés & Campos, 1974*	1	1	-	-	-	-	-
CALYPTROMYIA Villeneuve, 1915 Recorded from Afrotropical Region by Dear (1981).	1	-	-	1	1	1	-
CAMARONA van der Wulp, 1891	1	1	-	-	-	-	-
CAMPBELLIA Miller, 1923 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0						x
CAMPOSIANA Townsend, 1915	1	1	-	-	-	-	-
CAMPOSODES Cortés, 1967	1	1	-	-	-	-	-
CAMPTOPHYNO Townsend, 1927	1	1	-	-	-	-	-
CAMPYLIA Malloch, 1938	1	-	-	-	-	-	1
CAMPYLOCHETA Rondani, 1859 Also spelled CAMPYLOCHAETA, unjustified emendation.	1	1	1	1	1	1	1
CANALIA Curran, 1934 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
CANTRELLIUS Barraclough, 1992*	1	-	-	-	-	-	1
CARBONILLA Mesnil, 1974	1	-	-	1	-	-	-
CARCELIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
CARCELIALLA Baranov, 1934 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Crosskey (1976: 229), Cantrell & Crosskey (1989: 773) and others but reinstated as a valid genus by Shima (2005: 390).	1	-	-	1	-	1	-
CARCELIMYIA Mesnil, 1944	1	-	-	-	-	-	1
CARCELINA Mesnil, 1944 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Chao & Liang (2002: 808) and others but as a valid genus by Herting & Dely-Draskovits (1993: 217), O'Hara, Shima & Zhang (2009: 64) and others.	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CARCELIOCEPHALA Townsend, 1934 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
CARCELIODORIA Townsend, 1928	1	1	-	-	-	-	-
CARMODYMYIA Thompson, 1968	1	1	-	-	-	-	-
CASAHIRIRIA Townsend, 1919	1	1	-	-	-	-	-
CATAGONIA B. & B., 1891 Treated as a synonym of SISYROPA B. & B., 1889 by Crosskey (1980: 873) but recognized as valid by Herting & Dely-Draskovits (1993: 202), O'Hara <i>et al.</i> (2009: 65) and others.	1	-	-	1	-	-	-
CATAJURINIA Townsend, 1927	1	1	-	-	-	-	-
CATALINOVORIA Townsend, 1926 = HYPOVORIA Villeneuve, 1912 (Mesnil 1974: 1278)	0	x					
CATAPARIPROSOPA Townsend, 1927	1	-	-	-	1	1	-
CATAPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
CATAPHORINOPSIS Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
CATEMOPHYS Townsend, 1908 = VANDERWULPIA Townsend, 1891 (Wood 1987: 1260, O'Hara & Wood 1998: 754)	0	x					
CATENA Richter, 1975	1	-	-	1	-	-	-
CATHAROSIA Rondani, 1868 Recorded from Australasian Region by O'Hara <i>et al.</i> (2014).	1	-	1	1	1	-	1
CATOCYPTERA Townsend, 1927 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)	0	x					
CAVALIERIA Villeneuve, 1908	1	-	-	1	-	-	-
CAVILLATRIX Richter, 1986* Recorded from the Oriental and Australasian regions by Shima (1996b).	1	-	-	1	-	1	1
CELATORIA Coquillett, 1890	1	1	1	-	-	-	-
CELATORIOPSIS Blanchard, 1963 = EUCELATORIA Townsend, 1909 (Sabrosky 1981: 4)	0	x					
CENOSOMA van der Wulp, 1890 = OESTROPHASIA (CENOSOMA van der Wulp, 1890) (Wood 1987: 1260, O'Hara & Wood 1998: 754)	0	x					
CERACIA Rondani, 1865	1	1	1	1	1	1	1
CERANTHIA Robineau-Desvoidy, 1830 = SIPHONA (CERANTHIA R.-D., 1830) (O'Hara 1989: 99, O'Hara & Wood 2004: 301)	0			x	x		

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CERATOCHAETOPS Mesnil, 1970 Correctly dated 1970 in O'Hara (1996b: 123) but dated 1954 in Herting & Dely-Draskovits (1993: 232) and O'Hara & Wood (2004: 164), in error.	1	-	1	1	-	-	-
CERATOMETOPA Townsend, 1931	1	1	-	-	-	-	-
CERATOMYIELLA Townsend, 1891 = PARADIDYMA B.& B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 754)	0	x					
CEROMASIA Rondani, 1856	1	-	1	1	-	-	-
CEROMASIOSIS Townsend, 1927	1	1	-	-	-	-	-
CEROMYA Robineau-Desvoidy, 1830 Also spelled CEROMYIA, unjustified emendation.	1	1	1	1	1	1	1
CEROTACHINA Arnaud, 1963	1	1	-	-	-	-	-
CESAMORELOSIA Koçak & Kemal, 2010* Replacement name for ERGOLABUS Reinhard, 1964, preoccupied by ERGOLABUS Gistl, 1848.	1	1	-	-	-	-	-
CESAPANAMA Koçak & Kemal, 2010* Replacement name for PARAZELIA Townsend, 1919, preoccupied by PARAZELIA Bigot, 1882.	1	1	-	-	-	-	-
CESAPERUA Koçak & Kemal, 2010* Replacement name for XENOPHASIA Townsend, 1934, preoccupied by XENOPHASIA Strickland, 1841.	1	1	-	-	-	-	-
CESTONIA Rondani, 1861	1	-	-	1	1	1	-
CESTONIONERVA Villeneuve, 1929	1	-	-	1	1	-	-
CESTONIOPTERA Villeneuve, 1939	1	-	-	1	-	-	-
CHAETEXORISTA B. & B., 1894	1	-	1	1	1	1	1
CHAETOCALIRRHOE Townsend, 1935	1	1	-	-	-	-	-
CHAETOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
CHAETOCRANIA Townsend, 1915	1	-	1	-	-	-	-
CHAETOCRANIOPSIS Townsend, 1915	1	1	-	-	-	-	-
CHAETODEMOTICUS B. & B., 1891	1	1	-	-	-	-	-
CHAETODEXIA Mesnil, 1976	1	-	-	-	1	-	-
CHAETODORIA Townsend, 1927	1	1	-	-	-	-	-
CHAETOEPALPUS Vimmer & Soukup, 1940 Treated as a <i>nomen dubium</i> by Guimarães (1971: 217).	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHAETOGAEDIA B. & B., 1891	1	1	1	-	-	-	1
CHAETOGLOSSA Townsend, 1892	1	1	1	-	-	-	-
CHAETOGYNE B. & B., 1889	1	1	-	-	-	-	-
CHAETOLIXOPHAGA Blanchard, 1940	1	1	-	-	-	-	-
CHAETONA van der Wulp, 1891	1	1	-	-	-	-	-
CHAETONALIA Curran, 1934 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
CHAETONODEXODES Townsend, 1916	1	1	1	-	-	-	-
CHAETONOPSIS Townsend, 1915	1	-	1	-	-	-	-
CHAETOPHLEPSIS Townsend, 1915 = CAMPYLOCHETA Rondani, 1859 (Mesnil 1974: 1250)	0	x					
CHAETOPHOROCERA Townsend, 1912	1	1	-	-	-	-	-
CHAETOPHTHALMUS B. & B., 1891	1	-	-	-	-	-	1
CHAETOPLAGIA Coquillett, 1895	1	1	1	-	-	-	-
CHAETOPLETHA Malloch, 1938	1	-	-	-	-	-	1
CHAETORIA Becker, 1908	1	-	-	1	1	1	1
CHAETOSISYROPS Townsend, 1912	1	1	-	-	-	-	-
CHAETOSTIGMOPTERA Townsend, 1916	1	1	1	1	-	-	-
CHAETOSTURMIA Villeneuve, 1915	1	-	-	-	1	-	-
CHAETOTHERESIA Townsend, 1931	1	1	-	-	-	-	-
CHAETOVORIA Villeneuve, 1920	1	-	1	1	-	-	-
CHAETOXYNOPS Townsend, 1928	1	1	-	-	-	-	-
CHAQUIMAYOIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
CHARAPOZELIA Townsend, 1927	1	1	-	-	-	-	-
CHARITELLA Mesnil, 1957	1	-	-	-	1	1	-
CHESIPPUS Reinhard, 1967	1	-	1	-	-	-	-
CHETINA Rondani, 1856	1	-	-	1	-	-	-
CHETOGASTER Macquart, 1851	1	-	-	-	-	-	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHETOGENA Rondani, 1856 Also spelled CHAETOGENA, unjustified emendation.	1	1	1	1	1	1	1
CHETOPTILIA Rondani, 1862 Also spelled CHAETOPTILIA, unjustified emendation.	1	-	-	1	1	1	-
CHILOCLISTA Townsend, 1931	1	1	-	-	-	-	-
CHILOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
CHIRICAHUIA Townsend, 1918	1	-	1	-	-	-	-
CHLOROGASTROPSIS Townsend, 1926	1	-	-	-	-	-	1
CHLOROHYSTRICIA Townsend, 1927	1	1	1	-	-	-	-
CHLOROLYDELLA Townsend, 1933	1	-	-	-	1	-	-
CHLOROPALES Mesnil, 1950	1	-	-	-	-	-	1
CHLOROTACHINA Townsend, 1915	1	-	-	-	-	-	1
CHOETEPROSOPA Macquart, 1851	1	1	-	-	-	-	-
CHOLOMYIA Bigot, 1884	1	1	1	-	-	-	-
CHROMATOCERA Townsend, 1915	1	-	1	-	-	-	-
CHROMATOPHANIA B. & B., 1889	1	-	-	-	1	-	-
CHROMOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
CHRYSERYCIA Mesnil, 1977*	1	-	-	-	1	-	-
CHRYSOCOSMIUS Bezzi, 1907 Synonym of GYMNOCHETA R.-D., 1830 (Crosskey 1976, Herting & Dely-Draskovits 1993); misused as valid genus in <i>Flies of China</i> (Chao <i>et al.</i> 1998) because of type species problem, but those species belong to CHRYSOSOMOPSIS Townsend, 1916.	0			X			
CHRYSOEXORISTA Townsend, 1915	1	1	1	-	-	-	-
CHRYSOHOUGHIA Townsend, 1935 = HOUGHIA Coquillett, 1897 (Wood <i>in</i> Fleming <i>et al.</i> 2014: 10)	0	X					
CHYSOMETOPIOPS Townsend, 1916	1	1	-	-	-	-	-
CHYSOMIKIA Mesnil, 1970	1	-	-	1	-	1	-
CHYSOMOPSIS Townsend, 1916 Misspelled reference to CHRYSOSOMOPSIS Townsend, 1916 in Herting & Dely-Draskovits (1993: 290).	0			X			
CHYSOPASTA B. & B., 1889	1	-	-	-	-	-	1
CHYSOPHRYNO Townsend, 1927	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CHRYSOPHRYXE Sellers, 1943	1	1	-	-	-	-	-
CHRYSOPROSPHERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
CHRYSOSOMOPSIS Townsend, 1916 Misspelled as CHYSOMOPSIS in Herting & Dely-Draskovits (1993: 290); species of China (Chao <i>et al.</i> 1998) under CHYSOCOSMIUS Beazzi, 1907 (with CHYSOSOMOPSIS in synonymy) because of type species problem.	1	-	-	1	-	1	-
CHRYSOSTURMIA Townsend, 1916	1	1	-	-	-	-	-
CHRYSOTACHINA B. & B., 1889	1	1	1	-	-	-	-
CHRYSOTRYPHERA Townsend, 1935	1	1	-	-	-	-	-
CHYULUELLA van Emden, 1960	1	-	-	-	1	-	-
CIALA Richter, 1976	1	-	-	1	-	-	-
CINOCHIRA Zetterstedt, 1844	1	-	1	1	-	-	-
CISTOGASTER Latreille, 1829	1	1	-	1	-	-	-
CLAIRVILLIA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
CLAIRVILLIOPS Mesnil, 1959 Treated as a synonym of CLAIRVILLIA Robineau-Desvoidy, 1830 by Crosskey (1984: 200) but recognized as valid by Herting & Dely-Draskovits (1993: 424) and Tschorsnig & Richter (1998: 781).	1	-	-	1	1	-	-
CLARA B. & B., 1889 Junior homonym of CLARA Gill, 1862 and replaced by junior synonym PARACLARA Beazzi, 1908 (Crosskey 1980a: 1230, 1984: 200).	0				x		
CLASTONEURA Aldrich, 1934	1	1	-	-	-	-	-
CLASTONEURIOPSIS Reinhard, 1939 Recorded from Neotropical Region by Cortés (1986).	1	1	1	-	-	-	-
CLAUSICELLA Rondani, 1856	1	1	1	1	1	1	-
CLAUSICELLANA Curran, 1927 = CHAETOSTIGMOPTERA Townsend, 1916 (Wood 1985: 31)	0	x					
CLELIMYIA Herting, 1981	1	-	-	1	-	-	-
CLEMELIS Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	-	1	-	1	-
CLEONICE Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
CLINOGASTER van der Wulp, 1892	1	1	-	-	-	-	-
CLYTHOXYNOPS Townsend, 1927 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CLYTIOMYA Rondani, 1861 Also spelled CLYTIOMYIA, unjustified emendation.	1	-	-	1	-	-	-
CNEPHALODES Townsend, 1911	1	1	-	-	-	-	-
CNEPHAOTACHINA B. & B., 1894 = TACHINA Robineau-Desvoidy, 1830 (Cerretti 2010: 306; CNEPHAOTACHINA treated as a synonym of NOWICKIA Wachl, 1894, a genus-group name treated here as a subgenus of TACHINA Robineau-Desvoidy, 1830).	0			x			
COCKERELLIANA Townsend, 1915	1	-	1	-	-	-	-
COLESKIA Villeneuve, 1939	1	-	-	-	1	-	-
COLORADOMYIA Arnaud, 1963	1	-	1	-	-	-	-
COLORUS Reinhard, 1953 = PROPARACHAETOPSIS Blanchard, 1942 (Toma & Guimarães 2000b: 16)	0	x					
COMATACTA Coquillett, 1902	1	1	-	-	-	-	-
COMOPS Aldrich, 1934	1	1	-	-	-	-	-
COMOPSIS Cortés, 1986*	1	1	-	-	-	-	-
COMPILURA Bouché, 1834	1	-	1	1	1	1	1
COMPILUROIDES Mesnil, 1953	1	-	-	1	-	1	-
COMPLOPTESIS Villeneuve, 1915	1	-	-	-	-	1	-
COMYOPS van der Wulp, 1891	1	1	-	-	-	-	-
COMYOPSIS Townsend, 1919	1	1	-	-	-	-	-
CONACTIA Townsend, 1927	1	1	-	-	-	-	-
CONACTIODORIA Townsend, 1934	1	1	-	-	-	-	-
CONOGASTER B. & B., 1891	1	-	-	1	-	-	-
CONOPOMIMA Mesnil, 1978*	1	-	-	-	1	-	-
COPECRYPTA Townsend, 1908	1	1	1	1	-	-	-
CORACOMYIA Aldrich, 1934	1	1	-	-	-	-	-
CORDILLERODEXIA Townsend, 1927	1	1	-	-	-	-	-
CORDYLIGASTER Macquart, 1844	1	1	1	-	-	-	-
COROZALIA Curran, 1934 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
CORPULENTOEPALPUS Townsend, 1927	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
CORYBANTIA Richter, 1986*	1	-	-	1	-	-	-
COSCARONIA Cortés, 1979*	1	1	-	-	-	-	-
COSSIDOPHAGA Baranov, 1934	1	-	-	-	-	1	-
COWANIA Reinhard, 1952	1	1	-	-	-	-	-
CRAPIVNICIA Richter, 1995a*	1	-	-	1	-	-	-
CRASSICORNIA Kugler, 1980	1	-	-	1	1	-	-
CROCINOSOMA Reinhard, 1947	1	1	1	-	-	-	-
CROESOACTIA Townsend, 1927	1	1	-	-	-	-	-
CROSSKEYA Shima & Chao, 1988	1	-	-	-	-	1	1
CRYPSINA B. & B., 1889 Recorded from Palaearctic and Oriental regions by Shima (1996a).	1	-	-	1	-	1	1
CRYPTOCLADOCERA Bezzi, 1923	1	1	-	-	-	-	-
CRYPTOMEIGENIA B. & B., 1891	1	1	1	-	-	-	-
CRYPTOMEIGENIOIDEA Thompson, 1968 = CRYPTOMEIGENIA B. & B., 1891 (Wood 1985: 33)	0	x					
CRYPTOPALPUS Rondani, 1850	1	1	-	-	-	-	-
CTENOPHORINIA Mesnil, 1963	1	-	-	1	-	-	-
CUBAEMYIOPSIS Thompson, 1963	1	1	-	-	-	-	-
CUCUBA Richter, 2008*	1	-	-	1	-	-	-
CUPARYMYIA Townsend, 1934	1	1	-	-	-	-	-
CURRANA Özdkmen, 2007* Replacement name for DODDIANA Curran, 1927, preoccupied by DODDIANA Turner, 1902. = SEMISUTURIA Malloch, 1927 (Crosskey 1976: 186, as synonym of DODDIANA)	0					x	x
CYANOGYMNOMMA Townsend, 1927	1	1	-	-	-	-	-
CYANOLESKIA Mesnil, 1978	1	-	-	-	1	-	-
CYANOPSIS Townsend, 1917	1	1	-	-	-	-	-
CYLINDROMASICERA Townsend, 1915	1	1	-	-	-	-	-
CYLINDROMYIA Meigen, 1803	1	1	1	1	1	1	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
CYLINDROPHASIA Townsend, 1916	1	1	-	-	-	-	-
CYOSOPROCTA Reinhard, 1952	1	1	-	-	-	-	-
CYRTOCLADIA van Emden, 1947	1	-	-	-	1	-	-
CYRTOPHLOEBA Rondani, 1856 The spelling CYRTOPHLEBA is an incorrect original spelling (O'Hara <i>et al.</i> 2011: 69–70).	1	1	1	1	1	-	-
CYZENIS Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
DAETALEUS Aldrich, 1928	1	1	-	-	-	-	-
DALLASIMYIA Blanchard, 1944	1	1	-	-	-	-	-
DASYUROMYIA Bigot, 1885	1	1	-	-	-	-	-
DATVIA Richter, 1972	1	-	-	1	-	-	-
DEGEERIOPSIS Mesnil, 1953	1	-	-	-	-	1	-
DEJEANIA Robineau-Desvoidy, 1830	1	-	-	-	1	-	-
DEJEANIOPS Townsend, 1913	1	1	-	-	-	-	-
DELOBLEPHARIS Aldrich, 1934	1	1	-	-	-	-	-
DELTOCEROMYIA Townsend, 1931	1	1	-	-	-	-	-
DELTOMYZA Malloch, 1931	1	-	-	-	-	-	1
DEMOTICOIDES Mesnil, 1953	1	-	-	1	-	1	1
DEMOTICUS Macquart, 1854	1	-	1	1	-	-	-
DEOPALPUS Townsend, 1908	1	1	1	-	-	-	-
DESANTIODES Cortés, 1973*	1	1	-	-	-	-	-
DESCAMPSINA Mesnil, 1956	1	-	-	-	1	-	-
DEXIA Meigen, 1826	1	-	1	1	1	1	-
DEXIOMERA Curran, 1933	1	-	-	-	1	-	-
DEXIOMIMOPS Townsend, 1926	1	-	-	1	-	1	-
DEXIOSOMA Rondani, 1856	1	-	-	1	-	1	-
DEXIOTRIX Villeneuve, 1936 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58)	0			x	x	x	x
DEXODIMYIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
DEXODIOIDEA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
DEXODIOPSIS Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
DEXODOMINTHO Townsend, 1935	1	1	-	-	-	-	-
DIAPHANOMYIA Townsend, 1917	1	1	-	-	-	-	-
DIAPHOROPEZA Townsend, 1908	1	1	-	-	-	-	-
DIAPROCHAETA Mesnil, 1970	1	-	-	-	1	-	-
DIATRAEOPHAGA Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)	0					x	
DIAUGIA Perty, 1833	1	1	-	-	-	-	-
DICARCA Richter, 1993*	1	-	-	1	-	-	-
DICHOCERA Williston, 1895	1	1	1	-	-	-	-
DIDYMA van der Wulp, 1890 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)	0	x					
DIDYMOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
DIGLOSSOCERA van der Wulp, 1895	1	-	-	-	-	1	-
DINERA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
DIONAEA Robineau-Desvoidy, 1830 Not present in Afrotropical Region (Crosskey 1984: 200).	1	-	-	1	-	-	-
DIONOMELIA Kugler, 1978 Recorded from Afrotropical Region by Zeegers (2010, United Arab Emirates).	1	-	-	1	1	-	-
DIOTREPES Reinhard, 1964	1	1	1	-	-	-	-
DIPLOPOTA Bezzi, 1918 = IMITOMYIA Townsend, 1912 Treated as valid by Herting & Dely-Draskovits (1993: 415) but the synonymy of Crosskey (1980: 830) is followed here.	0			x			
DIPLOSTICHUS B. & B., 1889 = CHETOGENA (DIPLOSTICHUS B. & B., 1889) (Wood <i>in</i> O'Hara & Wood 1998: 771, O'Hara & Wood 2004: 148)	0			x			
DISCHOTRICHIA Cortés, 1944	1	1	-	-	-	-	-
DISTICHONA van der Wulp, 1890	1	1	1	-	-	-	-
DODDIANA Curran, 1927 Junior homonym of DODDIANA Turner, 1902 and replaced by CURRANA Özdikmen, 2007.	0					x	
DOLESCHALLA Walker, 1861	1	-	-	-	-	1	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
DOLICHOCNEPHALIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOCODIA Townsend, 1908	1	1	1	-	-	-	-
DOLICHOCOLON B. & B., 1889 Redefined by Cerretti (2009b: 55–56).	1	-	-	1	1	1	1
DOLICHOCOXYS Townsend, 1927	1	-	-	1	-	1	-
DOLICHODEXIA B. & B., 1889 = ESTHERIA Robineau-Desvoidy, 1830 (Herting & Dely-Draskovits 1993: 363) Treated as valid genus by Crosskey (1976: 180, 1980b: 833).	0			x			
DOLICHODINERA Townsend, 1935	1	1	-	-	-	-	-
DOLICHOGONIA Townsend, 1915	1	1	-	-	-	-	-
DOLICHOPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
DOLICHOPODOMINTHO Townsend, 1927	1	-	-	1	-	1	-
DOLICHOSTOMA Townsend, 1912	1	1	-	-	-	-	-
DOLICHOTARSINA Mesnil, 1977	1	-	-	-	1	-	-
DOLICHOTARSUS Brooks, 1945	1	-	1	-	-	-	-
DOLIOLOMYIA Reinhard, 1975*	1	1	-	-	-	-	-
DORIELLA Townsend, 1931	1	1	-	-	-	-	-
DORYPHOROPHAGA Townsend, 1912 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
DREPANOGLOSSA Townsend, 1891	1	1	1	-	-	-	-
DRINO Robineau-Desvoidy, 1863	1	1	1	1	1	1	1
DRINOMYIA Mesnil, 1962	1	-	-	1	-	-	-
DUFOURIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
DUMERILLIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
EBENIA Macquart, 1846	1	1	-	-	-	-	-
ECHINEMORAEA Mesnil, 1971 = NEMORAEA Robineau-Desvoidy, 1830 (Crosskey 1976: 197) Treated as valid genus by Chao <i>et al.</i> (1998: 2028).	0					x	
ECHINODEXIA B. & B., 1893	1	1	-	-	-	-	-
ECHINOMASICERA Townsend, 1915 = LESCHENAULTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ECHINOPYRRHOSIA Townsend, 1914	1	1	-	-	-	-	-
ECHINOPYRRHOSIOPS Townsend, 1931	1	1	-	-	-	-	-
ECTOPHASIA Townsend, 1912	1	-	-	1	-	1	-
ECTOPHASIOSIS Townsend, 1915	1	1	-	-	-	-	-
ECUADORANA Townsend, 1912	1	1	-	-	-	-	-
EDWYNIA Aldrich, 1930	1	1	-	-	-	-	-
EFFTAYLORIA Malloch, 1941 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0						x
EFFUSIMENTUM Barraclough, 1992*	1	-	-	-	-	-	1
EGAMEIGENIA Townsend, 1927	1	1	-	-	-	-	-
EGGONIA B. & B., 1893, <i>nomen dubium</i> Treated as valid in "Unplaced genera of Tachinidae" by Guimarães (1971: 216).	0	x					
ELEODIPHAGA Walton, 1918	1	-	1	-	-	-	-
ELEUTHROMYIA Reinhard, 1964	1	1	-	-	-	-	-
ELFIA Robineau-Desvoidy, 1850 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 754)	0	x		x	x		
ELFRIEDELLA Mesnil, 1957 Recorded from Oriental Region by Shima (1988).	1	-	-	1	-	1	-
ELIOZETA Rondani, 1856	1	-	-	1	-	-	-
ELOCERIA Robineau-Desvoidy, 1863	1	-	1	1	-	1	-
ELODIA Robineau-Desvoidy, 1863	1	-	-	1	-	1	-
ELODIMYIA Mesnil, 1952	1	-	-	-	-	1	-
ELOMYA Robineau-Desvoidy, 1830 Also spelled ELOMYIA, unjustified emendation.	1	-	-	1	-	-	-
ELPE Robineau-Desvoidy, 1863 = CAMPYLOCHETA Rondani, 1859 (Herting 1974: 13)	0				x	x	
EMBIOMYIA Aldrich, 1934	1	1	-	-	-	-	-
EMPEREMYIA Bischof, 1904	1	1	-	-	-	-	-
EMPEREMYIOPS Townsend, 1927	1	1	-	-	-	-	-
EMPOROMYIA B. & B., 1891	1	-	-	1	-	-	-
ENCHOMYIA Aldrich, 1934	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ENGEDDIA Kugler, 1977	1	-	-	1	-	-	-
ENGELOMYIA Townsend, 1931 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)	0	x					
ENROGALIA Reinhard, 1964	1	-	1	-	-	-	-
ENTOMOPHAGA Lioy, 1864	1	-	-	1	-	-	-
EOACEMYIA Townsend, 1926	1	-	-	-	-	1	1
EOMEDINA Mesnil, 1960	1	-	-	-	1	-	-
EOMEIGENIELLOIDES Reinhard, 1975*	1	1	-	-	-	-	-
EOPHYLLOPHILA Townsend, 1926	1	-	-	-	1	1	1
EOZENILLIA Townsend, 1926	1	-	-	-	-	1	1
EPALPELLUS Townsend, 1914	1	1	-	-	-	-	-
EPALPODES Townsend, 1912	1	1	-	-	-	-	-
EPALPUS Rondani, 1850	1	1	1	-	-	-	-
EPAULOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
EPICAMPOCERA Macquart, 1849 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	1	-	-	1	-	1	-
EPICORONIMYIA Blanchard, 1940	1	1	-	-	-	-	-
EPICUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
EPIDEXIA Townsend, 1912 = PROSPHERYSA van der Wulp, 1890 (Wood 1987: 1214, O'Hara & Wood 1998: 754)	0	x					
EPIGRIMYIA Townsend, 1891	1	-	1	-	-	-	-
EPIMEIGENIA Townsend, 1931 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
EPIPHANOCERA Townsend, 1915	1	1	-	-	-	-	-
EPIPLAGIOPS Blanchard, 1943	1	1	-	-	-	-	-
EPIPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
EREBIOMIMA Mesnil, 1953	1	-	-	1	-	-	-
ERGOLABUS Reinhard, 1964 Junior homonym of ERGOLABUS Gistl, 1848 and replaced by CESAMORELOSIA Koçak & Kemal, 2010.	0	x					
ERIBELLA Mesnil, 1960	1	-	1	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ERIOTHRIX Meigen, 1803 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	1	1	-	1	-
ERISTALIOMYIA Townsend, 1926	1	-	-	-	-	1	1
ERNESTIA Robineau-Desvoidy, 1830 = PANZERIA R.-D., 1830 (Wood 1987: 1261, O'Hara & Wood 1998: 754, 769)	0			x			
ERNESTIOPSIS Townsend, 1931	1	1	-	-	-	-	-
ERVIA Robineau-Desvoidy, 1830 = ICELIA Robineau-Desvoidy, 1830 (Guimarães 1976b: 177)	0	x					
ERVIOPSIS Townsend, 1934	1	1	-	-	-	-	-
ERYCESTA Herting, 1967	1	-	-	1	-	-	-
ERYCIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
ERYCILLA Mesnil, 1957 = ALLOPHOROCERA Hendel, 1901 (Mesnil & Pschorner-Walcher 1968: 155, Wood 1974: 667, Tschorasnig & Richter 1998: 820)	0			x			
ERYNNIA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
ERYNNIOLA Mesnil, 1977	1	-	-	-	1	-	-
ERYNNIOPSIS Townsend, 1926	1	-	1	1	-	-	-
ERYTHROARGYrops Townsend, 1917	1	1	-	-	-	-	-
ERYTHROCERA Robineau-Desvoidy, 1849	1	-	-	1	1	1	1
ERYTHROEPALPUS Townsend, 1931	1	1	-	-	-	-	-
ERYTHROMELANA Townsend, 1919	1	1	-	-	-	-	-
ERYTHRONYCHIA B. & B., 1891	1	-	-	-	-	-	1
ESTHERIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
ETHILLA Robineau-Desvoidy, 1863	1	-	-	1	1	-	1
ETHYLLOIDES Verbeke, 1970	1	-	-	-	1	-	-
ETROGA Richter, 1995a*	1	-	-	1	-	-	-
EUACAULONA Townsend, 1908	1	1	-	-	-	-	-
EUANISIA Blanchard, 1947	1	1	-	-	-	-	-
EUANTHA van der Wulp, 1885	1	1	1	-	-	-	-
EUANTHOIDES Townsend, 1931	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUBISCHOFIMYIA Townsend, 1927	1	1	-	-	-	-	-
EUBRACHYMYERA Townsend, 1919 = PSEUDOPACHYSTYLUM Mik, 1891 (Wood 1987: 1257, O'Hara & Wood 1998: 754)	0			x			
EUCALODEXIA Townsend, 1908 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
EUCELATORIA Townsend, 1909	1	1	1	-	-	-	1
EUCELATORIOIDEA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
EUCELATORIOPSIS Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
EUCEROMASIA Townsend, 1912	1	-	1	-	-	-	-
EUCHAETOGYNE Townsend, 1908	1	1	1	-	-	-	-
EUCHEIOPHAGA James, 1945	1	1	-	-	-	-	-
EUCLAUSICELLA Townsend, 1927 = ITALISPIDEA Townsend, 1927 (Wood 1985: 48)	0	x					
EUCLYTIA Townsend, 1908	1	-	1	-	-	-	-
EUCNEPHALIA Townsend, 1892	1	-	1	-	-	-	-
EUCORDYLIGASTER Townsend, 1917 = CORDYLIGASTER Macquart, 1844 (Wood 1987: 1249, O'Hara & Wood 1998: 754)	0	x					
EUCORONIMYIA Townsend, 1908	1	-	1	-	-	-	-
EUCORPULENTOSOMA Townsend, 1914	1	1	-	-	-	-	-
EUCYRTOPHLOEBA Townsend, 1916 = CYRTOPHLEBA Rondani, 1856 (Mesnil 1974: 1266)	0	x					
EUDEJEANIA Townsend, 1912	1	1	-	-	-	-	-
EUDEXIA B. & B., 1889	1	1	-	-	-	-	-
EUEMPHEREMYIA Townsend, 1927	1	1	-	-	-	-	-
EUEPALPODES Townsend, 1915	1	1	-	-	-	-	-
EUEPALPUS Townsend, 1908	1	1	-	-	-	-	-
EUXORISTA Townsend, 1912	1	-	1	1	-	-	-
EUFABRICIOPSIS Townsend, 1915	1	1	-	-	-	-	-
EUGAEDIOPSIS Townsend, 1916 = GAEDIOPSIS B. & B., 1891 (O'Hara & Wood 2004: 176)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUGYMNOPEZA Townsend, 1933	1	-	-	1	-	-	-
EUHALIDAYA Walton, 1914	1	1	1	-	-	-	-
EUHELIOPROSOPA Reinhard, = CHILOEPALPUS Townsend, 1927 (Cortés 1992: 236)	0	x					
EUHUASCARAYA Townsend, 1927	1	1	-	-	-	-	-
EUHYGIA Mesnil, 1968	1	-	-	1	-	1	-
EUHYSTRICIA Townsend, 1914	1	1	-	-	-	-	-
EUJURINIODES Townsend, 1935	1	1	-	-	-	-	-
EULABIDOGASTER Belanovsky, 1951	1	-	-	1	-	-	-
EULASIONA Townsend, 1892	1	-	1	1	-	-	-
EULASIOPALPUS Townsend, 1913	1	1	-	-	-	-	-
EULOBOMYIA Woodley & Arnaud, 2008* Replacement name for LÖBOMYIA Woodley & Arnaud, 2008, preoccupied by LOBOMYIA Niituma, 2007.	1	1	-	-	-	-	-
EULOEWIODORIA Townsend, 1927	1	1	-	-	-	-	-
EULOEWOPSIS Townsend, 1917	1	1	-	-	-	-	-
EUMACHAERAEA Townsend, 1927	1	1	-	-	-	-	-
EUMACROHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
EUMASICERA Townsend, 1909 = HOUGHIA Coquillett, 1897 (Wood 1987: 1206, O'Hara & Wood 1998: 754)	0	x					
EUMEA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	1	1	-	1	-
EUMEELLA Mesnil, 1939	1	-	-	1	-	-	-
EUMEGAPARIA Townsend, 1908	1	-	1	-	-	-	-
EUMELANEPALPUS Townsend, 1915	1	1	-	-	-	-	-
EUMYOBLA Townsend, 1911 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 754)	0	x					
EUNEMORILLA Townsend, 1919	1	1	1	-	-	-	-
EUOEESTROGASTER Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
EUOEESTROGASTRODES Townsend, 1935 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUOEOSTROPHASIA Townsend, 1892	1	1	-	-	-	-	-
EUOEOSTROPSIS Townsend, 1913	1	1	-	-	-	-	-
EUPELECOTHECA Townsend, 1919 = NEOMINTHO B. & B., 1891 (Wood 1987: 1218, O'Hara & Wood 1998: 755)	0	x					
EUPHASIOPTERYX Townsend, 1915 = ORMIA Robineau-Desvoidy, 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 755)	0	x					
EUPHOROCERA Townsend, 1892 = CHETOGENA Rondani, 1856 (Wood 1987: 1221, O'Hara & Wood 1998: 755)	0	x					
EUPHOROCEROPSIS Townsend, 1917 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 755)	0	x					
EUPODODEXIA Villeneuve, 1915	1	-	-	-	1	-	-
EUPROSPhERYSA Townsend, 1928 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
EUPTIODEGEERIA Townsend, 1931 Synonymized with ERYTHROMELANA Townsend, 1919 by Wood (1985: 39) but reinstated as a valid genus by Inclan & Stireman (2013: 68).	1	1	-	-	-	-	-
EUPTIOLMYIA Townsend, 1939	1	1	-	-	-	-	-
EUPTIOPAREIA Townsend, 1916	1	-	1	-	-	-	-
EURITHIA Robineau-Desvoidy, 1844 Recorded from Oriental Region by Sun <i>et al.</i> (1992). = PANZERIA Robineau-Desvoidy, 1830 (Cerretti 2010: 326)	0			x		x	
EURYGASTROPSIS Townsend, 1916	1	-	-	-	-	-	1
EURYSTHAEA Robineau-Desvoidy, 1863	1	-	-	1	1	1	1
EURYTHEMYIA Reinhard, 1967	1	1	-	-	-	-	-
EUSAUNDERSIOPS Townsend, 1915	1	1	-	-	-	-	-
EUSCOPOLIA Townsend, 1892	1	-	1	-	-	-	-
EUSCOPOLIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
EUSISYROPA Townsend, 1908 = HYPHANTROPHAGA Townsend, 1892 (Wood 1987: 1206, O'Hara & Wood 1998: 755)	0	x					
EUSTACOMYIA Malloch, 1927	1	-	-	-	-	-	1
EUTELOTHYRIA Townsend, 1931	1	1	-	-	-	-	-
EUTHELALIRA Townsend, 1912	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
EUTHELYCONYCHIA Townsend, 1927 Synonymized with OPSOMEIGENIA Townsend, 1919 by Wood (1985: 68) but reinstated as valid by Wood in O'Hara & Wood (1998: 771).	1	1	1	-	-	-	1
EUTHERA Loew, 1866	1	1	1	1	1	1	1
EUTHYPROSOPIELLA Blanchard, 1963	1	1	-	-	-	-	-
EUTRAPELUS Reinhard, 1975* = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
EUTRICHOPHORA Townsend, 1915	1	1	-	-	-	-	-
EUTRICHOPODA Townsend, 1908	1	1	-	-	-	-	-
EUTRICHOPODOPSIS Blanchard, 1966	1	1	-	-	-	-	-
EUTRIXA Coquillett, 1897	1	-	1	-	-	-	-
EUTRIXOIDES Walton, 1913	1	1	-	-	-	-	-
EUTRIXOPSIS Townsend, 1919	1	-	-	1	1	1	-
EUVEPIVORA Baranov, 1942	1	-	-	-	-	1	1
EUWINTHEMIA Blanchard, 1963	1	1	-	-	-	-	-
EVERESTIOMYIA Townsend, 1933 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	-	1	-	1	-
EVIDOMYIA Reinhard, 1958	1	-	1	-	-	-	-
EXECHOPALPUS Macquart, 1847	1	-	-	-	-	-	1
EXODEXIA Townsend, 1927	1	1	-	-	-	-	-
EXOERNESTIA Townsend, 1927	1	1	-	-	-	-	-
EXOPALPUS Macquart, 1851	1	1	-	-	-	-	-
EXORISTA Meigen, 1803	1	-	1	1	1	1	1
EXORISTOIDES Coquillett, 1897	1	1	1	-	-	-	-
EXORISTOPSIS Townsend, 1915 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
FABRICIELLA Bezzi, 1906 = TACHINA Meigen, 1803 (Wood 1987: 1244, O'Hara & Wood 1998: 755)	0	x					
FABRICIOPSIS Townsend, 1914	1	1	-	-	-	-	-
FASSLOMYIA Townsend, 1931	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
FAUSTA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993). = PANZERIA Robineau-Desvoidy, 1830 (Cerretti 2010: 326)	0	x		x		x	
FERIOLA Mesnil, 1957 Recorded from Palaearctic Region by Richter (1986).	1	-	-	1	-	1	-
FISCHERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
FLAVICORNICULUM Chao & Shi, 1981 Recorded from both Palaearctic and Oriental regions by Chao & Shi (1981).	1	-	-	1	-	1	-
FLORADALIA Thompson, 1963	1	1	-	-	-	-	-
FORCIOPHASIA Townsend, 1935 = ACAULONA van der Wulp, 1884 (Toma 2003: 269)	0	x					
FORMICOMYIA Townsend, 1916	1	1	-	-	-	-	-
FORMICOPHANIA Townsend, 1916	1	-	-	-	-	1	-
FORMODEXIA Crosskey, 1973	1	-	-	-	-	-	1
FORMOSIA Guérin-Méneville, 1843	1	-	-	-	-	1	1
FRERAEA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
FROGGATTIMYIA Townsend, 1916	1	-	-	-	-	-	1
FRONTINA Meigen, 1838	1	-	-	1	-	1	-
FRONTINIELLA Townsend, 1918	1	1	1	-	-	-	-
FRONTOCNEPHALIA Townsend, 1916	1	1	-	-	-	-	-
FRONTODEXIA Mesnil, 1976	1	-	-	-	1	-	-
GAEDIA Meigen, 1838	1	-	-	1	-	-	-
GAEDIOPHANA B. & B., 1893 = GAEDIOPSIS B. & B., 1891 (Wood 1987: 1210, O'Hara & Wood 1998: 755)	0	x					
GAEDIOPHANOPSIS Blanchard, 1954	1	1	-	-	-	-	-
GAEDIOPSIS B. & B., 1891	1	1	1	-	-	-	-
GAEDIOXENIS Townsend, 1943 See Evenhuis <i>et al.</i> (2008: 14) for authorship and dating.	1	-	-	-	1	-	-
GAEDIOXENIS Villeneuve, 1937, <i>nomen nudum</i> See Evenhuis <i>et al.</i> (2008: 14) for authorship and dating.	0				x		
GALAPAGOSIA Curran, 1934	1	1	-	-	-	-	-
GALSANIA Richter, 1993* Synonymized with GONIOCERA B. & B., 1891 by Richter (1995a: 747) but reinstated as valid by Richter (2002: 238).	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
GANOPLERON Aldrich, 1934	1	1	-	-	-	-	-
GANOPROCTUS Aldrich, 1934	1	1	-	-	-	-	-
GASTROLEPTA Rondani, 1862	1	-	-	1	-	-	-
GASTROPTIOPS Mesnil, 1957	1	-	-	1	-	-	-
GAUTENGICESA Koçak & Kemal, 2010* Replacement name for PRETORIANA Curran, 1938, preoccupied by PRETORIANA Uvarov, 1922. = MYXOGAEDIA Mesnil, 1956 (O'Hara 2011: 60–61).	0				x		
GEMURSA Barraclough, 1992*	1	-	-	-	-	-	1
GENEA Rondani, 1850	1	1	1	-	-	-	-
GENODES Townsend, 1934	1	1	-	-	-	-	-
GENOTRICHIA Malloch, 1938	1	-	-	-	-	-	1
GERALDIA Malloch, 1930	1	-	-	-	-	-	1
GERMARIA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
GERMARIOCHAETA Villeneuve, 1937	1	-	-	1	-	1	-
GERMARIOPSIS Townsend, 1915	1	1	-	-	-	-	-
GEROCYPTERA Townsend, 1916 = CYLINDROMYIA (GEROCYPTERA Townsend, 1916) (Herting & Dely-Draskovits 1993: 431, O'Hara, Shima & Zhang 2009: 126)	0					x	x
GIBSONOMYIA Curran, 1925 = PHYLLOMYA Robineau-Desvoidy, 1830 (Mesnil & Shima 1979: 486)	0					x	
GIGAMYIOPSIS Reinhard, 1964	1	1	-	-	-	-	-
GIGANTOEPALPUS Townsend, 1913	1	1	-	-	-	-	-
GINGLYMIA Townsend, 1892	1	1	1	-	-	-	-
GLAUROCARA Thomson, 1869 Recorded from Palaearctic Region by Richter (1988).	1	-	-	1	1	1	-
GLOSSIDIONOPHORA Bigot, 1885 = CYLINDROMYIA Meigen, 1803 (Guimarães 1976a: 6)	0	x					
GNADOCHAETA Macquart, 1851	1	1	1	1	-	-	-
GONATORRHINA Röder, 1886	1	1	-	-	-	-	-
GONIA Meigen, 1803 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	1	1	1	1	1	1	1
GONIOCERA B. & B., 1891	1	-	1	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
GONIOCHAETA Townsend, 1891	1	-	1	-	-	-	-
GONIOPHTHALMUS Villeneuve, 1910	1	-	-	1	1	1	1
GONISTYLOM Macquart, 1851	1	1	-	-	-	-	-
GONITIMYA Chao & Liu <i>in</i> Liu, Chao <i>et al.</i> , 1998 Unavailable name, no included species or type species fixation (ICZN Article 13.3, 1999).	0			x			
GONZALEZODORIA Cortés, 1967	1	1	-	-	-	-	-
GOPAULIA Thompson, 1968 = SPHAERINA van der Wulp, 1890 (Wood 1985: 80)	0	x					
GRACILICERA Miller, 1945	1	-	-	-	-	-	1
GRAPHIA van der Wulp, 1885	1	-	-	-	-	-	1
GRAPHOGASTER Rondani, 1868 Recorded from Afrotropical Region by Cerretti <i>et al.</i> (2013).	1	-	1	1	1	-	-
GRAPHOTACHINA Malloch, 1938	1	-	-	-	-	-	1
GUERINIOPSIS Reinhard, 1943	1	-	1	-	-	-	-
GWENDA Richter, 1977 = PHYTOMYPTERA Rondani, 1845 (Andersen 1988: 45)	0			x			
GYMNAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
GYMNOCARCELIA Townsend, 1919 = CARCELIA Robineau-Desvoidy, 1830 (O'Hara & Wood 2004: 116)	0	x					
GYMNOCHAETOPSIS Townsend, 1914	1	1	-	-	-	-	-
GYMNOCHETA Robineau-Desvoidy, 1830 Also spelled GYMNOCHAETA, unjustified emendation.	1	-	1	1	-	1	-
GYMNOCLYTIA B. & B., 1893	1	1	1	-	-	-	-
GYMNODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
GYMNOGLOSSA Mik, 1898	1	-	-	1	1	-	-
GYMNOMACQUARTIA Mesnil & Shima, 1978	1	-	-	1	-	-	-
GYMNOMOMMA van der Wulp, 1888	1	1	-	-	-	-	-
GYMNOMMOPSIS Townsend, 1927	1	1	-	-	-	-	-
GYMNOPALPUS Townsend, 1919 = SPATHIDEXIA (GYMNOPALPUS Townsend, 1919) (Wood 1987: 1265, O'Hara & Wood 1998: 755)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
GYMNOPHRYXE Villeneuve, 1922 Not present in Afrotropical Region according to Crosskey (1984: 201).	1	-	1	1	-	-	-
GYMNOSONMA Meigen, 1803	1	1	1	1	1	1	-
GYNANDROMYIA Bezzii, 1923	1	-	-	-	1	1	-
HALYDAIA Egger, 1856 Also spelled HALIDAYA or HALIDAIA, unjustified emendations (O'Hara, Shima & Zhang 2009: 38).	1	-	-	1	-	1	1
HAMAXIA Walker, 1860 Valid genus according to Chao <i>et al.</i> (1998) and Herting & Dely-Draskovits (1993) but listed as a synonym of PALPOSTOMA R.-D. by Crosskey (1976, 1980b).	1	-	-	1	1	1	-
HAMAXIELLA Mesnil, 1967	1	-	-	1	-	1	-
HAPALIOLOEMUS Baranov, 1934 Recorded from Palaearctic Region by Shima (1999, as "HAPLIOLOEMUS").	1	-	-	1	-	1	-
HARACCA Richter, 1995a* Recorded from Oriental Region by Richter (1998c).	1	-	-	1	-	1	-
HARRISIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
HASMICA Richter, 1972 Listed as a synonym of CLASICELLA Rondani by Herting & Dely-Draskovits (1993) but treated as valid by Richter (1998a).	1	-	-	1	-	1	-
HAYWARDIMYIA Blanchard, 1955 Misspelled as HAYWARDIAMYIA by Guimarães (1971: 168).	1	1	-	-	-	-	-
HEBIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	1	-	-	1	-	1	-
HEGESINUS Reinhard, 1964	1	1	-	-	-	-	-
HELIAEA Curran, 1934	1	1	-	-	-	-	-
HELICONIOPHAGA Thompson, 1966	1	1	-	-	-	-	-
HELIODEXODES Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HELIODORUS Reinhard, 1964	1	-	1	-	-	-	-
HELIOLYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HELIOLYDELLOPS Townsend, 1934 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)	0	x					
HELIOPLAGIA Townsend, 1934 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
HELIOPROSOPA Townsend, 1927	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
HEMIARGYROPHYLAX Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
HEMIARGYROPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
HEMILYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HEMIMACQUARTIA B. & B., 1893	1	-	-	1	-	-	-
HEMISTURMIA Townsend, 1927	1	1	1	-	-	-	-
HEMISTURMIELLA Guimarães, 1983*	1	1	-	-	-	-	-
HEMIWINTHEMIA Villeneuve, 1938	1	-	-	-	1	-	-
HEMYDA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
HERAULTIA Villeneuve, 1920	1	-	-	1	-	-	-
HERMYA Robineau-Desvoidy, 1830	1	-	-	1	1	1	-
HESPEROMYIA B. & B., 1889	1	-	1	-	-	-	-
HESPEROPHASIA Townsend, 1915 = KIRBYA (HESPEROPHASIA Townsend, 1915) (Mesnil 1974: 1283, O'Hara & Wood 2004: 59)	0	x					
HETERIA Malloch, 1930	1	-	-	-	-	-	1
HETEROMETOPIA Macquart, 1846	1	-	-	-	-	-	1
HEYNEOPHASIA Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
HILLOMYIA Crosskey, 1973	1	-	-	-	-	-	1
HINEOMYIA Townsend, 1916	1	-	1	-	-	-	-
HOBARTIA Malloch, 1930 = TRICHOSTYLUM Macquart, 1851 (Barraclough 1992: 1190)	0						x
HOMALACTIA Townsend, 1915	1	-	1	-	-	-	-
HOMOGENIA van der Wulp, 1892	1	1	-	-	-	-	-
HOMOHYPOCHAETA Townsend, 1927	1	1	-	-	-	-	-
HOMOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-
HOMOSAUNDERSIOPS Townsend, 1931	1	1	-	-	-	-	-
HOMOTRIXA Villeneuve, 1914	1	-	-	-	-	1	1
HOUGHIA Coquillett, 1897	1	1	1	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
HUASCARAYOPSIS Townsend, 1927	1	1	-	-	-	-	-
HUASCARODEXIA Townsend, 1919	1	1	-	-	-	-	-
HUBNERIA Robineau-Desvoidy, 1848	1	-	1	1	-	-	-
HUTTONOBESSERIA Curran, 1927	1	-	-	-	-	-	1
HYADESIMYIA Bigot, 1888	1	1	-	-	-	-	-
HYALOMYA Robineau-Desvoidy, 1830 = PHASIA Latreille, 1804 (Herting 1984: 170, Sun & Marshall 2003: 18)	0	x					
HYALOMYODES Townsend, 1893 = STRONGYGASTER Macquart, 1834 (Wood 1987: 1260, O'Hara & Wood 1998: 755)	0	x					
HYALURGUS B. & B., 1893	1	-	1	1	-	1	-
HYGIELLA Mesnil, 1957	1	-	-	-	-	1	-
HYLEORUS Aldrich, 1926	1	-	-	1	1	1	1
HYOSOMA Aldrich, 1934	1	1	-	-	-	-	-
HYPERAEA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
HYPERSARA Villeneuve, 1935	1	-	-	-	1	1	-
HYPERTROPHOCERA Townsend, 1891	1	1	1	-	-	-	-
HYPERTROPHOMMA Townsend, 1915	1	1	1	-	-	-	-
HYPHANTROPHAGA Townsend, 1892	1	1	1	-	-	-	-
HYPOCHAETOPSIS Townsend, 1915	1	1	-	-	-	-	-
HYPODORIA Townsend, 1927	1	1	-	-	-	-	-
HYPOHOUGHIA Townsend, 1927	1	1	-	-	-	-	-
HYPOMYOTHYRIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
HYPOPHYLAX Townsend, 1935 = VIBRISSINA Rondani, 1861 (Wood 1985: 87)	0	x					
HYPOPROXYNOPS Townsend, 1927	1	1	-	-	-	-	-
HYPOTACHINA B. & B., 1891 Treated as a synonym of NEMORAEA Robineau-Desvoidy, 1830 by Crosskey (1980b: 843) and Herting (1984: 95) but reinstated as valid by Wood & Zumbado (2010: 1405).	1	1	-	-	-	-	-
HYPOVORIA Villeneuve, 1913	1	1	1	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
HYPSONYIA Cortés, 1983*	0	x					
Junior homonym of HYPSONYIA McAlpine, 1965 and replaced by RCORTESIA Koçak & Kemal, 2010.							
HYSTRICEPHALA Macquart, 1846	1	-	-	-	1	-	-
HYSTRICHODEXIA Röder, 1886	1	1	-	-	-	-	-
HYSTRICIA Macquart, 1844	1	1	1	-	-	-	-
HYSTRICIELLA Townsend, 1915	1	1	-	-	-	-	-
HYSTRICIOPSIS Townsend, 1914 = HYSTRICIA Macquart, 1844 (O'Hara 2002: 97)	0	x					
HYSTRICOVORIA Townsend, 1928	1	-	-	-	1	1	1
HYSTRIOMYIA Portschinsky, 1881 Recorded from Oriental Region by Chao (1974).	1	-	-	1	-	1	-
HYSTRISYPHONA Bigot, 1859	1	1	-	-	-	-	-
ICELIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
ICELIOPSIS Guimarães, 1976*	1	1	-	-	-	-	-
ICONOFONTINA Townsend, 1931	1	1	-	-	-	-	-
ICTERICODEXIA Townsend, 1934	1	1	-	-	-	-	-
IGNEOMYIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating.	1	-	-	-	1	-	-
IGNOTOMYIA Reinhard, 1961 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 755)	0	x					
ILLA Baranov, 1938 Junior homonym of ILLA Warren, 1914 and replaced by SOLOMONILLA Özdīmen, 2007.	0						x
IMAGUNCULA Reinhard, 1958 = SPALLANZANIA Robineau-Desvoidy, 1830 (Wood 1987: 1203, O'Hara & Wood 1998: 755)	0	x					
IMITOMYIA Townsend, 1912	1	-	1	-	1	-	-
IMPECCANTIA Reinhard, 1961	1	-	1	-	-	-	-
INCAMYIA Townsend, 1912	1	1	-	-	-	-	-
INCAMYIOPSIS Townsend, 1919	1	1	-	-	-	-	-
INTRAPALES Villeneuve, 1938	1	-	-	-	1	-	-
IRENGIA Townsend, 1935	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
IRWINIA Cortés, 1967 = PHYTOMYPTERA Rondani, 1845 (Mesnil 1973: 1192, Andersen 1988: 45)	0	x					
ISAFARUS Richter, 1976	1	-	-	1	-	-	-
ISCHYROPHAGA Townsend, 1915	1	1	-	-	-	-	-
ISIDOTUS Reinhard, 1962	1	-	1	-	-	-	-
ISOCHAETINA Mesnil, 1950	1	-	-	-	-	1	-
ISOPEXOPSIS Sun & Chao, 1994* = TAKANOMYIA Mesnil, 1957 (O'Hara, Shima & Zhang 2009: 119)	0					x	
ISOSTURMIA Townsend, 1927	1	-	-	1	-	1	1
ISTOCHETA Rondani, 1859 Also spelled ISTOCHAETA, unjustified emendation. Recorded from Oriental Region by Chao & Zhou (1993).	1	-	1	1	-	1	-
ITABIOMYIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
ITACNEPHALIA Townsend, 1927	1	1	-	-	-	-	-
ITACUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
ITALISPIDEA Townsend, 1927	1	1	-	-	-	-	-
ITALYDELLA Townsend, 1927	1	1	-	-	-	-	-
ITAMINTHO Townsend, 1931	1	1	-	-	-	-	-
ITAPLECTOPS Townsend, 1927	1	1	-	-	-	-	-
ITASAUNDERSIA Townsend, 1927	1	1	-	-	-	-	-
ITASTURMIA Townsend, 1927	1	1	-	-	-	-	-
ITAVORIA Townsend, 1931	1	1	-	-	-	-	-
ITAXANTHOMELANA Townsend, 1927	1	1	-	-	-	-	-
ITEUTHELALIRA Townsend, 1927	1	1	-	-	-	-	-
JAENIMYIA Townsend, 1912 = PTEROTOPEZA Townsend, 1908 (Toma & Guimarães 2000a: 8)	0	x					
JALAPAMYIA Reinhard, 1964 = MAUROMYIA Coquillett, 1897 (O'Hara 2002: 56)	0	x					
JAMACARIA Curran, 1928	1	1	-	-	-	-	-
JANTHINOMYIA B. & B., 1893	1	-	-	1	-	1	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
JAYNESLESKIA Townsend, 1934 = GENEÀ Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)	0	x					
JURINELLA B. & B., 1889	1	1	1	-	-	-	-
JURINIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
JURINIOPSIS Townsend, 1916	1	1	1	-	-	-	-
JURINIOSOMA Townsend, 1927	1	1	-	-	-	-	-
JURINODEXIA Townsend, 1915	1	1	-	-	-	-	-
KAISERIOLA Mesnil, 1970 Recognized as valid by Crosskey (1984: 201).	1	-	-	-	1	-	-
KALLISOMYIA Borisova-Zinovjeva, 1964	1	-	-	1	-	-	-
KAMBAITIMYIA Mesnil, 1953	1	-	-	-	-	1	-
KINANGOPANA van Emden, 1960	1	-	-	-	1	-	-
KINIATILIOPS Mesnil, 1955	1	-	-	-	1	-	-
KINIATILLA Villeneuve, 1938	1	-	-	-	1	-	-
KIRBYA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
KLUGIA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
KORALLIOMYIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating.	1	-	-	-	-	1	1
KUWANIMYIA Townsend, 1916 Recognized as valid by Herting & Dely-Draskovits (1993: 252), Shima (2006: 44, 106) and O'Hara, Shima & Zhang (2009: 110), but treated as a synonym of DOLICHOCOLON Brauer & Bergenstamm, 1889 by Tschorasnig & Richter (1998: 814); redefined by Cerretti (2009b).	1	-	-	1	1	1	-
LABIGASTERA Macquart, 1834	1	-	-	1	-	-	-
LAFUENTEMYIA Marnef, 1965	1	1	-	-	-	-	-
LAMBRUSCA Richter, 1998*	1	-	-	1	-	-	-
LASIONA van der Wulp, 1890	1	1	-	-	-	-	-
LASIONEURA Coquillett, 1895 = GINGLYMIA Townsend, 1892 (Wood 1987: 1239, O'Hara & Wood 1998: 755)	0	x					
LASIOPALES Villeneuve, 1922	1	-	-	1	-	-	-
LASIOPALPUS Macquart, 1847	1	1	-	-	-	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
LATIGINELLA Villeneuve, 1936	1	-	-	-	1	-	-
LAUFFERIELLA Villeneuve, 1929	1	-	-	1	-	-	-
LECANIPA Rondani, 1859	1	-	-	1	-	-	1
LEIOPHORA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	-	1	-	1	-
LEPTIDOSOPHIA Townsend, 1931	1	1	-	-	-	-	-
LEPTODEXIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOMACQUARTIA Townsend, 1919	1	1	-	-	-	-	-
LEPTOSTYLUM Macquart, 1851	1	1	-	-	-	-	-
LEPTOTHELAIRA Mesnil & Shima, 1979	1	-	-	1	-	1	-
LESCHENAUTIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
LESKIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
LESKIOLA Mesnil, 1957	1	-	-	-	-	1	-
LESKIOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LESKIOMIMA B. & B., 1891 = GENEÀ Rondani, 1850 (Wood 1987: 1264, O'Hara & Wood 1998: 755)	0	x					
LESKIOPSIS Townsend, 1916	1	1	1	-	-	-	-
LESPESIA Robineau-Desvoidy, 1863	1	1	1	1	-	-	1
LEUCOCARCELIA Villeneuve, 1921	1	-	-	-	1	-	-
LEUCOSTOMA Meigen, 1803	1	1	1	1	1	-	1
LEVERELLA Baranov, 1934	1	-	-	-	-	-	1
LIGERIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
LIGERIELLA Mesnil, 1961 Recorded from Oriental Region by Shima (1994).	1	-	-	1	-	1	-
LINDIGEPALPUS Townsend, 1931	1	1	-	-	-	-	-
LINDIGIA Townsend, 1931	1	1	-	-	-	-	-
LINDNERIOLA Mesnil, 1959	1	-	-	-	1	-	-
LINNAEMYA Robineau-Desvoidy, 1830 Also spelled LINNAEMYIA, unjustified emendation.	1	1	1	1	1	1	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
LISPIDEOSOMA Reinhard, 1943 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, Andersen 1988: 45, O'Hara & Wood 1998: 755)	0	x					
LISSOGLOSSA Villeneuve, 1912	1	-	-	1	-	-	-
LITOPHASIA Girschner, 1887	1	-	-	1	1	-	-
LIXADMONTIA Wood & Cave, 2006* Described from Neotropical Region and introduced into Florida in 2007.	1	1	1	-	-	-	-
LIXINIA Curran, 1926 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
LIXOPHAGA Townsend, 1908 Recorded from Oriental Region by Shima (1997).	1	1	1	1	-	1	1
LOBOMYIA Woodley & Arnaud, 2008* Junior homonym of LOBOMYIA Niitsuma, 2007 and replaced by EULOBOMYIA Woodley & Arnaud, 2008.	0	x					
LOEWIA Egger, 1856	1	-	1	1	-	-	-
LOMACHANTHA Rondani, 1859	1	-	-	1	-	-	-
LOPHOSIA Meigen, 1824	1	-	-	1	-	1	-
LOPHOSIOSOMA Mesnil, 1973	1	-	-	-	-	1	-
LUBUTANA Villeneuve, 1938	1	-	-	-	1	-	-
LYDELLA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
LYDELLINA Villeneuve, 1916	1	-	-	-	1	1	-
LYDELLOHOUGHIA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
LYDELLOTHELIRA Townsend, 1919	1	1	-	-	-	-	-
LYDINA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
LYDINOLYDELLA Townsend, 1927	1	1	-	-	-	-	-
LYGAEOMYIA Aldrich, 1934	1	1	-	-	-	-	-
LYPHA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
LYPHOSIA Mesnil, 1957	1	-	-	1	-	-	-
MACHAIROMASICERA Townsend, 1919 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
MACQUARTIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
MACROCHLORIA Malloch, 1929	1	-	-	-	-	-	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MACROHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
MACROHOUGHIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MACROJURINIA Townsend, 1916	1	1	-	-	-	-	-
MACROMETOPA B. & B., 1889	1	1	-	-	-	-	-
MACROMYA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
MACROPODEXIA Townsend, 1933 = SENOSTOMA Macquart, 1847 (Barracough 1992: 1309)	0						x
MACROPROSOPA B. & B., 1889	1	-	-	1	-	-	-
MACTOMYIA Reinhard, 1958	1	-	1	-	-	-	-
MACULOSALIA Mesnil, 1946	1	-	-	1	-	-	-
MADREMYIA Townsend, 1916	1	1	1	1	-	-	-
MAGRIPA Richter, 1988*	1	-	-	1	-	-	-
MAHAUIELLA Toma, 2003*	1	1	-	-	-	-	-
MALAYIA Malloch, 1926 Valid genus of RHINOPHORIDAE (Pape & Shima 1993: 81).	0						x
MALLOCHOMACQUARTIA Townsend, 1934	1	-	-	-	-	-	1
MANOLA Richter, 1982	1	-	-	1	-	-	-
MANTEOMASIPHYA Guimarães, 1966	1	1	-	-	-	-	-
MAPOLOMYIA Verbeke, 1960 = CAHENIA Verbeke, 1960 (Crosskey 1984: 200)	0						x
MARACASIMYIA Thompson, 1968 = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)	0	x					
MARNEFIA Cortés, 1982*	1	1	-	-	-	-	-
MARSHALLOMYIA Fennah <i>in</i> van Emden, 1960 The author of this name is given in the literature as van Emden, but the author was Fennah as explained in a note on the first page of the paper.	1	-	-	-	1	-	-
MASICERA Macquart, 1834	1	-	-	1	-	-	-
MASIPHYA B. & B., 1891	1	1	1	-	-	-	-
MASIPHYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MASISTYLOIDES Mesnil, 1963	1	-	-	1	-	-	-
MASISTYLUM B. & B., 1893	1	-	1	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MASTIGIOMYIA Reinhard, 1964	1	1	-	-	-	-	-
MATUCANIA Townsend, 1919	1	1	-	-	-	-	-
MAURITIODORIA Townsend, 1932	1	-	-	-	1	-	-
MAUROMYIA Coquillett, 1897	1	1	1	-	-	-	-
MAYODISTICHONA Townsend, 1928	1	1	-	-	-	-	-
MAYOPHORINIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
MAYOSCHIZOCERA Townsend, 1927	1	1	-	-	-	-	-
MEDINA Robineau-Desvoidy, 1830	1	1	1	1	1	1	-
MEDINELLA Dugdale, 1969	1	-	-	-	-	-	1
MEDINODEXIA Townsend, 1927	1	-	-	-	-	1	1
MEDINOMYIA Mesnil, 1957	1	-	-	-	-	1	-
MEDINOPHYTO Townsend, 1927	1	1	-	-	-	-	-
MEDINOSPILA Mesnil, 1977	1	-	-	-	1	-	-
MEDIOSETIGER Barraclough, 1983*	1	-	-	-	1	-	-
MEGAPARIA van der Wulp, 1891	1	1	1	-	-	-	-
MEGAPARIOPSIS Townsend, 1915	1	-	1	-	-	-	-
MEGAPROSOPUS Macquart, 1844	1	1	1	-	-	-	-
MEGISTOGASTROPSIS Townsend, 1916	1	-	-	-	-	1	1
MEHMETIA Özdiyen, 2007* Replacement name for RHAMPHOPTERYX Townsend, 1931, preoccupied by RHAMPHOPTERYX Bryk, 1913.	1	1	-	-	-	-	-
MEIGENIA Robineau-Desvoidy, 1830 Recorded from Afrotropical Region by Zeegers (2007, Yemen).	1	-	1	1	1	1	-
MEIGENIELLOIDES Townsend, 1919	1	1	1	-	-	-	-
MELANACTIA Townsend, 1927 = OXYNOPS Townsend, 1912 (Wood 1985: 71)	0	x					
MELANASOMYIA Malloch, 1935	1	-	-	-	-	1	-
MELANEPALPELLUS Townsend, 1927	1	1	-	-	-	-	-
MELANEPALPUS Townsend, 1914	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MELANESOMYIA Barraclough, 1998*	1	-	-	-	-	-	1
MELANESOMYIA Barraclough, 1997 is a <i>nomen nudum</i> because a type species was not designated from three included species.							
MELANODORIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
MELANOPHRYS Williston, 1886	1	-	1	-	-	-	-
MELANORLOPTERYX Townsend, 1927	1	1	-	-	-	-	-
MELANOROMINTHO Townsend, 1935	1	1	-	-	-	-	-
MELANOROPHASIA Townsend, 1934	1	1	-	-	-	-	-
MELEDONUS Aldrich, 1926	1	-	1	-	-	-	-
MELETERUS Aldrich, 1926	1	1	1	-	-	-	-
MELISONEURA Rondani, 1861	1	-	-	1	-	-	-
MELLACHNUS Aldrich, 1934	1	1	-	-	-	-	-
MENDELSSOHNIA Kugler, 1971	1	-	-	1	-	-	-
MENETUS Aldrich, 1926 Junior homonym of MENETUS Adams & Adams, 1855 and replaced by ALDRICHOMYIA Özdkmen, 2006.	0		x				
MERICINA Curran, 1927 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
MESEMBRIERIGONE Townsend, 1931	1	1	-	-	-	-	-
MESEMBRINORMIA Townsend, 1931	1	1	-	-	-	-	-
MESNILANA van Emden, 1945	1	-	-	-	1	-	-
MESNILETTA Herting, 1979*	1	-	-	-	-	1	-
MESNILISCA Zimin, 1974	1	-	-	1	-	-	-
MESNILIUS Özdkmen, 2006* Replacement name for PARAGONIA Mesnil, 1950, preoccupied by PARAGONIA Hübner, 1923.	1	-	-	-	-	-	1
MESNILOMYIA Kugler, 1972 Recorded from Afrotropical Region by Zeegers (2007, Yemen) = ROSSIMYIOPS Mesnil, 1953 (Cerretti <i>et al.</i> 2009: 32).	0			x	x		
MESNILUS Özdkmen, 2007* Replacement name for ZIMINIOLA Mesnil, 1978, preoccupied by ZIMINIOLA Gerasimov, 1930.	1	-	-	-	1	-	-
MESOCHAETA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)	0	x					
METACEMYIA Herting, 1969	1	-	-	1	1	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
METADEXIA Coquillett, 1899 = ZELIA Robineau-Desvoidy, 1830 (Wood 1987: 1249, O'Hara & Wood 1998: 755)	0	x					
METADORIA B. & B., 1893 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
METADRINOMYIA Shima, 1980 Recorded from Afrotropical Region by Ceretti (2012).	1	-	-	1	1	1	-
METAGONISTYLUM Townsend, 1927 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)	0	x					
METAMYIOPHASIA Blanchard, 1966	1	1	-	-	-	-	-
METAMYOBIA Townsend, 1927	1	1	-	-	-	-	-
METAPHOROCERA Thompson, 1968	1	1	-	-	-	-	-
METAPHRYNO Crosskey, 1967	1	-	-	-	-	-	1
METAPLAGIA Coquillett, 1895	1	-	1	-	-	-	-
METARRHINOMYIA Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62; cited as a synonym of OPSOMEIGENIA Townsend, 1919, by Wood 1985: 68, in error)	0	x					
METOPIOPS Townsend, 1912 = PSEUDOCHAETA (METOPIOPS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 755, O'Hara & Wood 2004: 196)	0	x					
METOPIOPSIS Vimmer & Soukup, 1940 Treated as a <i>nomen dubium</i> by Guimarães (1971: 217).	1	1	-	-	-	-	-
METOPOACTIA Townsend, 1927	1	1	-	-	-	-	-
METOPOMINTHO Townsend, 1927 = PHYLLOMYA Robineau-Desvoidy, 1830 (Mesnil 1975: 1351)	0					x	
METOPOMUSCOPTERYX Townsend, 1915	1	-	1	-	-	-	-
METOPOSISYROPS Townsend, 1916 = LYDELLA Robineau-Desvoidy, 1830 (Woodley 1994: 135)	0				x	x	
MIAMIMYIA Townsend, 1916 Recorded from Neotropical Region by Guimarães (1982b).	1	1	1	-	-	-	-
MIAMIMYOPS Townsend, 1939	1	1	-	-	-	-	-
MICROAPORIA Townsend, 1919	1	1	-	-	-	-	-
MICROCEROPHINA Kugler, 1977	1	-	-	1	-	-	-
MICROCHAETINA van der Wulp, 1891	1	1	1	-	-	-	-
MICROCHAETOLOGYNE Townsend, 1931	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MICROCHAETONA Townsend, 1919 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
MICROGYMNOMMA Townsend, 1916	1	1	-	-	-	-	-
MICROHYSTRICIA Malloch, 1938	1	-	-	-	-	-	1
MICROLESKIA Thompson, 1968 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 74)	0	x					
MICROMASIPHYA Townsend, 1934	1	1	-	-	-	-	-
MICRONYCHIA B. & B., 1889 One described species in Palaearctic Region according to O'Hara 2002: 117.	1	-	1	1	-	-	-
MICRONYCHIOPS Townsend, 1915	1	1	-	-	-	-	-
MICROPHTHALMA Macquart, 1844	1	1	1	1	1	1	1
MICROPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MICROSILLUS Aldrich, 1926 = SIPHOSTURMIA Coquillett, 1897 (Wood 1987: 1215, O'Hara & Wood 1998: 756)	0	x	x				
MICROSOMA Macquart, 1855	1	-	-	1	-	-	-
MICROTOWNSENDIA Curran, 1934 = SPAERINA van der Wulp, 1890 (Wood 1985: 80)	0	x					
MICROTROPESA Macquart, 1846	1	-	-	-	-	-	1
MIKIA Kowarz, 1885	1	-	-	1	-	1	-
MILADA Richter, 1973	1	-	-	1	-	-	-
MILONIUS Reinhard, 1955 = MYSTACOMYIA Giglio-Tos, 1893 (Wood 1987: 1211, O'Hara & Wood 1998: 756)	0	x					
MIMOLOGUS Reinhard, 1955 = EUNEMORILLA Townsend, 1919 (Wood 1987: 1211, O'Hara & Wood 1998: 756)	0	x					
MINTHO Robineau-Desvoidy, 1830	1	-	-	1	1	-	-
MINTHODES B. & B., 1889	1	-	-	1	1	-	-
MINTHODEXIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MINTHOLESKIA Townsend, 1934	1	1	-	-	-	-	-
MINTHOMYIA Townsend, 1919 = ERYTHROMELANA Townsend, 1919 (Wood 1985: 39)	0	x					
MINTHOPLAGIA Townsend, 1915	1	1	-	-	-	-	-
MINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MINTHOSOMA Zeegers, 2007*	1	-	-	-	1	-	-
MINTHOTACHINA Townsend, 1935	1	1	-	-	-	-	-
MINTHOXIA Mesnil, 1968	1	-	-	-	-	-	1
MITANNIA Herting, 1987*	1	-	-	1	-	-	-
MOCHLOSOMA B. & B., 1889	1	1	1	-	-	-	-
MONGOLOMINTHO Richter, 1976	1	-	-	1	-	-	-
MONOESTROGASTER Townsend, 1939 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
MONOLEPTOPHAGA Baranov, 1938	1	-	-	-	-	-	1
MONTANARTURIA Miller, 1945	1	-	-	-	-	-	1
MONTANOTHALMA Barraclough, 1996*	1	-	-	-	1	-	-
MONTSERRATIA Thompson, 1964	1	1	-	-	-	-	-
MONTUOSA Chao & Zhou, 1996*	1	-	-	1	-	-	-
MOREIRIA Townsend, 1932	1	1	-	-	-	-	-
MORPHODEXIA Townsend, 1931	1	1	-	-	-	-	-
MUNIRA Richter, 1974	1	-	-	1	-	-	-
MUSCINOTHELAIRA Townsend, 1916 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
MUSCOPTERYX Townsend, 1892	1	1	1	-	-	-	-
MYATELEMUS Reinhard, 1967	1	-	1	-	-	-	-
MYCTEROMYIELLA Mesnil, 1966	1	-	-	1	1	1	1
MYERSIMYIA Townsend, 1935 = EXORISTOIDES Coquillett, 1897 (O'Hara 2002: 75)	0	x					
MYIOCHAETA Cortés, 1967	1	1	-	-	-	-	-
MYIOCLURA Reinhard, 1975*	1	1	-	-	-	-	-
MYIODEXIA Cortés & Campos, 1971*	1	1	-	-	-	-	-
MYIODORIOPS Townsend, 1935 Synonymized with ERYTHRONEELANA Townsend, 1919 by Wood (1985: 39) but reinstated as a valid genus by Inclan & Stireman (2013: 68).	1	1					
MYIOMIMA B. & B., 1889	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
MYIOMINTHO B. & B., 1889	1	1	-	-	-	-	-
MYIOPHARUS B. & B., 1889	1	1	1	-	-	-	-
MYIOPHASIA B. & B., 1891 = GNADOCHAETA Macquart, 1851 (Wood 1987: 1254, O'Hara & Wood 1998: 756)	0	x					
MYIOPHASIOMIMA Blanchard, 1966	1	1	-	-	-	-	-
MYIOPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
MYIOSCOTIPTERA Giglio-Tos, 1893	1	1	-	-	-	-	-
MYIOSTURMIA Townsend, 1927 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14)	0	x					
MYIOSTURMIOPSIS Thompson, 1963	1	1	-	-	-	-	-
MYOTRIXA B. & B., 1893	1	-	-	-	-	-	1
MYOXYNOPS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
MYOBIMIMA Townsend, 1926	1	-	-	-	-	1	-
MYOBIOPSIS Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 756)	0	x					
MYOSTOMA Robineau-Desvoidy, 1830 = ESTHERIA Robineau-Desvoidy, 1830 (Herting 1984: 141, Herting & Dely-Draskovits 1993: 363)	0					x	
MYOTHYRIOPSIS Townsend, 1919	1	1	1	-	-	-	-
MYSTACELLA van der Wulp, 1890	1	1	1	-	-	-	-
MYSTACOMYIA Giglio-Tos, 1893	1	1	1	-	-	-	-
MYSTACOMYOIDEA Thompson, 1963	1	1	-	-	-	-	-
MYXARCHICLOPS Villeneuve, 1916	1	-	-	-	1	-	-
MYXEXORISTOPS Townsend, 1911 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	1	1	-	1	-
MYXOGAEDIA Mesnil, 1956 Valid name to replace PRETORIANA Curran, 1938 (O'Hara 2011: 60–61).	1				1		
NAIRA Richter, 1970	1	-	-	1	-	-	-
NANOPLAGIA Villeneuve, 1929 Removed from synonymy with PLAGIOMIMA B. & B., 1891 and reinstated as a valid genus by Cerretti (2009a: 108).	1	-	-	1	-	-	-
NARDIA Cerretti, 2009*	1	-	-	-	1	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
NEAERA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
NEALSONYIA Mesnil, 1939 Recorded from Afrotropical Region by Ceretti (2005).	1	-	-	1	1	1	-
NEAPHRIA Townsend, 1914	1	1	-	-	-	-	-
NEARGYROPHYLAX Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
NEMORAEA Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
NEMORILLA Rondani, 1856	1	1	1	1	1	1	1
NEMORILLOIDES B. & B., 1891	1	-	-	-	1	-	-
NEOBRACHELIA Townsend, 1931	1	1	-	-	-	-	-
NEOCAMPYLOCHAETA Townsend, 1927 = PARAHYPOCHAETA B. & B., 1891 (Sabrosky 1975: 48)	0	x					
NEOCHAETOPLAGIA Blanchard, 1963	1	1	-	-	-	-	-
NEOCRASPEDOTHRIX Townsend, 1927	1	1	-	-	-	-	-
NEOCUPHOCERA Townsend, 1927	1	1	-	-	-	-	-
NEOCYRTOPHOEBA Vimmer & Soukup, 1940	1	1	-	-	-	-	-
NEOEMDENIA Mesnil, 1953	1	-	-	1	-	-	-
NEOERIGONE Townsend, 1919 = CHRYSOTACHINA B. & B., 1889 (O'Hara 2002: 86)	0	x					
NEOERYTHRONYCHIA Malloch, 1932	1	-	-	-	-	-	1
NEOETHILLA Ceretti, Wood & O'Hara, 2012*	1	1	1				
NEOEUANTHA Townsend, 1931 Listed as a synonym of EUANTHA van der Wulp, 1885 by Guimarães (1971) but treated as valid by Guimarães (1982a).	1	1	-	-	-	-	-
NEOGYMNONOMMA Townsend, 1915	1	1	-	-	-	-	-
NEOLOPHOSIA Townsend, 1939	1	1	-	-	-	-	-
NEOLYDELLA Mesnil, 1939	1	-	-	-	1	-	-
NEOMASIPHYA Guimarães, 1966	1	1	-	-	-	-	-
NEOMEDINA Malloch, 1935	1	-	-	-	-	-	1
NEOMETACHAETA Townsend, 1915	1	1	-	-	-	-	-
NEOMINTHO B. & B., 1891	1	1	1	-	-	-	-
NEOMINTHOIDEA Thompson, 1968	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
NEOMINTHOPSIS Townsend, 1915	1	1	-	-	-	-	-
NEOMYOSTOMA Townsend, 1935	1	1	-	-	-	-	-
NEOPAEDARIUM Blanchard, 1943	1	1	-	-	-	-	-
NEOPHASMOPHAGA Guimarães, 1982*	1	1	-	-	-	-	-
NEOPHRYXE Townsend, 1916 Recorded from Oriental Region by Liang, & Chao (1992) and from Afrotropical Region by Cerretti (2012).	1	-	-	1	1	1	-
NEOPHYLLOPHILA Townsend, 1927 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
NEOPLECTOPS Malloch, 1930	1	-	-	1	1	1	-
NEOPODOMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOSARROMYIA Townsend, 1927	1	1	-	-	-	-	-
NEOSOLIERIA Townsend, 1927	1	1	1	-	-	-	-
NEOSOPHIA Guimarães, 1982*	1	1	-	-	-	-	-
NEOTACHINA Malloch, 1938	1	-	-	-	-	-	1
NEOTRAFOIOPSIS Townsend, 1931	1	1	-	-	-	-	-
NEOTRYPHERA Malloch, 1938	1	-	-	-	-	-	1
NEOXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
NEOXYNOPSOIDEA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
NEOZELIA Guimarães, 1975*	1	1	-	-	-	-	-
NEPHOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
NEPHOPLAGIA Townsend, 1919	1	1	-	-	-	-	-
NEPOCARCELIA Townsend, 1927	1	1	-	-	-	-	-
NEPOPHASMOPHAGA Townsend, 1927	1	1	-	-	-	-	-
NEXIMYIA Crosskey, 1967	1	-	-	-	-	-	1
NICEPHORUS Reinhard, 1944	1	-	1	-	-	-	-
NIGARA Richter, 1999*	1	-	-	1	-	-	-
NIGRILYPHA O'Hara, 2002	1	-	1	-	-	-	-
NILEA Robineau-Desvoidy, 1863	1	1	1	1	1	1	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
NIMIOGLOSSA Reinhard, 1945	1	1	1	-	-	-	-
NIPPONOCEROMYIA Mesnil & Shima, 1978 = PROCEROMYIA Mesnil, 1957 (O'Hara 1989: 44)	0			x			
NOTHOVORIA Cortés & González, 1989*	1	1	-	-	-	-	-
NOTODERUS Cortés, 1986*	1	1	-	-	-	-	-
NOTODYTES Aldrich, 1934	1	1	-	-	-	-	-
NOTOMANES Aldrich, 1934	1	1	-	-	-	-	-
NOWICKIA Wachtl, 1894 = TACHINA (NOWICKIA) Wachtl, 1894 (Wood 1987: 1244, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 325)	0			x		x	
OBERONOMYIA Reinhard, 1964	1	1	-	-	-	-	-
OBLITONEURA Mesnil, 1975	1	-	-	1	-	-	-
OBSCUROMYIA Barraclough & O'Hara, 1998*	1	-	-	-	-	-	1
OCCISOR Hutton, 1901	1	-	-	-	-	-	1
OCHROCERA Townsend, 1916	1	-	1	-	-	-	-
OCHROEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OCTYPTEROMIMA Townsend, 1916	1	-	-	-	1	1	-
OXYRTOSOMA Townsend, 1912	1	1	-	-	-	-	-
OXYTATA Gistel, 1848	1	-	-	1	-	-	-
OEDEMAMEDINA Townsend, 1927	1	1	-	-	-	-	-
OEDEMATOCERA Townsend, 1916 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
OESTROHYSTRICIA Townsend, 1912	1	1	-	-	-	-	-
OESTROPHASIA B. & B., 1889	1	1	1	-	-	-	-
OESTROPHASIANA Townsend, 1931 = OESTROPHASIA B. & B., 1889 (Guimarães 1977: 220)	0	x					
OLA Paramonov, 1968 = RUTILOTRIXA Townsend, 1933 (Barraclough 1992: 1258)	0						x
OLENOCHAETA Townsend, 1892 = DISTICHONA van der Wulp, 1890 (Wood 1987: 1203, O'Hara & Wood 1998: 756)	0	x					
OLIGOESTRUS Townsend, 1932	1	1	-	-	-	-	-
OLINDA Robineau-Desvoidy, 1830 Treated as a <i>nomen dubium</i> by Guimarães (1971: 217).	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
OLINDOPSIS Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)	0	x					
OLLACHACTIA Townsend, 1927	1	1	-	-	-	-	-
OLLACHEA Townsend, 1919	1	1	-	-	-	-	-
OLLACHERYPHE Townsend, 1927	1	1	-	-	-	-	-
OMMALESKIA Townsend, 1917 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
OMMASICERA Townsend, 1911	1	1	-	-	-	-	-
ONYCHOGONIA B. & B., 1889	1	-	1	1	-	-	-
OOMEIGENIA Townsend, 1915 = EUHALIDAYA Walton, 1914 (Wood 1985: 45)	0	x					
OPESIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
OPHIRION Townsend, 1911	1	1	-	-	-	-	-
OPHIRIONOPSIS Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
OPHIODEXIA Townsend, 1911	1	1	-	-	-	-	-
OPHIOSTURMIA Townsend, 1911	1	1	-	-	-	-	-
OPSOEMPERIA Townsend, 1927	1	1	-	-	-	-	-
OPSOLESKIA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
OPSOMEIGENIA Townsend, 1919 Recorded from Oriental Region by Chao <i>et al.</i> (1998).	1	-	1	-	-	1	-
OPSOPHAGUS Aldrich, 1926	1	1	-	-	-	-	-
OPSOPHASIOPTERYX Townsend, 1917	1	1	-	-	-	-	-
OPSOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
OPSOOTHERESIA Townsend, 1919	1	-	1	-	-	-	-
OPSOZELIA Townsend, 1919	1	1	-	-	-	-	-
OPTICOPTERYX Townsend, 1931	1	1	-	-	-	-	-
ORAEOSOMA Cortés, 1976*	1	1	-	-	-	-	-
ORAPHASMOPHAGA Reinhard, 1958	1	-	1	-	-	-	-
ORASTURMIA Reinhard, 1947	1	-	1	-	-	-	-
ORESTILLA Reinhard, 1944	1	-	1	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ORMIA Robineau-Desvoidy, 1830 Recorded from Hawaii by Evenhuis (2003: 34).	1	1	1	-	-	-	1
ORMIOPHASIA Townsend, 1919	1	1	-	-	-	-	-
OROHOUGHIA Townsend, 1934 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 10)	0	x					
OROMASIPHYA Townsend, 1927	1	1	-	-	-	-	-
OROPHOROCERA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
ORTHAPORIA Townsend, 1919 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
ORTHOSIMYIA Reinhard, 1944	1	-	1	-	-	-	-
OSSIDINGIA Townsend, 1919 Recognized as valid by Crosskey (1984: 201).	1	-	-	-	1	-	-
OSTRACOPHYTO Townsend, 1915	1	-	1	-	-	-	-
OSWALDIA Robineau-Desvoidy, 1863 Recorded from Oriental Region by Shima (1991).	1	1	1	1	-	1	-
OTOMASICERA Townsend, 1912	1	-	1	-	-	-	-
OXYAPORIA Townsend, 1919	1	1	-	-	-	-	-
OXYEPALPUS Townsend, 1927	1	1	-	-	-	-	-
OXYMEDORIA Villeneuve, 1916	1	-	-	-	1	-	-
OXYNOPS Townsend, 1912	1	1	1	-	-	-	-
OXYNOPSALIA Curran, 1934 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
OXYNOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
OXYOPHIRION Townsend, 1927 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
OXYPHYLLOMYIA Villeneuve, 1937	1	-	-	1	-	1	-
PACHYCHETA Portschinsky, 1881 Valid name for genus previously called BARYCHAETA Bezzi, 1906 (O'Hara 2009: 66).	1	-	-	1	-	-	-
PACHYMYIA Macquart, 1844	1	1	-	-	-	-	-
PACHYNOCERA Townsend, 1919	1	1	-	-	-	-	-
PACHYSTYLOMUM Macquart, 1848	1	-	-	1	-	-	-
PAEDARIUM Aldrich, 1926	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PALES Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
PALESISA Villeneuve, 1929	1	-	-	1	-	-	-
PALEXORISTA Townsend, 1921 = DRINO (PALEXORISTA Townsend, 1921) (O'Hara & Wood 2004: 121)	0				x	x	x
PALIA Curran, 1927	1	-	-	-	-	-	1
PALIANA Curran, 1927	1	-	-	-	-	-	1
PALMONIA Kugler, 1972	1	-	-	1	-	-	-
PALPEXORISTA Townsend, 1926 = AUSTROPHOROCERA Townsend, 1916 (Wood 1987: 1221, O'Hara & Wood 1998: 756)	0	x					
PALPOLINNAEMYIA Townsend, 1927	1	1	-	-	-	-	-
PALPOSTOMA Robineau-Desvoidy, 1830	1	-	-	-	1	1	1
PALPOTACHINA Townsend, 1915	1	1	-	-	-	-	-
PALPOZENILLIA Townsend, 1934	1	1	-	-	-	-	-
PAMMAERUS Aldrich, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
PANACEMYIA Townsend, 1919 = TRIGONOSPILA Pokorný, 1886 (Wood 1985: 85)	0	x					
PANDELLEIA Villeneuve, 1907	1	-	-	1	1	-	-
PANZERIA Robineau-Desvoidy, 1830	1	-	1	1	-	1	-
PARABRACHYCOMA Blanchard, 1940	1	1	-	-	-	-	-
PARACHAETA Coquillett, 1897 = LESCHENAUTIA Robineau-Desvoidy, 1830 (Wood 1987: 1213, O'Hara & Wood 1998: 756, Toma & Guimarães 2002: 35)	0	x					
PARACHAETOPSIS Blanchard, 1959 = LESCHENAUTIA Robineau-Desvoidy, 1830 (Toma & Guimarães 2002: 35)	0	x					
PARACHETOLYGA Bischof, 1904	1	1	-	-	-	-	-
PARACLARA Bezzi, 1908 Valid name to replace CLARA B. & B. (Crosskey 1980a: 1230, 1984: 200).	1	-	-	-	1	-	-
PARACRASPEDOTHRIX Villeneuve, 1920 Synonymized with CHAETOSTIGMOPTERA Townsend, 1916 by Wood (1985: 31), but treated as valid by Herting & Dely-Draskovits (1993: 165) and O'Hara & Wood (2004: 104).	1	-	1	1	-	-	-
PARADEJEANIA B. & B., 1893	1	1	1	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PARADIDYMA B. & B., 1891	1	1	1	-	-	-	-
PARADORIA B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
PARADRINO Mesnil, 1949 See Evenhuis & O'Hara (2008: 66) for details about dating.	1	1	-	-	1	1	1
PARAGONIA Mesnil, 1950 See Evenhuis & O'Hara (2008: 66) for details about dating. Junior homonym of PARAGONIA Hübner, 1823 and replaced by MESNILIUS Özdikmen, 2006.	0						x
PARAHYPOCHAETA B. & B., 1891	1	1	-	-	-	-	-
PARAJURINIA Townsend, 1928	1	1	-	-	-	-	-
PARALISPE B. & B., 1891 = MYIOPHARUS B. & B., 1889 (Wood 1985: 60)	0	x					
PARALYPHA Mesnil, 1963	1	-	-	1	-	-	-
PARAMESOCHAETA B. & B., 1891	1	1	-	-	-	-	-
PARANETIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
PARANOXYNOPS Thompson, 1968 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
PARAPALES Mesnil, 1950 See Evenhuis & O'Hara (2008: 66–67) for details about dating.	1	-	-	-	1	1	-
PARAPEXOPSIS Mesnil, 1953	1	-	-	1	-	-	-
PARAPHASIANA Townsend, 1940 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
PARAPHASIOPSIS Townsend, 1917	1	1	-	-	-	-	-
PARAPHASMOPHAGA Townsend, 1915	1	-	1	-	-	-	-
PARAPHORANTHA Townsend, 1915 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756, Sun & Marshall 2003: 19)	0	x					
PARAPOLIOPS Blanchard, 1957	1	1	-	-	-	-	-
PARAPORIA Townsend, 1912 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
PARAPROSPHERYSA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
PARARCHYTAS B. & B., 1894	1	1	1	-	-	-	-
PARARONDANIA Villeneuve, 1916	1	-	-	-	1	-	-
PARARRHINACTIA Townsend, 1935 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 10)	0	x					

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PARASETIGENA B. & B., 1891	1	1	1	1	-	-	-
PARATACHINA B. & B., 1891	1	-	-	-	1	-	-
PARATHELAIRA Townsend, 1919 = CALODEXIA van der Wulp, 1891 (Wood 1985: 25)	0	x					
PARATHERESIA Townsend, 1915 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 756)	0	x					
PARATRIXA B. & B., 1891	1	-	-	1	-	-	-
PARATROPEZA Paramonov, 1964	1	-	-	-	-	-	1
PARATRYPHERA B. & B., 1891	1	-	-	1	1	1	-
PARAVIBRISSINA Shima, 1979	1	-	-	-	-	1	1
PARAXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PARAZELIA Townsend, 1919 Junior homonym of PARAZELIA Bigot, 1882 and replaced by CESAPANAMA Koçak & Kemal, 2010.	0	x					
PARECHINOTACHINA Townsend, 1931	1	1	-	-	-	-	-
PAREPALPUS Coquillett, 1902	1	1	1	-	-	-	-
PARERIGONE Brauer, 1898	1	-	-	1	-	1	-
PARERIGONESIS Chao & Sun in Chao, Sun & Zhou, 1990* = PARERIGONE Brauer, 1898 (Tschorstig & Richter 1998: 758)	0			x			
PAREUPOGONA Townsend, 1916	1	-	-	-	-	-	1
PARHAMAXIA Mesnil, 1967	1	-	-	1	-	-	-
PARKERELLA Townsend, 1942 = TRIARTHRIA Stephens, 1829 (O'Hara 1996a: 16)	0	x					
PARODOMYIOPS Townsend, 1935	1	1	-	-	-	-	-
PAROPESIA Mesnil, 1970 Recorded from Palaearctic Region by Shima (2014).	1	-	-	1	-	1	-
PAROPSIVORA Malloch, 1934 Recorded from Oriental Region by Shima (1994).	1	-	-	-	-	1	1
PARTHENOLESKIA Townsend, 1941	1	1	-	-	-	-	-
PATELLOA Townsend, 1916	1	1	1	-	-	-	-
PATILLALIA Curran, 1934	1	1	-	-	-	-	-
PATULIFRONS Barraclough, 1992*	1	-	-	-	-	-	1
PAULIPALPUS Barraclough, 1992*	1	-	-	-	-	-	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PELAMERA Herting, 1969	1	-	-	1	-	-	-
PELASHYRIA Villeneuve, 1935	1	-	-	-	1	-	-
PELATACHINA Meade, 1894	1	-	1	1	-	-	-
PELECOTHECA Townsend, 1919	1	1	-	-	-	-	-
PELETERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993).	1	1	1	1	1	1	-
PELYCOPS Aldrich, 1934	1	1	-	-	-	-	-
PENNAPODA Townsend, 1897	1	1	-	-	-	-	-
PENTATOMOPHAGA de Meijere, 1917	1	-	-	1	-	1	1
PENTHOSIA van der Wulp, 1892	1	1	1	-	-	-	-
PENTHOSIOSOMA Townsend, 1926	1	-	-	-	-	1	-
PERACROGLOSSA Townsend, 1931	1	1	-	-	-	-	-
PEREMPTOR Hutton, 1901	1	-	-	-	-	-	1
PERIARCHICLOPS Villeneuve, 1924	1	-	-	1	-	-	-
PERIBAEA Robineau-Desvoidy, 1863	1	-	-	1	1	1	1
PERICHETA Rondani, 1859 Unnecessary <i>nomen novum</i> for POLICHETA Rondani, 1856.	0			x			
PERIGYMNOSOMA Villeneuve, 1929	1	-	-	-	-	1	-
PERIOPTICHOCHAETA Townsend, 1927	1	1	-	-	-	-	-
PERIOSTOMA Cortés, 1986*	1	1	-	-	-	-	-
PERISCEPSIA Gistel, 1848	1	1	1	1	1	1	-
PERISTASISEA Villeneuve, 1934	1	-	-	-	1	-	-
PERRISSINA Malloch, 1938	1	-	-	-	-	-	1
PERRISSINOIDES Dugdale, 1962	1	-	-	-	-	-	1
PERSEDEA Richter, 2001* = ROSSIMYIOPS Mesnil, 1953 (Cerretti <i>et al.</i> 2009: 32)	0			x			
PERUMYIA Arnaud, 1963	1	1	-	-	-	-	-
PETAGNIA Rondani, 1856	1	-	-	1	-	-	-
PETEINA Meigen, 1838	1	-	-	1	-	1	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PETINARCTIA Villeneuve, 1928 = PERISCEPSIA (PETINARCTIA Villeneuve, 1928) (Wood 1987: 1253, O'Hara & Wood 1998: 756)	0			x			
PETRARGYrops Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
PEXOPSIS B. & B., 1889	1	-	-	1	1	1	-
PHAENOPSIS Townsend, 1912 = PSEUDOCHAETA (PHAENOPSIS Townsend, 1912) (Wood 1987: 1210, O'Hara & Wood 1998: 756, O'Hara & Wood 2004: 197)	0	x					
PHAEODEMA Aldrich, 1934	1	1	-	-	-	-	-
PHALACROPHYTO Townsend, 1915	1	-	1	-	-	-	-
PHANIA Meigen, 1824	1	-	-	1	-	-	-
PHANIOLA Mesnil, 1978* = CATAPARIPROSOPA Townsend, 1927 (Crosskey 1984: 195)	0				x		
PHANTASIOMYIA Townsend, 1915	1	-	1	-	-	-	-
PHANTASIOSIPHONA Townsend, 1915 = SIPHONA Meigen, 1803 (O'Hara 1983: 275)	0	x					
PHAOIELLA Malloch, 1938	1	-	-	-	-	-	1
PHASIA Latreille, 1804	1	1	1	1	1	1	1
PHASIATACTA Townsend, 1911	1	1	-	-	-	-	-
PHASIOCYPTERA Townsend, 1927	1	1	-	-	-	-	-
PHASIOORMIA Townsend, 1933	1	-	-	-	-	1	1
PHASIOPHYTO Townsend, 1919	1	1	-	-	-	-	-
PHASIOPS Coquillett, 1899	1	-	1	-	-	-	-
PHASIOPSIS Townsend, 1912 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 756)	0	x					
PHASISTOMA Townsend, 1915 = PHYTOMYPTERA Rondani, 1845 (Wood 1987: 1220, O'Hara & Wood 1998: 756)	0	x					
PHASMOFRONTINA Townsend, 1931	1	1	-	-	-	-	-
PHASMOPHAGA Townsend, 1909	1	1	1	-	-	-	-
PHASMOVORA Cortés, 1968 = PHASMOPHAGA Townsend, 1909 (Wood 1985: 72)	0	x					
PHEBELLIA Robineau-Desvoidy, 1846	1	-	1	1	-	1	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PHILIPPODEXIA Townsend, 1926	1	-	-	-	-	1	-
PHILOCORUS Cortés, 1976*	1	1	-	-	-	-	-
PHOBETROMYIA Reinhard, 1964	1	1	-	-	-	-	-
PHONOMYIA B. & B., 1893	1	-	-	1	-	-	-
PHORANTHELLA Brooks, 1945 = PHASIA Latreille, 1804 (Wood 1987: 1258, O'Hara & Wood 1998: 756)	0	x					
PHORCIDELLA Mesnil, 1946	1	-	-	-	-	1	-
PHORINIA Robineau-Desvoidy, 1830	1	-	-	1	1	1	1
PHOROCERA Robineau-Desvoidy, 1830	1	-	1	1	-	-	-
PHOROCEROSOMA Townsend, 1927	1	-	-	1	1	1	1
PHOROCEROSTOMA Malloch, 1930	1	-	-	-	-	-	1
PHOSOCEPHALA Townsend, 1908	1	1	-	-	-	-	-
PHRYNO Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
PHRYNOTACHINA Townsend, 1927	1	1	-	-	-	-	-
PHRYXE Robineau-Desvoidy, 1830	1	1	1	1	1	1	-
PHYLLARISTOMYIA Townsend, 1931	1	1	-	-	-	-	-
PHYLLOMYA Robineau-Desvoidy, 1830 Also spelled PHYLLOMYIA, unjustified emendation.	1	1	1	1	-	1	-
PHYLLOPHIOPSIS Townsend, 1915	1	1	1	-	-	-	-
PHYLOPHRYNO Townsend, 1927	1	1	-	-	-	-	-
PHYTOMYPTERA Rondani, 1845	1	1	1	1	1	1	-
PHYTOMYPTERINA van Emden, 1960	1	-	-	-	1	-	-
PHYTOROPHAGA Bezzi, 1923	1	-	-	1	-	1	1
PICCONIA Robineau-Desvoidy, 1863	1	-	1	1	-	-	-
PICTOEPALPUS Townsend, 1915	1	1	-	-	-	-	-
PILIGENA van Emden, 1947	1	-	-	-	1	-	-
PILIGENOIDES Barraclough, 1985*	1	-	-	-	1	-	-
PILIMYIA Malloch, 1930	1	-	-	-	-	-	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PIMELIMYIA Mesnil, 1949 See Evenhuis & O'Hara (2008: 67) for details about dating.	1	-	-	-	1	-	-
PIRONA Aldrich, 1928	1	1	-	-	-	-	-
PIRONIMYIA Townsend, 1931	1	1	-	-	-	-	-
PIXIMACTIA Townsend, 1927	1	1	-	-	-	-	-
PLAGIMASICERA Townsend, 1915	1	1	-	-	-	-	-
PLAGIOCOMA Villeneuve, 1916	1	-	-	-	1	-	-
PLAGIOMIMA B. & B., 1891 Recorded from Afrotropical Region by Crosskey (1984), but restricted to New World by Cerretti (2009a).	1	1	1	-	-	-	-
PLAGIOMYIA Curran, 1927	1	-	-	-	-	-	1
PLANOMYIA Aldrich, 1934	1	1	-	-	-	-	-
PLATYDEXIA van Emden, 1954	1	-	-	-	1	-	-
PLATYMYA Robineau-Desvoidy, 1830 Also spelled PLATYMYIA, unjustified emendation.	1	-	1	1	-	1	-
PLATYPHASIA Townsend, 1935 Junior homonym of PLATYPHASIA Skuse, 1890 and replaced by BRASILOMYIA Özdīkmen, 2010.	0	x					
PLATYRRHINODEXIA Townsend, 1927	1	1	-	-	-	-	-
PLATYSCHINERIA Villeneuve, 1942	1	-	-	-	1	-	-
PLATYTACHINA Malloch, 1938	1	-	-	-	-	-	1
PLATYTAINIA Macquart, 1851	1	-	-	-	-	-	1
PLAXACTIA Townsend, 1931 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
PLECTOPSIS Townsend, 1927	1	1	-	-	-	-	-
PLESINA Meigen, 1838	1	-	-	1	1	-	-
PLESIODEXILLA Blanchard, 1966	1	1	-	-	-	-	-
PLETHOCHAETIGERA Malloch, 1938	1	-	-	-	-	-	1
PODODEXIA B. & B., 1889	1	-	-	-	1	-	-
PODOSTURMIA Townsend, 1928	1	1	-	-	-	-	-
POLICHETA Rondani, 1856	1	-	1	1	-	-	-
POLIOPS Aldrich, 1934	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
POLISTIOPSIS Townsend, 1915	1	1	-	-	-	-	-
POLYBIOCYPTERA Guimarães, 1979*	1	1	-	-	-	-	-
POLYBIOPHILA Curran, 1937 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
POLYCHAETA Macquart, 1851	1	-	-	-	-	-	1
POLYGASTER van der Wulp, 1890	1	1	-	-	-	-	-
POLYGASTROPTERYX Mesnil, 1953	1	-	-	-	-	1	-
PORPHYROMUS van Emden, 1960	1	-	-	-	1	-	-
PRADOCANIA Tschorsnig, 1997*	1	-	-	1	-	-	-
PRETORIAMYIA Curran, 1927	1	-	-	-	1	-	-
PRETORIANA Curran, 1938 Junior homonym of PRETORIANA Uvarov, 1922 and replaced by junior synonym MYXOGAEDIA Mesnil, 1956 (O'Hara 2011: 60–61).	0				x		
PROCARCELIA Townsend, 1927	1	1	-	-	-	-	-
PROCEROMYIA Mesnil, 1957	1	-	-	1	-	-	-
PROCLEONICE Townsend, 1935	1	1	-	-	-	-	-
PRODEGEERIA B. & B., 1894	1	-	1	1	1	1	1
PRODEMOTICUS Villeneuve, 1919	1	-	-	1	-	-	-
PRODEXODES Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)	0	x					
PRODIAPHANIA Townsend, 1927	1	-	-	-	-	-	1
PROLESKIA Townsend, 1927	1	1	-	-	-	-	-
PROLESKIOMIMA Townsend, 1934	1	1	-	-	-	-	-
PROLOPHOSIA Townsend, 1933	1	-	-	-	1	-	-
PROLYPHA Townsend, 1934	1	1	-	-	-	-	-
PROMASIPHYA Townsend, 1927 = MASIPHYA B. & B., 1891 (Wood 1987: 1215, O'Hara & Wood 1998: 757)	0	x					
PROMEGAPARIA Townsend, 1931	1	1	-	-	-	-	-
PROMETOPIOPS Townsend, 1927	1	1	-	-	-	-	-
PROMINTHO Townsend, 1926	1	-	-	-	-	1	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PRONEMORILLA Townsend, 1935 = WINTHEMIA Robineau-Desvoidy, 1830 (Cortés & Campos 1971: 101)	0	x					
PROOPPIA Townsend, 1926	1	-	1	1	-	-	-
PROPARACHAETA Townsend, 1928	1	1	-	-	-	-	-
PROPARACHAETOPSIS Blanchard, 1942 Recognized as valid by Toma & Guimarães (2000b: 16).	1	1	-	-	-	-	-
PROPHAENOPsis Townsend = THELYOXYNOPS Townsend, 1927 (Wood 1985: 84)	0	x					
PROPHASIOPSIS Townsend, 1927	1	1	-	-	-	-	-
PROPHORINIA Townsend, 1927 = LIXOPHAGA Townsend, 1908 (Wood 1985: 51)	0	x					
PROPHOROSTOMA Townsend, 1927	1	1	-	-	-	-	-
PRORHYNCHOPS B. & B., 1891	1	1	-	-	-	-	-
PRORIEDELIA Mesnil, 1953	1	-	-	-	-	1	-
PROROGLUTEA Townsend, 1919	1	1	-	-	-	-	-
PROSCISSION Hutton, 1901	1	-	-	-	-	-	1
PROSENA Lepeletier & Serville, 1828	1	-	1	1	1	1	1
PROSENACTIA Blanchard, 1940	1	1	-	-	-	-	-
PROSENINA Malloch, 1930	1	-	-	-	-	-	1
PROSENOIDES B. & B., 1891	1	1	1	-	1	-	-
PROSENOSOMA Malloch, 1938	1	-	-	-	-	-	1
PROSETHILLA Herting, 1984	1	-	-	1	-	-	-
PROSHELIOMYIA B. & B., 1891	1	-	-	-	1	1	-
PROSOPEA Rondani, 1861	1	-	-	1	-	-	-
PROSOPCHAETA Macquart, 1851	1	1	-	-	-	-	-
PROSOPODOPSIS Townsend, 1926 Synonymized with KUWANIMYIA Townsend, 1916 by Herting (1984: 77) but treated as valid by Crosskey (1984: 201), Zeegers (2007: 393), and O'Hara, Shima & Zhang (2009: 116); redefined by Cerretti (2009b: 51–52).	1	-	-	-	1	1	-
PROSOPOFRONTINA Townsend, 1926 = ISTOCHETA Rondani, 1859 (Herting 1984: 24)	0				x	x	
PROSPALAEA Aldrich, 1925	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PROSPANIPALPUS Townsend, 1931	1	1	-	-	-	-	-
PROSPHERYSA van der Wulp, 1890	1	1	1	-	-	-	-
PROSPHERYSODORIA Townsend, 1928	1	1	-	-	-	-	-
PROSUCCINGULUM Mesnil, 1959	1	-	-	-	1	-	-
PROTAPORIA Townsend, 1919	1	-	-	-	-	-	1
PROTODEJEANIA Townsend, 1915	1	1	1	-	-	-	-
PROTOGONIOPS Townsend, 1913	1	1	-	-	-	-	-
PROTOGONIOPSIS Townsend, 1915	1	1	-	-	-	-	-
PROTOHYSTRICIA Malloch, 1929	1	-	-	-	-	-	1
PROTONOTODYTES Blanchard, 1966	1	1	-	-	-	-	-
PROTRICHOPROSOPIS Blanchard, 1966	1	1	-	-	-	-	-
PROTYPOPHAEAMYIA Blanchard, 1963	1	1	-	-	-	-	-
PROXANTHOBASIS Blanchard, 1966	1	1	-	-	-	-	-
PSALIDOXENA Villeneuve, 1941	1	-	-	1	-	-	-
PSECACERA Bigot, 1880	1	1	-	-	-	-	-
PSEUDALSOMYIA Mesnil, 1968 Recorded from Afrotropical Region by Cerretti (2012).	1	-	-	1	1	1	1
PSEUDEBENIA Shima, Han & Tachi, 2010*	1	-	-	1	-	1	-
PSEUDEUANTHA Townsend, 1915 = URAMYA Robineau-Desvoidy, 1830 (Wood 1987: 1262, O'Hara & Wood 1998: 757)	0	x					
PSEUDOBOMBYLIOMYIA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOBRULLAEA Mesnil, 1957	1	-	-	-	-	1	-
PSEUDOCELATORIA Thompson, 1968 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
PSEUDOCHAETA Coquillett, 1895	1	1	1	-	-	-	-
PSEUDOCHAETONA Townsend, 1919	1	1	-	-	-	-	-
PSEUDODEXIA B. & B., 1891	1	1	-	-	-	-	-
PSEUDODEXIA Chao <i>in</i> Chao, Liang & Zhou, 2002* Junior homonym of PSEUDODEXIA Brauer & Bergenstamm, 1891 and replaced by PSEUDODEXILLA O'Hara, Shima & Zhang, 2009.	0					x	

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PSEUDODEXILLA O'Hara, Shima & Zhang, 2009* Replacement name for PSEUDODEXIA Chao, 2002, preoccupied by PSEUDODEXIA Brauer & Bergenstamm, 1891.	1	-	-	-	-	1	-
PSEUDODINERA B. & B., 1891	1	-	-	-	1	-	-
PSEUDOEPALPODES Vimmer & Soukup, 1940 Genus missing from Guimarães (1971)	1	1	-	-	-	-	-
PSEUDOGONIA B. & B., 1889	1	-	-	1	1	1	1
PSEUDOMASIPHYA Thompson, 1963	1	1	-	-	-	-	-
PSEUDOMINTHO B. & B., 1889 = MINTHODES B. & B., 1889 (Tschorasnig & Richter 1998: 781)	0			x			
PSEUDOMINTHODES Townsend, 1933	1	-	-	-	1	-	-
PSEUDOMORINIA van der Wulp, 1891 = PHYLLOMYA Robineau-Desvoidy, 1830 (Wood 1987: 1257, O'Hara & Wood 1998: 757)	0	x					
PSEUDOMYOTHYRIA Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
PSEUDOPACHYSTYLUM Mik, 1891	1	-	1	1	-	-	-
PSEUDOPERICHAETA B. & B., 1889 Synonymized with NILEA Robineau-Desvoidy, 1863 by Wood (1987: 1210) and synonymy followed by O'Hara & Wood (2004: 132); treated as valid by O'Hara, Shima & Zhang (2009: 77).	1	-	-	1	1	1	1
PSEUDOPROSHERYSA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
PSEUDOREDENTBACHERIA B. & B., 1889	1	1	-	-	-	-	-
PSEUDORRHINACTIA Thompson, 1968	1	1	-	-	-	-	-
PSEUDOSIPHONSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOSTURMIA Thompson, 1966	1	1	-	-	-	-	-
PSEUDOVIVIANIA B. & B., 1891	1	1	-	-	-	-	-
PSEUDOXANTHOZONA Townsend, 1931	1	1	-	-	-	-	-
PSEUDOXANTHOZONELLA Townsend, 1931	1	1	-	-	-	-	-
PSIOPLEURA Reinhard, 1943 Junior homonym of PSIOPLEURA Druce, 1898 and replaced by BAHRETTINIA Özdiyen, 2007.	0		x				
PTEROPOPEZA Townsend, 1908 As "PTEROPEZA" in Guimarães (1971), in error.	1	1	-	-	-	-	-
PTESIOMYIA B. & B., 1893	1	-	-	1	-	-	-
PTILOCATAGONIA Mesnil, 1956	1	-	-	-	1	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
PTIODEGEERIA B. & B., 1891	1	1	-	-	-	-	-
PTIODEXIA B. & B., 1889	1	1	1	-	-	-	-
PTIOGONIA Bischof, 1904	1	1	-	-	-	-	-
PTIOMYIOPSIS Townsend, 1933	1	1	-	-	-	-	-
PTIOMYOIDES Curran, 1928	1	1	-	-	-	-	-
PUJOLINA Mesnil, 1968 = BLEPHARELLA Macquart, 1851 (Crosskey 1980b: 868)	0					x	
PUNAMYIA Townsend, 1915	1	1	-	-	-	-	-
PUNAMYOCERA Townsend, 1919	1	1	-	-	-	-	-
PYGIDIMYIA Crosskey, 1967	1	-	-	-	-	-	1
PYGOCLACAGER Townsend, 1935	1	-	-	-	-	-	1
PYGOPHORINIA Townsend, 1927 = CALOLYDELLA Townsend, 1927 (Wood 1985: 28)	0	x					
PYRRHODEXIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOERNESTIA Townsend, 1931	1	1	-	-	-	-	-
PYRRHOTACHINA Townsend, 1931	1	1	-	-	-	-	-
QUADRA Malloch, 1929	1	-	-	-	-	-	1
QUADRATOSOMA Townsend, 1914	1	1	-	-	-	-	-
RAMONDA Robineau-Desvoidy, 1863 = PERISCEPSIA (RAMONDA R.-D., 1863) (O'Hara & Wood 2004: 65)	0			x			
RAMONELLA Kugler, 1980 Recorded from Afrotropical Region by Zeegers (2007, Yemen).	1	-	-	1	1	-	-
RASILIVERPA Barraclough, 1992*	1	-	-	-	-	-	1
RCORTESIA Koçak & Kemal, 2010* Replacement name for HYPSOMYIA Cortés, 1983, preoccupied by HYPSOMYIA McAlpine, 1965.	1	1					
REDTENBACHERIA Schiner, 1861	1	-	-	1	-	-	-
REICHARDIA Karsch, 1886	1	-	-	-	1	-	-
REINHARDIANA Arnaud, 1952 = MICROCHAETINA van der Wulp, 1891 (Wood 1987: 1220, O'Hara & Wood 1998: 757)	0	x					
RHACHOEPALPUS Townsend, 1908	1	1	1	-	-	-	-
RHACHOSAUNDERSIA Townsend, 1931	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
RHACODINELLA Mesnil, 1968	1	-	-	1	-	-	-
RHAMPHINA Macquart, 1835	1	-	-	1	-	-	-
RHAMPHININA Bigot, 1885	1	1	-	-	-	-	-
RHAMPHOPTERYX Townsend, 1931 Junior homonym of RHAMPHOPTERYX Bryk, 1913 and replaced by MEHMETIA Özdkmen, 2007.	0	x					
RHAPHIOCHAETA B. & B., 1889	1	-	-	1	-	-	-
RHINAPLOMYIA Mesnil, 1955	1	-	-	1	-	1	-
RHINOMACQUARTIA B. & B., 1891	1	1	-	-	-	-	-
RHINOMYOBLIA B. & B., 1893	1	-	-	-	-	-	1
RHINOMYODES Townsend, 1933	1	-	-	1	-	1	-
RHINOPHOROIDES Barracough, 2005*	1	-	-	-	1	-	-
RHOMBOTHYRIA van der Wulp, 1891	1	1	-	-	-	-	-
RHOMBOTHYRIOPS Townsend, 1915	1	1	-	-	-	-	-
RHYNCHOGONIA B. & B., 1893 Recorded from Afrotropical Region by Zeegers (2010, United Arab Emirates).	1	-	-	1	1	-	-
RICHTERIOLA Mesnil, 1963	1	-	-	1	-	-	-
RICOSIA Curran, 1927	1	1	-	-	-	-	-
RIEDELIA Mesnil, 1942	1	-	-	1	-	1	-
RIOTERIA Herting, 1973	1	-	-	1	1	-	-
ROBINALDIA Herting, 1983	1	-	-	1	-	-	-
RONDANIA Robineau-Desvoidy, 1850	1	-	1	1	-	-	-
RONDANIOOESTRUS Villeneuve, 1916	1	-	-	-	1	-	-
ROSSIMYIOPS Mesnil, 1953 Redefined and recorded from Palaearctic Region by Cerretti <i>et al.</i> (2009).	1	-	-	1	1	-	-
RUIZIELLA Cortés, 1951	1	1	-	-	-	-	-
RUTILIA Robineau-Desvoidy, 1830	1	-	-	-	-	1	1
RUTILODEXIA Townsend, 1915	1	-	-	-	-	-	1
RUTILOTRIXA Townsend, 1933	1	-	-	-	-	-	1

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
SANTACRUZIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
SANTACRUZIOPSIS Thompson, 1968 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
SARALBA Walker, 1865	1	-	-	-	-	-	1
SARCOCALIRRHOE Townsend, 1928	1	1	-	-	-	-	-
SARCOPROSENA Townsend, 1927	1	1	-	-	-	-	-
SARROMYIA Pokorný, 1893	1	-	-	1	-	-	-
SARRORHINA Villeneuve, 1936 Misspelled as SARRHORINA by Crosskey (1980b: 842), see Crosskey (1984: 200).	1	-	-	-	1	-	-
SAUNDERSIOPS Townsend, 1914	1	1	-	-	-	-	-
SCAPHIMYIA Mesnil, 1955	1	-	-	1	-	1	-
SCHEMBRIA Rondani, 1861 Recorded from Afrotropical Region by Crosskey (1984).	1	-	-	1	1	-	-
SCHINERIA Rondani, 1857	1	-	-	1	-	-	-
SCHISTOSTEPHANA Townsend, 1919	1	1	-	-	-	-	-
SCHIZOCEROPHAGA Townsend, 1916 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)	0	x					
SCHIZOLINNAEA van Emden, 1960	1	-	-	-	1	-	-
SCHIZOTACHINA Walker, 1852 = PHYTOMYPTERA Rondani, 1844 (Wood 1987: 1220, O'Hara & Wood 1998: 757)	0	x					
SCHLINGERMYIA Cortés, 1967	1	1	-	-	-	-	-
SCHWARZALIA Curran, 1934	1	1	-	-	-	-	-
SCOMMA Richter, 1972	1	-	-	1	-	-	-
SCOTIPTERA Macquart, 1835	1	1	-	-	-	-	-
SEMISUTURIA Malloch, 1927	1	-	-	-	-	1	1
SENOMETOPIA Macquart, 1834 Treated as a subgenus of CARCELIA Robineau-Desvoidy, 1830 by Crosskey (1976: 231, 1980b: 865) and Cantrell & Crosskey (1989: 774) but as a valid genus by Herting & Dely-Draskovits (1993: 217) and O'Hara, Shima & Zhang (2009: 78).	1	-	-	1	1	1	1
SENOSTOMA Macquart, 1847	1	-	-	-	-	-	1
SEPSEOCARA Richter, 1986*	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
SERICODORIA Townsend, 1928	1	1	-	-	-	-	-
SERICOTACHINA Townsend, 1916	1	-	-	-	-	1	-
SERICOZENILLIA Mesnil, 1957	1	-	-	1	-	-	-
SERVILLIA Robineau-Desvoidy, 1830 = TACHINA (SERVILLIA R.-D., 1830) (Herting 1984: 86, Herting & Dely-Draskovits 1993: 267)	0					x	
SETALUNULIA Chao & Yang, 1990* Recorded from Palaearctic Region by Shima & Tachi (2009).	1	-	-	1	-	1	-
SETOLESTES Aldrich, 1934	1	1	-	-	-	-	-
SHANNONIELLA Townsend, 1939 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257)	0	x					
SHANNONOMYIELLA Townsend, 1939	1	1	-	-	-	-	-
SIGNOSOMA Townsend, 1914	1	1	-	-	-	-	-
SIGNOSOMOPSIS Townsend, 1914	1	1	-	-	-	-	-
SIMOMA Aldrich, 1926	1	-	-	1	-	1	-
SIPHOACTIA Townsend, 1927	1	1	-	-	-	-	-
SIPHOCROCUTA Townsend, 1935	1	1	-	-	-	-	-
SIPHOLESKIA Townsend, 1916 = LESKIA R.-D., 1830 (Wood 1987: 1264, O'Hara & Wood 1998: 757)	0	x					x
SIPHONA Meigen, 1803	1	1	1	1	1	1	1
SIPHOSTURMIA Coquillett, 1897	1	1	1	-	-	-	-
SISYPHOMYIA Townsend, 1927	1	1	-	-	-	-	-
SISYROHOUGHIA Townsend, 1927 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9) (as synonym of PETRARGYROPS Townsend, 1927 in Guimarães 1971: 212)	0	x					
SISYROPA B. & B., 1889	1	1	1	1	1	1	1
SITELLITERGUS Reinhard, 1964	1	1	-	-	-	-	-
SITOPHAGA Gistel, 1848 = ZAIRA Robineau-Desvoidy, 1830 (Herting 1974: 25, as “SITOPHILA”)	0	x					
SMIDTIA Robineau-Desvoidy, 1830	1	-	1	1	1	1	-
SMIDIOLA Mesnil, 1957 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)	0					x	

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
SOLIERIA Robineau-Desvoidy, 1849	1	-	1	1	-	1	-
SOLOMONILLA Özdikmen, 2007*	1	-	-	-	-	-	1
Replacement name for ILLA Baranov, 1938, preoccupied by ILLA Warren, 1914.							
SONACA Richter, 1981	1	-	-	1	-	-	-
SOPHIA Robineau-Desvoidy, 1830	1	1	-	-	-	-	-
SOPHIELLA Guimarães, 1982*	1	1	-	-	-	-	-
SOROCHEMYIA Townsend, 1915	1	1	-	-	-	-	-
SPALLANZANIA Robineau-Desvoidy, 1830	1	1	1	1	-	1	-
SPATHIDEXIA Townsend, 1912	1	1	1	-	-	-	-
SPATHIMEIGENIA Townsend, 1915 = VIBRISSINA Rondani, 1861 (Wood 1985: 86)	0	x					
SPATHIMYIA Townsend, 1912 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
SPATHIPALPUS Rondani, 1863	1	1	-	-	-	-	-
SPHAERINA van der Wulp, 1890	1	1	1	-	-	-	-
SPILOCHAETOSOMA Smith, 1917	1	-	1	-	-	-	-
SPINIABDOMINA Shi, 1991* = PARATRIXA B. & B., 1891 (O'Hara, Shima & Zhang 2009: 54)	0			x			
SPIROGLOSSA Doleschall, 1858	1	-	-	-	-	-	1
SQUAMOMEDINA Townsend, 1934	1	1	-	-	-	-	-
STACKELBERGOMYIA Rohdendorf, 1948	1	-	-	1	-	-	-
STAUROCHAETA B. & B., 1889	1	-	-	1	-	-	-
STEATOSOMA Aldrich, 1934	1	1	-	-	-	-	-
STELEONEURA Stein, 1924 Recorded from Oriental Region by Chao <i>et al.</i> (1998).	1	-	1	1	-	1	-
STENOCHAETA Thompson, 1968 = MYIOPHARUS B. & B., 1889 (Wood 1985: 62)	0	x					
STENODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
STENOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
STOLATOSOMA Reinhard, 1953	1	1	-	-	-	-	-
STOMATODEXIA B. & B., 1889 Recorded from Nearctic Region by O'Hara (2014).	1	1	1	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
STOMATOMYIA B. & B., 1889 = CHETOGENA (STOMATOMYIA B. & B., 1889) (Herting 1984: 13, O'Hara & Wood 2004: 148)	0	x			x	x	x
STOMATOTACHINA Townsend, 1931	1	1	-	-	-	-	-
STOMINA Robineau-Desvoidy, 1830 Recorded from Afrotropical Region by Crosskey (1984) and Zeegers (2007, Yemen).	1	-	-	1	1	-	-
STRONGYGASTER Macquart, 1834	1	1	1	1	-	-	-
STUARDOMYIA Cortés, 1945	1	1	-	-	-	-	-
STURMIA Robineau-Desvoidy, 1830	1	1	-	1	1	1	1
STURMIELLINA Thompson, 1963	1	1	-	-	-	-	-
STURMIMASIPHYA Townsend, 1935	1	1	-	-	-	-	-
STURMIOACTIA Townsend, 1926	1	1	-	-	-	-	-
STURMIODEXIA Townsend, 1919	1	1	-	-	-	-	-
STURMIOMIMA Townsend, 1934	1	1	-	-	-	-	-
STURMIOPSIS Townsend, 1916	1	-	-	1	1	1	-
STURMIOPSIDEA Thompson, 1966	1	1	-	-	-	-	-
STYLOCARCELIA Zeegers, 2007*	1	-	-	-	1	-	-
SUBCLYTIA Pandellé, 1894	1	-	-	1	-	-	-
SUBFISCHERIA Villeneuve, 1937	1	-	-	-	1	-	-
SUCCINGULODES Townsend, 1935	1	1	-	-	-	-	-
SUENSONOMYIA Mesnil, 1953	1	-	-	1	-	1	-
SUMICHRASTIA Townsend, 1916	1	1	-	-	-	-	-
SUMPIGASTER Macquart, 1855	1	-	-	1	1	1	1
SYMMORPHOMYIA Mesnil & Shima, 1977	1	-	-	1	-	-	-
SYNACTIA Villeneuve, 1915	1	-	-	1	-	-	-
SYNAMPHICHAETA Villeneuve, 1936	1	-	-	1	-	-	-
SYNORBITALIA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
SYRINGOSOMA Townsend, 1917	1	1	-	-	-	-	-
TACHINA Meigen, 1803	1	1	1	1	-	1	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TACHINEO Malloch, 1938	1	-	-	-	-	-	1
TACHINOESTRUS Portschinsky, 1887	1	-	-	1	-	-	-
TACHINOMYIA Townsend, 1892	1	1	1	-	-	-	-
TACHINOPHASIA Townsend, 1931	1	1	-	-	-	-	-
TACHINOPHYTO Townsend, 1892 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
TAKANOELLA Baranov, 1935	1	-	-	1	-	-	-
TAKANOMYIA Mesnil, 1957	1	-	-	1	-	1	-
TALAROCERA Williston, 1888	1	1	-	-	-	-	-
TALPAROMYIA Thompson, 1968 = LIXOPHAGA Townsend, 1908 (Wood 1985: 52)	0	x					
TAMANAMYIA Thompson, 1963 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
TAPAJOHOUGHIA Townsend, 1934 = HOUGHIA Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 10)	0	x					
TAPAJOLESKIA Townsend, 1934	1	1	-	-	-	-	-
TAPAJOSIA Townsend, 1934	1	1	-	-	-	-	-
TAPERAMYIA Townsend, 1935	1	1	-	-	-	-	-
TARASSUS Aldrich, 1933	1	1	-	-	-	-	-
TARPESITA Reinhard, 1967	1	1	-	-	-	-	-
TASMANIOMYIA Townsend, 1916	1	-	-	-	-	-	1
TECHNAMYIA Reinhard, 1975*	1	1	-	-	-	-	-
TELODYTES Aldrich, 1934	1	1	-	-	-	-	-
TELONOTOMYIA Cortés, 1986*	1	1	-	-	-	-	-
TELOTHYRIA van der Wulp, 1890	1	1	-	-	-	-	-
TELOTHYRIOSOMA Townsend, 1919 = OPHIRION Townsend, 1911 (Wood 1985: 67)	0	x					
TERETROPHORA Macquart, 1851	1	-	-	-	-	-	1
TESSERACEPHALUS Reinhard, 1955	1	1	-	-	-	-	-
TETRAGRAPHA B. & B., 1891	1	1	-	-	-	-	-
TETRIGIMYIA Shima & Takahashi, 2011*	1	-	-	1	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TETTIGONIOPHAGA Guimarães, 1978*	1	1	-	-	-	-	-
THECOCARCELIA Townsend, 1933	1	-	-	1	1	1	1
THELAIRA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
THELAIRALIA Curran, 1934 = LEPTOSTYLUM Macquart, 1851 (Wood 1985: 49)	0	x					
THELAIRAPORIA Guimarães, 1980*	1	1	-	-	-	-	-
THELAIROCHAETONA Townsend, 1919	1	1	-	-	-	-	-
THELAIRODES van der Wulp, 1891	1	1	-	-	-	-	-
THELAIRODORIA Townsend, 1927	1	1	1	-	-	-	-
THELAIRODORIOPSIS Thompson, 1968	1	1	-	-	-	-	-
THELAIRODRINO Mesnil, 1954	1	-	-	-	1	1	-
THELAIROLESKIA Townsend, 1926	1	-	-	-	-	1	-
THELAROMIMA Townsend, 1935 = URAMYA Robineau-Desvoidy, 1830 (Guimarães 1980: 193)	0	x					
THELAROPHASIA Townsend, 1919	1	1	-	-	-	-	-
THELAROSOMA Villeneuve, 1916	1	-	-	-	1	-	-
THELYCONYCHIA B. & B., 1889	1	-	-	1	1	1	1
THELYMORPHA B. & B., 1889	1	-	-	1	-	-	-
THELYMYIA B. & B., 1891	1	-	-	1	-	-	-
THELYOXYNOPS Townsend, 1927	1	1	-	-	-	-	-
THELYPHAEOPSIS Townsend, 1927 = MYIOPHARUS B. & B., 1889 (Wood 1985: 61)	0	x					
THEMATHECA Reinhard, 1961 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
TERESIA Robineau-Desvoidy, 1830 = BILLAEA Robineau-Desvoidy, 1830 (Wood 1987: 1248, O'Hara & Wood 1998: 757)	0	x					
TEROBIA Brauer, 1862	1	-	-	1	1	1	1
TRIXION B. & B., 1889 Recorded from Afrotropical Region by Zeegers (2007, Yemen).	1	-	-	1	1	-	-
THRYPTODEXIA Malloch, 1926	1	-	-	-	-	1	-
THYSANOMYIA B. & B., 1891 = BLEPHARIPA Rondani, 1856 (Wood 1987: 1213, O'Hara & Wood 1998: 757)	0	x					

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
THYSANOPSIS Townsend, 1917	1	1	-	-	-	-	-
THYSANOSTURMIA Townsend, 1927	1	1	-	-	-	-	-
TIMAVIA Robineau-Desvoidy, 1863 = SMIDTIA Robineau-Desvoidy, 1830 (Shima 1996a: 174)	0			x	x	x	
TINALYDELLA Townsend, 1927 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
TIPULIDOMIMA Townsend, 1933	1	-	-	-	1	-	-
TIPULOLESKIA Townsend, 1931	1	1	-	-	-	-	-
TLEPHUSA Robineau-Desvoidy, 1863	1	-	-	1	-	-	-
TOPOMEIGENIA Townsend, 1919	1	1	-	-	-	-	-
TOROCCA Walker, 1859	1	-	-	1	-	1	1
TOROSOMYIA Reinhard, 1935	1	-	1	-	-	-	-
TOTHILLIA Crosskey, 1976	1	-	-	-	-	1	-
TOWNSENDIELLOMYIA Baranov, 1932	1	-	1	1	-	-	-
TOXOCNEMIS Macquart, 1855	1	-	-	-	-	-	1
TRAFOIA B. & B., 1893	1	1	1	1	-	-	-
TREPOPHRYS Townsend, 1908 As "TREPOPHRYX" in Guimarães (1971), in error.	1	1	-	-	-	-	-
TRIACHORA Townsend, 1908 = BELVOSIA Robineau-Desvoidy, 1830 (Wood 1987: 1214, O'Hara & Wood 1998: 757)	0	x					
TRIARTHRIA Stephens, 1829	1	1	1	1	-	-	1
TRICACTIA Stein, 1924	1	-	-	1	1	1	-
TRICHINOCHAETA Townsend, 1917	1	1	-	-	-	-	-
TRICHOCERONIA Cortés, 1945	1	1	-	-	-	-	-
TRICHODISCHIA Bigot, 1885	1	1	-	-	-	-	-
TRICHODURA Macquart, 1844	1	1	-	-	-	-	-
TRICHOEPALPUS Townsend, 1914	1	1	-	-	-	-	-
TRICOFORMOSOMYIA Baranov, 1934	1	-	-	1	-	1	-
TRICHOPAREIA B. & B., 1889 = ADMONTIA B. & B., 1889 (Wood 1985: 17)	0					x	

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TRICHOPHASIA Townsend, 1939 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
TRICHOPHORA Macquart, 1847	1	1	-	-	-	-	-
TRICHOPHOROPSIS Townsend, 1914 Junior homonym of TRICHOPHOROPSIS Bonaparte, 1854 and replaced by ANDICESA Koçak & Kemal, 2010.	0	x					
TRICHOPODA Berthold, 1827 Introduced and established in Palaearctic Region (Colazza, Gianguliani & Bin 1996) and Australasian Region (Coombs & Sands 2000).	1	1	1	1	-	-	1
TRICHOPROSOPUS Macquart, 1844	1	1	-	-	-	-	-
TRICHOPYRRHOSIA Townsend, 1927	1	1	-	-	-	-	-
TRICHORAEA Cortés, 1974*	1	1	-	-	-	-	-
TRICHOSAUNDERSIA Townsend, 1914	1	1	-	-	-	-	-
TRICHOSTYLUM Macquart, 1851	1	-	-	-	-	-	1
TRICHOTOPTERYX Townsend, 1919	1	1	-	-	-	-	-
TRICHOSCHIZOTACHINA Townsend, 1935	1	1	-	-	-	-	-
TRIGONOSPILA Pokorný, 1886	1	1	1	1	1	1	1
TRINITODEXIA Townsend, 1935	1	1	-	-	-	-	-
TRINITODORIA Townsend, 1935 = ANISIA van der Wulp, 1890 (Wood 1985: 20)	0	x					
TRIODONTOPYGA Townsend, 1927	1	1	-	-	-	-	-
TRISCHIDOCERA Villeneuve, 1915	1	-	-	-	-	1	-
TRISMEGISTOMYA Reinhard, 1967	1	-	1	-	-	-	-
TRITAXYS Macquart, 1847 Recorded from Palaearctic Region by Richter (1995b).	1	-	-	1	-	1	1
TRIXA Meigen, 1824 Recorded from Afrotropical and Oriental regions by Zhang & Shima (2005).	1	-	-	1	1	1	-
TRIXELLA Mesnil, 1980 = TRIXA Meigen, 1824 (Zhang & Shima 2005: 58) Recorded from Oriental Region by Shima (1988).	0			x		x	
TRIXICEPS Villeneuve, 1936	1	-	-	1	-	-	-
TRIXOCLEA Villeneuve, 1916	1	-	-	-	1	-	-
TRIXODES Coquillett, 1902	1	1	1	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
TRIXODOPSIS Townsend, 1933	1	1	-	-	-	-	-
TRIXOMORPHA B. & B., 1889	1	-	-	-	-	1	-
TROCHILOCHAETA Townsend, 1940	1	1	-	-	-	-	-
TROCHIODES Coquillett, 1903	1	-	1	-	-	-	-
TROCHILOGLOSSA Townsend, 1919	1	1	-	-	-	-	-
TROCHILOLESKIA Townsend, 1917	1	1	1	-	-	-	-
TROMODESIANA Townsend, 1931	1	1	-	-	-	-	-
TROMODESIOPSIS Townsend, 1927	1	1	-	-	-	-	-
TROPIDODEXIA Townsend, 1915	1	1	-	-	-	-	-
TROPIDOPSIOMORPHA Townsend, 1927	1	1	-	-	-	-	-
TRUPHIA Malloch, 1930	1	-	-	-	-	-	1
TRYPETIDOMIMA Townsend, 1935 Valid genus of RHINOPHORIDAE (Pape 1998: 685, Pape & Arnaud 2001: 257).	0	x					
TRYPHERA Meigen, 1838	1	-	1	1	-	-	-
TRYPHERINA Malloch, 1938	1	-	-	-	-	-	1
TRYPHEROMYIA Reinhard, 1945 = ANGUSTIA Sellers, 1943 (Wood 1985: 19)	0	x					
TRYPHEROSOMA Verbeke, 1962 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1984: 200)	0				x		
TSUGAEA Hall, 1939	1	-	1	-	-	-	-
TUNAPUNIA Thompson, 1963	1	1	-	-	-	-	-
TYLODEXIA Townsend, 1926	1	-	-	-	-	1	-
TYREOMMA B. & B., 1891	1	1	-	-	-	-	-
UCAYALIMYIA Townsend, 1927	1	1	-	-	-	-	-
UCLESIA Girschner, 1901	1	-	1	1	-	-	-
UCLESIELLA Malloch, 1938	1	-	-	-	-	-	1
UGIMEIGENIA Townsend, 1916	1	-	-	-	-	-	1
URAMYA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
URAPORIA Townsend, 1919	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
<i>UROCHAETONA</i> Townsend, 1919 = <i>PHYLLOPHIOPSIS</i> Townsend, 1915 (Wood 1985: 73)	0	x					
<i>URODEXIA</i> Osten-Sacken, 1882	1	-	-	1	-	1	-
<i>URODEXIOMIMA</i> Townsend, 1927	1	-	-	-	-	1	-
<i>URODEXODES</i> Townsend, 1919 = <i>EUCELATORIA</i> Townsend, 1909 (Wood 1985: 40)	0	x					
<i>UROEUANTHA</i> Townsend, 1927	1	-	-	-	-	1	-
<i>UROHYPOMYIA</i> Townsend, 1939 = <i>PHYLLOPHIOPSIS</i> Townsend, 1915 (Wood 1985: 74)	0	x					
<i>UROMEDINA</i> Townsend, 1926	1	-	-	-	-	1	-
<i>URSOPHYTO</i> Aldrich, 1926	1	-	1	-	-	-	-
<i>URUCURYMYIA</i> Townsend, 1934	1	1	-	-	-	-	-
<i>URUHUASIA</i> Townsend, 1914	1	1	-	-	-	-	-
<i>URUHUASIOPSIS</i> Townsend, 1915	1	1	-	-	-	-	-
<i>URULESKIA</i> Townsend, 1934	1	1	-	-	-	-	-
<i>URUMYOBLIA</i> Townsend, 1934	1	1	-	-	-	-	-
<i>USHPAYACUA</i> Townsend, 1928	1	1	-	-	-	-	-
<i>VANDERWULPELLA</i> Townsend, 1919	1	1	-	-	-	-	-
<i>VANDERWULPIA</i> Townsend, 1891	1	1	1	-	-	-	-
<i>VELARDEMYIA</i> Valencia, 1972*	1	1	-	-	-	-	-
<i>VELOCIA</i> Robineau-Desvoidy, 1863 = <i>MEDINA</i> Robineau-Desvoidy, 1830 (Mesnil 1962: 726)	0	x					
<i>VELUTA</i> Malloch, 1938	1	-	-	-	-	-	1
<i>VENTOPLAGIA</i> Richter, 2009*	1	-	-	1	-	-	-
<i>VERRUGOMYIA</i> Townsend, 1927 = <i>HOUGHIA</i> Coquillett, 1897 (Wood in Fleming <i>et al.</i> 2014: 9)	0	x					
<i>VERRUGOPHRYNO</i> Townsend, 1927	1	1	-	-	-	-	-
<i>VERTEPALPUS</i> Curran, 1947	1	1	-	-	-	-	-
<i>VIBRISSINA</i> Rondani, 1861 Recorded from Oriental Region by Sun <i>et al.</i> (1992).	1	1	1	1	-	1	-
<i>VIBRISSEPALPUS</i> Townsend, 1915	1	1	-	-	-	-	-
<i>VIBRISSEOMYIA</i> Townsend, 1912	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
VIBRISSOVORIA Townsend, 1919	1	1	-	-	-	-	-
VILLANOVIA Strobl, 1910	1	-	-	1	-	-	-
VISAYALYDINA Townsend, 1926	1	1	-	-	-	-	-
VIVIANOIDEA Thompson, 1968 = ZAIRA Robineau-Desvoidy, 1830 (Wood 1985: 90)	0	x					
VORIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
VORIELLA Malloch, 1930	1	-	-	-	-	-	1
WAGNERIA Robineau-Desvoidy, 1830 Recorded from Oriental Region by Chao & Zhou (1993).	1	-	1	1	-	1	-
WARDARINA Mesnil, 1953	1	-	-	1	-	-	-
WATTIA Malloch, 1938	1	-	-	-	-	-	1
WEBERIA Robineau-Desvoidy, 1830	1	-	-	1	-	-	-
WEINGAERTNERIELLA Baranov, 1932	1	-	-	1	-	1	-
WINHELLIA Crosskey, 1967	1	-	-	-	-	-	1
WINTHEMIA Robineau-Desvoidy, 1830	1	1	1	1	1	1	1
XANTHOBASIS Aldrich, 1934	1	1	-	-	-	-	-
XANTHOCHAETONA Townsend, 1934 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 74)	0	x					
XANTHODEXIA van der Wulp, 1891	1	1	-	-	-	-	-
XANTHOEPALPODES Townsend, 1931	1	1	-	-	-	-	-
XANTHOEPALPUS Townsend, 1914	1	1	1	-	-	-	-
XANTHOMELANODES Townsend, 1893	1	1	1	-	-	-	-
XANTHOMELANOPSIS Townsend, 1917	1	1	-	-	-	-	-
XANTHOESTRUS Villeneuve, 1914	1	-	-	-	-	1	-
XANTHOELTA Aldrich, 1934	1	1	-	-	-	-	-
XANTHOPHYLLOPHILA Townsend, 1927 = PHYLLOPHIOPSIS Townsend, 1915 (Wood 1985: 73)	0	x					
XANTHOPHYTO Townsend, 1916	1	1	1	-	-	-	-
XANTHOPTEROMYIA Townsend, 1926	1	-	-	-	-	1	-
XANTHOTHERESIA Townsend, 1931	1	1	-	-	-	-	-

 WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
XANTHOTRICHIUS Townsend, 1934 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
XANTHOZONA Townsend, 1908	1	1	-	-	-	-	-
XENOPHASIA Townsend, 1934 Junior homonym of XENOPHASIA Strickland, 1841 and replaced by CESAPERUA Koçak & Kemal, 2010.	0	x					
XENOPLAGIA Townsend, 1914	1	1	-	-	-	-	-
XENORHYNCHIA Malloch, 1938	1	-	-	-	-	-	1
XEOPROSOPA Townsend, 1919	1	1	-	-	-	-	-
XIPHOCHAETA Mesnil, 1968	1	-	-	-	1	-	-
XIPHOMYIA Townsend, 1917 = EUCELATORIA Townsend, 1909 (Wood 1985: 40)	0	x					
XIPHOPHASIA Townsend, 1937 = PHASIA Latreille, 1804 (Sun & Marshall 2003: 19)	0	x					
XYLOCAMPTOMIMA Townsend, 1927	1	1	-	-	-	-	-
XYLOTACHINA B. & B., 1891	1	-	-	1	-	1	-
XYSTA Meigen, 1824	1	-	-	1	-	-	-
YAHUARMAYOIA Townsend, 1927	1	1	-	-	-	-	-
YPOPHAEAMYIOPS Townsend, 1935	1	1	-	-	-	-	-
ZAIRA Robineau-Desvoidy, 1830	1	1	1	1	-	-	-
ZAMBESA Walker, 1856	1	-	-	-	-	1	1
ZAMBESOMIMA Mesnil, 1967	1	-	-	1	-	-	-
ZAMIMUS Malloch, 1932	1	-	-	-	-	1	-
ZEALANDOTACHINA Malloch, 1938	1	-	-	-	-	-	1
ZEBROMYIA Malloch, 1929	1	-	-	-	-	-	1
ZELIA Robineau-Desvoidy, 1830	1	1	1	-	-	-	-
ZELINDOMYIA Verbeke, 1962 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1984: 200)	0				x		
ZELINDOPSIS Anonymous, 1946 See Evenhuis <i>et al.</i> (2008: 34) for authorship and dating.	1	-	-	-	1	-	-
ZELINDOPSIS Villeneuve, 1943, <i>nomen nudum</i> See Evenhuis <i>et al.</i> (2008: 34) for authorship and dating.	0				x		
ZELIOMIMA Mesnil, 1976	1	-	-	-	1	-	-

WORLD GENERA OF THE TACHINIDAE

GENUS	Wor	Neo	Nea	Pal	Afr	Ori	Aus
ZENARGOMYIA Crosskey, 1964	1	-	-	-	-	-	1
ZENILLIA Robineau-Desvoidy, 1830	1	1	-	1	-	1	-
ZENILLIANA Curran, 1927 = GYNANDROMYIA Bezzi, 1923 (Crosskey 1976: 120, 1980b: 861) Treated as valid genus by Chao <i>et al.</i> (1998: 1758).	0				x		
ZEUXIA Meigen, 1826	1	-	-	1	-	-	-
ZEUXIOTRIX Mesnil, 1976	1	-	-	-	1	-	-
ZIMINIA Mesnil, 1963	1	-	-	1	-	-	-
ZIMINIOLA Mesnil, 1978 Junior homonym of ZIMINIOLA Gerasimov, 1930 and replaced by MESNILUS Özdkmen, 2007.	0				x		
ZITA Curran, 1927	1	-	-	-	-	-	1
ZIZYPHOMYIA Townsend, 1916	1	1	1	-	-	-	-
ZONALIA Curran, 1934	1	1	-	-	-	-	-
ZONOEPALPUS Townsend, 1927	1	1	-	-	-	-	-
ZOPHOMYIA Macquart, 1835	1	-	-	1	-	-	-
ZOSTEROMEIGENIA Townsend, 1919	1	-	-	-	-	-	1
ZYGOBOTHRIA Mik, 1891 = DRINO (ZYGOBOTHRIA Mik, 1891) (O'Hara, Shima & Zhang 2009: 69)	0				x	x	x
ZYGOFONTINOPSIS Blanchard, 1959 = LESPESIA Robineau-Desvoidy, 1863 (Guimarães 1983a: 14). Genus overlooked by Guimarães (1971).	0	x					
ZYGOZENILLIA Townsend, 1927	1	1	-	-	-	-	-
Totals	1501	802	307	409	229	257	230

REFERENCES

- Andersen, S. 1988. Revision of European species of *Phytomyptera* Rondani (Diptera: Tachinidae). *Entomologica Scandinavica* **19**: 43–80.
- Barraclough, D.A. 1983. *Mediosetiger microcephala*, a new genus and species of Ormiini from the Natal Drakensberg (Diptera: Tachinidae). *Annals of the Natal Museum* **25**: 431–435.
- Barraclough, D.A. 1985. *Piligenoides*, a new genus near to *Piligena* van Emden, 1947 (Diptera: Tachinidae: Dexiini). *Journal of the Entomological Society of Southern Africa* **48**: 267–271.
- Barraclough, D.A. 1992. The systematics of the Australasian Dexiini (Diptera: Tachinidae: Dexiinae) with revisions of endemic genera. *Invertebrate Taxonomy* **6**: 1127–1371.
- Barraclough, D.A. 1996. *Montanothalma natalensis*, a new high altitude genus and species of Microphthalmini (Diptera: Tachininae) from the Natal Drakensberg of South Africa. *Annals of the Natal Museum* **37**: 123–129.
- Barraclough, D.A. 1997. *Melanesomyia*, a tribally unplaced new genus of Dexiinae (Diptera: Tachinidae) from Indonesia (Maluku) and Papua New Guinea, with description of two new species. *Australian Journal of Entomology* **36**: 345–350.
- Barraclough, D.A. 1998. Type-species designation for “*Melanesomyia Barraclough*” (Diptera: Tachinidae). *Australian Journal of Entomology* **37**: 22.
- Barraclough, D.A. 2005. *Rhinophoroides minutus*, a new genus and species of rare nocturnal Dufouriini (Diptera: Tachinidae: Dexiinae) from South Africa. *African Entomology* **13**: 380–384.
- Barraclough, D.A. and O’Hara, J.E. 1998. *Obscuromyia*, a remarkable new genus of the endemic Australian tribe Myotrixini (Diptera: Tachinidae: Tachininae). *Invertebrate Taxonomy* **12**: 825–832.
- Blanchard, E.E. 1959. Dípteros parásitos de orugas de Arctiidae (“gatas peludas”). *Revista de Investigaciones Agrícolas* **13**: 157–182.
- Cantrell, B.K. and Crosskey, R.W. 1989. Family Tachinidae. Pp. 733–784. In: Evenhuis, N.L., ed., *Catalog of the Diptera of the Australasian and Oceanian Regions*. Bishop Museum Special Publication 86. Bishop Museum Press and E.J. Brill. 1155 pp.
- Cerretti, P. 2005. World revision of the genus *Nealsomyia* Mesnil (Diptera, Tachinidae). *Revue Suisse de Zoologie* **112**: 121–144.
- Cerretti, P. 2009a. A new Afrotropical genus of Vorini, with remarks on related genera (Diptera: Tachinidae: Dexiinae). *Insect Systematics and Evolution* **40**: 105–120.
- Cerretti, P. 2009b. A review of the genus *Kwananimya* Townsend (Diptera: Tachinidae), with taxonomic remarks on related genera. *African Entomology* **17**: 51–63.
- Cerretti, P. 2010. *I tachinidi della fauna italiana (Diptera Tachinidae) con chiave interattiva dei generi ovest-paleartici. Volumes I & II*. Centro Nazionale Biodiversità Forestale, Verona. 573 pp. (Vol. I) + 339 pp. (Vol. II) + CD ROM.
- Cerretti, P. 2012. New Afrotropical species belonging to genera never recorded before for the Afrotropical fauna (Diptera: Tachinidae). *Zoologischer Anzeiger* **251**: 317–330.
- Cerretti, P. and Barraclough, D.A. 2007. *Anomalostomyia namibica*, a new genus and species of Afrotropical Tachinidae (Diptera). *Italian Journal of Zoology* **74**: 101–106.
- Cerretti, P., Biase, A. de and Freidberg, A. 2009. Systematic study of the genus *Rossimyiops* Mesnil (Diptera: Tachinidae). *Zootaxa* **1984**: 31–56.
- Cerretti, P., O’Hara, J.E., Stireman, J.O. III, Winkler, I.S. and Kirk-Spriggs, A.H. 2013. To ‘Die Hel’ and back. Expeditions of the Phylogeny of World Tachinidae Project. Part I: Western Cape, South Africa. *The Tachinid Times* **26**: 20–29.
- Cerretti, P., Wood, D.M. and O’Hara, J.E. 2012. *Neoethilla*, a new genus for the first record of the Ethillini from the New World (Diptera, Tachinidae, Exoristinae). *ZooKeys* **242**: 25–41.
- Chao, C.-m. 1974. Notes on the Chinese Larvaevoridae. IX. *Hystriomyia* Portschinsky. [In Chinese with English summary.] *Acta Entomologica Sinica* **17**: 474–478.
- Chao, C.-m. 1999. Tachinidae. Pp. 1661–2206. In Xue, W. and Chao, C.-m., chief eds., *Flies of China. Volume 2*. [In Chinese with English summary.] Liaoning Science and Technology Press, Shenyang. 1–17 + 1366–2425 pp. + 32 plates. [Dated 1996 but published in 1999.]
- Chao, C.-m. et al. (1998) Tachinidae. Pp. 1661–2206 + pls. 1–30. In: Xue, W.-q. and Chao, C.-m., eds., *Flies of China. Vol. 2*. [In Chinese with English summary.] Liaoning Science and Technology Press, Shenyang. 17 pp. + 1366–2425 + 32 pls.

Note: The authors of the Tachinidae chapter were not cited in the chapter and can only be determined from the section “Authors and their addresses” at the beginning of Vol. 1. Chao was the principal author, but in addition the following contributors to the Tachinidae chapter can be considered as co-authors: Liang, E.-y., Shi, Y.-s., Zhou, S.-x., Sun, X.-k. and Chen, R.-j. (colored plates). The order of co-authors cannot be determined.

- Chao, C.-m. and Liang, E.-y. 2002. Review of the Chinese *Carcelia* Robineau-Desvoidy (Diptera: Tachinidae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **27**: 807–848.
- Chao, C.-m., Liang, E.-y. and Zhou, S.-x. 2002. Diptera: Tachinidae. Pp. 814–834. In: Huang, F., ed., *Forest Insects of Hainan*. [In Chinese with English summary]. Science Press, Beijing. xi + 1064 pp.
- Chao, C.-m. and Shi, Y.-s. 1981. Notes on new genus *Flavicorniculum* Chao et Shi of Tachinidae from China. [In Chinese with English summary.] *Acta Entomologica Sinica* **24**: 203–208.
- Chao, C.-m., Sun, X.-k. and Zhou, S.-x. 1990. Studies on the tribe Parerigonini from China (Diptera: Phasiinae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **15**: 230–241.
- Chao, C.-m. and Yang, L.-l. 1990. Notes on a new genus and species of Tachinidae from China. [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **15**: 77–82.
- Chao, C.-m. and Zhou, S.-x. 1993. Diptera: Tachinidae. Pp. 1271–1347. In: Chen, S., ed., *Insects of the Hengduan Mountains Region, Volume 2*. [In Chinese with English summary]. Science Press, Beijing. i–xvi + 867–1547 (1992).
- Chao, C.-m. and Zhou, S.-x. 1996. Diptera Tachinidae. Pp. 217–224. In: Wu, S.-g. and Feng, Z.-j., chief eds., *The Biology and Human Physiology in the Hoh Xil Region*. [In: The Series of the Comprehensive Scientific Expedition to the Hoh Xil Region.] [In Chinese with English summary.] Science Press, Beijing. 357 pp.
- Coelho, S.M.P., Carvalho, C.J.B. de and Guimarães, J.H. 1989. Chave e sinônimas para as espécies sul-americanas de *Winthemia* Robineau-Desvoidy (Diptera, Tachinidae) com descrição de três espécies novas. *Revista Brasileira de Zoologia* **6**: 271–296.
- Colazza, S., Giangiuliani, G. and Bin, F. 1996. Fortuitous introduction and successful establishment of *Trichopoda pennipes* F.: adult parasitoid of *Nezara viridula* (L.). *Biological Control* **6**: 409–411.
- Coombs, M. and Sands, D.P.A. 2000. Establishment in Australia of *Trichopoda giacomellii* (Blanchard) (Diptera: Tachinidae), a biological control agent for *Nezara viridula* (L.) (Hemiptera: Pentatomidae). *Australian Journal of Entomology* **39**: 219–222.
- Cortés, R. 1973. Taquínidos chilenos nuevos o poco conocidos III. (Diptera, Tachinidae). *Revista Chilena de Entomología* **7**: 97–105.
- Cortés, R. 1974. Sobre cuatro géneros de Dexiinos chilenos (Diptera, Tachinidae) con los fémures posteriores de los machos modificados. *Revista Chilena de Entomología* **8**: 35–38.
- Cortés, R. 1976. Taquínidos chilenos nuevos o poco conocidos, IV – (Diptera, Tachinidae). *Facultad de Agronomía, Universidad de Chile, Boletín Técnico* **40** (1975): 3–14.
- Cortés, R. 1979. Taquínidos chilenos – Argentinos (Diptera, Tachinidae). *Inv. Agrícola (Chile)* **5**: 75–82.
- Cortés, R. 1982. *Marnefia mirifica* n. gen. et sp. – con insólita venación alar. *Phegea* **10**: 137–144.
- Cortés, R. 1983. Tachinid flies (Diptera: Tachinidae) from Tarapacá and Antofagasta provinces, Chile III. Addendum. *Florida Entomologist* **66**: 377–389.
- Cortés, R. 1986. Taquínidos de Aysen (XI region) y Magallanes (XII region) Chile (Diptera: Tachinidae). *Acta Entomológica Chilena* **13**: 133–160.
- Cortés, R. 1992. Nuevas sinónimas de taquínidos chilenos (Diptera: Tachinidae). *Acta Entomológica Chilena* **17**: 235–236.
- Cortés, R. and Campos, L. 1971. Taquínidos de Tarapacá y Antofagasta (Diptera: Tachinidae). *Anales de la Universidad del Norte* **8** (1970): 104 pp.
- Cortés, R. and Campos, L. 1974. Taquínidos de Tarapacá y Antofagasta. Addenda 1. (Diptera: Tachinidae). *Idesia (Chile)* **3**: 111–125.
- Cortés, R. and González, C.R. 1989. Géneros Voriinos de taquínidos chilenos (Diptera: Tachinidae, Voriini). *Memórias do Instituto Oswaldo Cruz (Rio de Janeiro)* **84**, Supl. IV: 115–123.
- Crosskey, R.W. 1973. A conspectus of the Tachinidae (Diptera) of Australia, including keys to the supraspecific taxa and taxonomic and host catalogues. *Bulletin of the British Museum (Natural History). Entomology Supplement* **21**, 221 pp.
- Crosskey, R.W. 1976. A taxonomic conspectus of the Tachinidae (Diptera) of the Oriental Region. *Bulletin of the British Museum (Natural History). Entomology Supplement* **26**. 357 pp.
- Crosskey, R.W. 1977. Family Tachinidae. Pp. 586–697. In: Delfinado, M.D. and Hardy, D.E., eds., *A catalog of the Diptera of the Oriental Region. Volume III. Suborder Cyclorrhapha (excluding Division Aschiza)*. University Press of Hawaii, Honolulu. 854 pp.

- Crosskey, R.W., ed. 1980a. *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1980b. Family Tachinidae. Pp. 822–882. In: Crosskey, R.W., ed., *Catalogue of the Diptera of the Afrotropical Region*. British Museum (Natural History), London. 1437 pp.
- Crosskey, R.W. 1984. Annotated keys to the genera of Tachinidae (Diptera) found in tropical and southern Africa. *Annals of the Natal Museum* **26**: 189–337.
- Dear, J.P. 1981. A remarkable new leucostomatine (Diptera: Tachinidae) from Madagascar. *Annals of the Natal Museum* **24**: 501–505.
- Evenhuis, N.L. 1996. Revised online version of Cantrell and Crosskey (1989). Website address: <http://hbs.bishopmuseum.org/aocat/tachinidae.html>. (Web page dated 11 November 1996, accessed 19 January 2005.)
- Evenhuis, N.L. 2003. The status of the cricket parasites *Ormia ochracea* and *Phasioormia pallida* in the Hawaiian Islands (Diptera: Tachinidae). *Bishop Museum Occasional Papers* **74**: 34–35.
- Evenhuis, N.L. 2014. Publication and dating of Parts IV–VII of Brauer & Bergenstamm's *Die Zweiflügler des Kaiserlichen Museums zu Wien* (1889–1894). *Zootaxa* **3790**: 495–499.
- Evenhuis, N.L. and O'Hara, J.E. 2008. The status of Mesnil's 1949 *Die Fliegen* genus-group names (Diptera: Tachinidae). *Zootaxa* **1827**: 65–68.
- Evenhuis, N.L., Pape, T. and Pont, A.C. 2008. The problems of subsequent typification in genus-group names and use of the *Zoological Record*: a study of selected post-1930 Diptera genus-group names without type species designations. *Zootaxa* **1912**: 1–44.
- Fleming, A.J., Wood, D.M., Smith, M.A., Hallwachs, W. & Janzen, D.H. 2014. Revision of the New World species of *Houghia* Coquillett (Diptera, Tachinidae) reared from caterpillars in Área de Conservación Guanacaste, Costa Rica. *Zootaxa* **3858**: 1–90.
- González, C.R. 1992. Géneros Cuphocerinos de taquínidos chilenos (Diptera: Tachinidae: Cuphocerini). *Acta Entomológica Chilena* **17**: 53–68.
- Griffiths, G.C.D. 1980. Preface. Pp. V–XIII. In: Griffiths, G.C.D., ed., *Flies of the Nearctic Region. Volume 1. Handbook, Part 1. History of Nearctic dipterology*. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Guimarães, J.H. 1971. Family Tachinidae (Larvaevoridae). A catalogue of the Diptera of the Americas south of the United States. São Paulo. Vol. **104**, 333 pp.
- Guimarães, J.H. 1975. *Neozelia alini*, gen. et sp. n. (Diptera: Tachinidae), a parasite of cerambycids (Coleoptera), with a listing of Tachinidae parasites [sic] of Cerambycidae. *Papéis Avulsos de Zoologia (São Paulo)* **29**: 37–44.
- Guimarães, J.H. 1976a. A revision of the genus *Cylindromyia* Meigen in the Americas south of the United States (Diptera, Tachinidae). *Arquivos de Zoologia* **27**: 1–50.
- Guimarães, J.H. 1976b. A review of the tribe Iceliini (Diptera, Tachinidae) with descriptions of one new genus and two new species from Brazil. *Studia Entomologica* **19**: 173–186.
- Guimarães, J.H. 1977. A review of the tribe Oestrophasiini Brauer & Bergenstamm (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **30**: 215–238.
- Guimarães, J.H. 1978. Note on Neotropical Oedematocerini, with a new genus and species from Brazil (Diptera, Tachinidae). *Papéis Avulsos de Zoologia (São Paulo)* **31**: 299–305.
- Guimarães, J.H. 1979. *Polybiocypptera plaumannii*, gen. et sp. nov. and *Hemyda conopoides*, sp. n., two new wasp-like Tachinidae (Diptera). *Papéis Avulsos de Zoologia (São Paulo)* **32**: 217–221.
- Guimarães, J.H. 1980. Revision of the South American Uramyini (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **33**: 191–219.
- Guimarães, J.H. 1982a. A study of the South American Sophiini, with the description of new genera and species from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 163–171.
- Guimarães, J.H. 1982b. Three new Oedematocerini from Brazil (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **26**: 213–217.
- Guimarães, J.H. 1983a. Taxonomy of Brazilian flies of the genus *Lespesia* Robineau-Desvoidy (Diptera, Tachinidae). *Papéis Avulsos de Zoologia* **35**: 11–30.
- Guimarães, J.H. 1983b. Contribution to the knowledge of the South American Winthemiini (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **27**: 225–242.
- Herting, B. 1974. Revision der von Robineau-Desvoidy beschriebenen europäischen Tachiniden und Rhinophorinen (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **264**: 1–46.
- Herting, B. 1979. Revision einiger nicht-paläarktischer Arten aus der Tribus Cylindromyiini (Dipt. Tachinidae, Phasiinae). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **326**: 1–15.
- Herting, B. 1984. Catalogue of Palearctic Tachinidae (Diptera). *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **369**: 1–228.

- Herting, B. 1987. Beiträge zur Kenntnis der paläarktischen Raupenfliegen (Dipt. Tachinidae), XVII. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **408**: 1–14.
- Herting, B. and Dely-Draskovits, Á. 1993. Family Tachinidae. Pp. 118–458. In: Soós, Á. and Papp, L., eds., *Catalogue of Palaearctic Diptera. Volume 13. Anthomyiidae – Tachinidae*. Hungarian Natural History Museum, Budapest. 624 pp.
- Irwin, M.E., Schlinger, E.I. and Thompson, F.C. 2003. Diptera, true flies. Pp. 692–702. In: Goodman, S.M. and Benstead, J.P., *The Natural History of Madagascar*. University of Chicago Press, Chicago and London. 1728 pp.
- Koçak, A.Ö. and Kemal, M. 2010. Nomenclatural notes on the genus group names of some families (Diptera). *Priamus* **12**: 156–160.
- Liang, E.-y. and Chao, C.-m. 1992. On the genus *Neophryxe* Townsend from China (Diptera: Tachinidae). [In Chinese with English summary.] *Acta Zootaxonomica Sinica* **17**: 224–226.
- Liu, Y.-z., Chao, C.-m., Li, L.-f., Zhou, S.-x., Wang, H.-x. and Zhang, W.-j. 1998. *Fauna of Tachinidae from Shanxi Province, China*. [In Chinese.] Science Press, Beijing. x + 378 pp. + 11 pls.
- Mesnil, L.P. 1962. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 705–752 (Lieferung 221).
- Mesnil, L.P. 1971. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 977–1024 (Lieferung 286).
- Mesnil, L.P. 1973. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1169–1232 (Lieferung 299).
- Mesnil, L.P. 1974. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1233–1304 (Lieferung 304).
- Mesnil, L.P. 1975. 64g. Larvaevorinae (Tachininae). *Die Fliegen der Palaearktischen Region* **10**: 1305–1384 (Lieferung 309).
- Mesnil, L.P. 1977. Nouveaux Tachinaires de Madagascar. 2e partie (Dipt. Tachinidae). *Verhandlungen der Naturforschenden Gesellschaft in Basel* **86**: 171–192.
- Mesnil, L.P. 1978. Nouveaux Tachinaires de Madagascar (Dipt. Tachinidae) – 8e partie. *Bulletin de la Société Entomologique Suisse* **51**: 279–290.
- Mesnil, L.P. and Pschorn-Walcher, H. 1968. A preliminary list of Tachinidae (Diptera) from Japan. *Mushi* **41**: 149–174.
- Mesnil, L.P. and Shima, H. 1979. New tribe, genera and species of Japanese and Oriental Tachinidae (Diptera), with note on synonymy. *Kontyû* **47**: 476–486.
- O'Hara, J.E. 1983. Classification, phylogeny and zoogeography of the North American species of *Siphona* Meigen (Diptera: Tachinidae). *Quaectiones Entomologicae* **18** (1982): 261–380.
- O'Hara, J.E. 1989. Systematics of the genus group taxa of the Siphonini (Diptera: Tachinidae). *Quaectiones Entomologicae* **25**: 1–229.
- O'Hara, J.E. 1996a. Earwig parasitoids of the genus *Triarthria* Stephens (Diptera: Tachinidae) in the New World. *Canadian Entomologist* **128**: 15–26.
- O'Hara, J.E. 1996b. The tachinid taxa of Louis P. Mesnil, with notes on nomenclature (Insecta: Diptera). *Canadian Entomologist* **128**: 115–165.
- O'Hara, J.E. 2002. Revision of the Polideini (Tachinidae) of America north of Mexico. *Studia dipterologica. Supplement* **10**: 170 pp.
- O'Hara, J.E. 2009. Resurrection of the name *Pachycheta* Portschinsky for a genus of Tachinidae (Diptera). *Zootaxa* **1989**: 66–68.
- O'Hara, J.E. 2011. Cyber nomenclaturalists and the “CESA itch”. *Zootaxa* **2933**: 57–64.
- O'Hara, J.E. 2013a. Where in the world are all the tachinid genera? *The Tachinid Times* **26**: 10–16.
- O'Hara, J.E. 2013b. History of tachinid classification (Diptera, Tachinidae). *ZooKeys* **316**: 1–34.
- O'Hara, J.E. 2014. New tachinid records for the United States and Canada. *The Tachinid Times* **27**: 34–40.
- O'Hara, J.E., Cerretti, P., Pape, T. and Evenhuis, N. L. 2011. Nomenclatural studies toward a world list of Diptera genus-group names. Part II: Camillo Rondani. *Zootaxa* **3141**: 1–268.
- O'Hara, J.E., Cerretti, P., Stireman, J.O. III and Winkler, I.S. 2014. Chasing tachinids ‘Down Under’. Expeditions of the Phylogeny of World Tachinidae Project. Part II. Eastern Australia. *The Tachinid Times* **27**: 20–31.
- O'Hara, J.E., Shima, H. and Zhang, C.-t. 2009. Annotated catalogue of the Tachinidae (Insecta: Diptera) of China. *Zootaxa* **2190**: 1–236.
- O'Hara, J.E. and Wood, D.M. 1998. Tachinidae (Diptera): nomenclatural review and changes, primarily for America north of Mexico. *Canadian Entomologist* **130**: 751–774.
- O'Hara, J.E. and Wood, D.M. 2004. Catalogue of the Tachinidae (Diptera) of America north of Mexico. *Memoirs on Entomology, International* **18**. 410 pp.

- Özdikmen, H. 2006. New substitute names for two preoccupied tachinid genera *Paragonia* Mesnil, 1950 and *Menetus* Aldrich, 1926 (Diptera). *Munis Entomology & Zoology* 1: 270–272.
- Özdikmen, H. 2007. A nomenclatural act: replacement names for homonymous tachinid genera with lepidopteran genera (Diptera: Tachinidae). *Munis Entomology & Zoology* 2: 163–168.
- Özdikmen, H. 2010. *Brasilomyia* nom. nov., a new name for the preoccupied tachinid genus *Platyphasmia* Townsend, 1935 (Diptera: Tachinidae). *Munis Entomology & Zoology* 5: 293–294.
Note: “*Platyphasmia*” in title is a misspelling of “*Platyphasia*”.
- Pape, T. 1998. Family Rhinophoridae. Pp. 679–689. In: Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). Volume 3. Higher Brachycera.* Science Herald, Budapest. 880 pp.
- Pape, T. and Arnaud, P.H. Jr. 2001. *Bezzimyia* — a genus of native New World Rhinophoridae (Insecta, Diptera). *Zoologica Scripta* 30: 257–297.
- Pape, T. and Shima, H. 1993. A new genus of Tachinidae from the Philippines (Diptera). *Tijdschrift voor Entomologie* 136: 77–81.
- Reinhard, H.J. 1974. New genera and species of American Tachinidae (Diptera). *Canadian Entomologist* 106: 1155–1170.
- Rice, A.D. 2005. The parasitoid guild of larvae of *Chrysophtarta agricola* Chapuis (Coleoptera: Chrysomelidae) in Tasmania, with notes on biology and a description of a new genus and species of tachinid fly. *Australian Journal of Entomology* 44: 400–408.
- Richter, V.A. 1986. On the fauna of tachinids (Diptera, Tachinidae) of the Far East. [In Russian.] *USSR Academy of Sciences, Proceedings of the Zoological Institute, Leningrad* 146: 87–116. [In volume entitled “Flies (Diptera) in ecosystems of South Siberia and Far East”, ed. Nartshuk, E.P.]
- Richter, V.A. 1988. New Palearctic genera and species of tachinids (Diptera, Tachinidae). [In Russian.] *Systematika Nasekomikh i Kleshchei* 70: 202–212.
- Richter, V.A. 1993. New and little known tachinids (Diptera, Tachinidae) of Transbaikalia and Far East. [In Russian.] *Entomologicheskoe Obozrenie* 72: 422–440. [English translation in *Entomological Review* 74(6): 64–83, 1995.]
- Richter, V.A. 1995a. New data on the systematics and biology of Palaearctic tachinids (Diptera, Tachinidae). [In Russian.] *Entomologicheskoe Obozrenie* 73 (1994): 739–752. [English translation in *Entomological Review* 75(1): 75–87, 1996.]
- Richter, V.A. 1995b. New subgenus and new species of Palearctic tachinids (Diptera, Tachinidae). [In Russian.] *Entomologicheskoe Obozrenie* 74: 913–922. [English translation in *Entomological Review* 75(9): 244–254, 1996.]
- Richter, V.A. 1998a. The tachinid genus *Hasmica* new to the fauna of Pakistan (Diptera: Tachinidae). *Zoosystematica Rossica* 7: 162.
- Richter, V.A. 1998b. New and little known species of tachinids (Diptera, Tachinidae) of the fauna of Russia and neighbouring countries. [In Russian.] *Entomologicheskoe Obozrenie* 77: 704–712. [English translation in *Entomological Review* 78(5): 620–626, 1998.]
- Richter, V.A. 1998c. On a remarkable distribution of two pairs of related species in Palaearctic tachinids (Tachinidae). Pp. 183–184. In: Ismay, J.W., ed., *Abstracts Volume, Fourth International Congress of Dipterology*. Oxford. 275 pp.
- Richter, V.A. 1999. New and little known tachinids (Diptera, Tachinidae) from the Russian Far East. [In Russian.] *Entomologicheskoe Obozrenie* 78: 719–731. [English translation in *Entomological Review* 79(5): 576–584, 1999.]
- Richter, V.A. 2001. A new genus and species of tachinid flies (Diptera: Tachinidae) from Iran. *International Journal of Dipterological Research* 12: 25–28.
- Richter, V.A. 2002. *Galsania* Richter, 1993, a distinct genus of tachinids (Diptera: Tachinidae). *Zoosystematica Rossica* 11: 238.
- Richter, V.A. 2004. [Fam. Tachinidae – tachinids], pp. 148–398. In: Sidorenko, V.S. ed., *Key to the insects of Russian Far East*. Vol. VI. Diptera and Siphonaptera. Part 3. Dal'nauka, Vladivostok. 659 pp. [In Russian.]
- Richter, V.A. 2008. A new genus and a new species of tachinids (Diptera, Tachinidae) from deserts of Middle Asia. [In Russian.] *Entomologicheskoe Obozrenie* 87: 663–667. [English translation in *Entomological Review* 88: 727–729, 2008.]
- Richter, V.A. 2009. A new genus and a new species of tachinids (Diptera, Tachinidae) from the south of Middle Asia. [In Russian.] *Entomologicheskoe Obozrenie* 88: 689–692. [English translation in *Entomological Review* 89: 1154–1156, 2009.]

- Richter, V.A. 2011. A new genus and a new species of tachinids (Diptera, Tachinidae) from Wrangel Island. [In Russian.] *Entomologicheskoe Obozrenie* **90**: 913–916. [English translation in *Entomological Review* **92**: 357–360, 2012.]
- Sabrosky, C.W. 1975. *Chaetophlepsis plathypenae*, a new parasite of the green cloverworm, with a key to *Chaetophlepsis* and *Parahypochaeta* (Diptera, Tachinidae). *Annals of the Entomological Society of America* **68**: 43–50.
- Sabrosky, C.W. 1981. A partial revision of the genus *Eucelatoria* (Diptera, Tachinidae), including important parasites of *Heliothis*. *United States Department of Agriculture. Technical Bulletin* **1635**: i–iv, 1–18.
- Shi, Y.-s. 1991. Notes on *Spiniabdomina* gen. nov. and a new species of *Lixophaga* Townsend of the tribe Blondelini [sic] (Diptera, Tachinidae) from China. [In Chinese with English summary.] *Entomotaxonomia* **13**: 127–132.
- Shima, H. 1979. New genera, species and subspecies of Oriental Tachinidae (Diptera). *Bulletin of the National Science Museum, Series A (Zoology)* **5**: 135–152.
- Shima, H. 1988. Some remarkable new species of Tachinidae (Diptera) from Japan and the Indo-Australian Region. *Bulletin of the Kitakyushu Museum of Natural History* **8**: 1–37.
- Shima, H. 1991. Study on the tribe Blondeliini from Japan (Diptera, Tachinidae). VII. Genus *Oswaldia* Robineau-Desvoidy. *Japanese Journal of Entomology* **59**: 67–86.
- Shima, H. 1994. Three remarkable new species of Tachinidae (Diptera) from South Asia. *Japanese Journal of Sanitary Zoology* **45**, Suppl.: 277–286.
- Shima, H. 1996a. A systematic study of the tribe Winthemiini from Japan (Diptera, Tachinidae). *Beiträge zur Entomologie* **46**: 169–235.
- Shima, H. 1996b. A systematic study of the genus *Cavillatrix* Richter (Diptera, Tachinidae). *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **2**: 133–148.
- Shima, H. 1997. Taxonomic notes on Oriental Tachinidae (Insecta, Diptera) I: Blondeliini. *Bulletin of the Graduate School of Social and Cultural Studies, Kyushu University* **3**: 169–186.
- Shima, H. 1999. Host-parasite catalog of Japanese Tachinidae (Diptera). *Makunagi/ Acta Dipterologica. Supplement 1*: 1–108.
- Shima, H. 2005. Tachinidae (Insecta, Diptera) of the Akasaka Imperial Gardens and the Tokiwamatsu Imperial Villa, Tokyo. [In Japanese.] *Memoirs of the National Science Museum (Tokyo)* **39**: 387–395.
- Shima, H. 2006. A host-parasite catalog of Tachinidae (Diptera) of Japan. *Makunagi/ Acta Dipterologica. Supplement 2*: 171 pp.
- Shima, H. 2014. The parerigonine genus *Paropesia* Mesnil (Diptera, Tachinidae), with descriptions of three new species from East Asia. *Zootaxa* **3827**: 576–590.
- Shima, H., Han, H.-y. and Tachi, T. 2010. Description of a new genus and six new species of Tachinidae (Diptera) from Asia and New Guinea. *Zootaxa* **2516**: 49–67.
- Shima, H. and Tachi, T. 2009. Description of a new species of the genus *Setalunula* Chao & Yang (Diptera, Tachinidae) from Japan. *Bulletin of the National Science Museum. Series A (Zoology)* **35**: 233–242.
- Shima, H. and Takahashi, H. 2011. *Tetrigimyia minor*, a new genus and species of Tachinidae (Diptera) parasitic on *Formosatettix larvatus* (Orthoptera: Tetrigidae) in Japan. *Zootaxa* **2921**: 39–46.
- Sun, X.-k. and Chao, C.-m. 1994. A new genus and species of the tribe Sturmiini from China (Diptera: Tachinidae). *Acta Zootaxonomica Sinica* **19**: 480–483.
- Sun, X.-k., Liang, E.-y., Qiao, Y., Chao, C.-m. and Zhou, S.-x. 1992. Diptera, Tachinidae. [In Chinese with English summary.] *Iconography of forest insects in Hunan China* **1992**: 1163–1207.
- Sun, X.-k. and Marshall, S.A. 2003. Systematics of *Phasia* Latreille (Diptera: Tachinidae). *Zootaxa* **276**: 1–320.
- Toma, R. 2003. Estudo das espécies do “complexo *Acaulona*” sensu Sabrosky (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **47**: 267–282.
- Toma, R. and Guimarães, J.H. 2000a. Revisão do gênero *Pterotopeza* (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 7–14.
- Toma, R. and Guimarães, J.H. 2000b. Revisão do gênero *Proparachaetopsis* revalidado (Diptera, Tachinidae). *Iheringia, Série Zoologia, Porto Alegre* **88**: 15–24.
- Toma, R. and Guimarães, J.H. 2002. Estudo taxonômico de *Leschenaultia* Robineau-Desvoidy (Diptera, Tachinidae). *Revista Brasileira de Entomologia* **46**: 33–70.
- Tschorsnig, H.-P. 1997. A new genus and four new species of Palearctic Tachinidae. *Stuttgarter Beiträge zur Naturkunde Serie A (Biologie)* **555**: 1–9.
- Tschorsnig, H.-P. and Richter, V.A. 1998. Family Tachinidae. Pp. 691–827. In: Papp, L. and Darvas, B., eds., *Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance)*. Volume 3. Higher Brachycera. Science Herald, Budapest. 880 pp.

- Valencia, L.A. 1972. *Velardemyia*, nuevo genero de Tachinidae – Voriini (Diptera) del Peru. *Revista Peruana de Entomología* **15**: 363–365.
- Vimmer, A. and Soukup, J. 1940. Los dípteros de los alrededores de Puno. (Conclusión.) *Boletín del Museo de Historia Natural “Javier Prado”* **4**: 360–372.
- Wood, D.M. 1974. Notes on *Allophorocera* with a description of a new species (Diptera: Tachinidae) from Finland. *Canadian Entomologist* **106**: 667–671.
- Wood, D.M. 1985. A taxonomic conspectus of the Blondeliini of North and Central America and the West Indies (Diptera: Tachinidae). *Memoirs of the Entomological Society of Canada* **132**: 1–130.
- Wood, D.M. 1987. Tachinidae. Pp. 1193–1269. In: McAlpine, J.F., Peterson, B.V., Shewell, G.E., Teskey, H.J., Vockeroth, J.R. and Wood, D.M., eds., *Manual of Nearctic Diptera. Volume 2. Agriculture Canada Monograph 28*: i–vi, 675–1332.
- Wood, D.M. and Cave, R.D. 2006. Description of a new genus and species of weevil parasitoid from Honduras (Diptera: Tachinidae). *Florida Entomologist* **89**: 239–244.
- Wood, D.M. and Zumbado, M.A. 2010. Tachinidae (tachinid flies, parasitic flies). Pp. 1343–1417. In: Brown, B.V., Borkent, A., Cumming, J.M., Wood, D.M., Woodley, N.E. and Zumbado, M.A. , eds., *Manual of Central American Diptera. Volume 2. NRC Research Press, Ottawa*. xvi + 715–1442 pp.
- Woodley, N.E. 1994. A new species of *Lydella* (Diptera: Tachinidae) from Mexico with a discussion of the definition of the genus. *Bulletin of Entomological Research* **84**: 131–136.
- Woodley, N.E. and Arnaud, P.H., Jr. 2008a. *Lobomyia neotropica*, a new genus and species of Tachinidae (Diptera) from the Neotropical Region. *Zootaxa* **1783**: 31–39.
- Woodley, N.E. and Arnaud, P.H., Jr. 2008b. *Eulobomyia*, a new replacement name for *Lobomyia* Woodley & Arnaud (Diptera: Tachinidae). *Zootaxa* **1856**: 67.
- Zeegers, T. 2007. A first account of the Tachinidae (Insecta: Diptera) of Yemen. *Fauna of Arabia* **23**: 369–419.
- Zeegers, T. 2010. Order Diptera, family Tachinidae. Pp. 673–686. In: Harten, A. van, ed., *Arthropod fauna of the UAE. Vol. 3*.
- Zhang, C.-t. and Shima, H. 2005. A revision of the genus *Trixa* Meigen (Diptera: Tachinidae). *Insect Science* **12**: 57–71.
- Ziegler, J. and Shima, H. 1996. Tachinid flies of the Ussuri area (Diptera: Tachinidae). *Beiträge zur Entomologie* **46**: 379–478.